

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 22 / SENE /	County or Parish/State: EDDY / NM
Well Number: 72	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731A	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001530153	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc 5/19/2022

Subsequent Report

Sundry ID: 2671987

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 05/16/2022	Time Sundry Submitted: 01:18
Date Operation Actually Began: 05/03/2022	

Actual Procedure: Please find plugging procedure and final plugged WBD attached for your use. Thank you!

SR Attachments

- Actual Procedure
- Dodd_72_Final_PA_Summary_20220516131817.pdf
 - DFU_72_As_Plugged_WBD_20220516131817.pdf

Well Name: DODD FEDERAL UNIT

Well Location: T17S / R29E / SEC 22 / SENE /

County or Parish/State: EDDY / NM

Well Number: 72

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028731A

Unit or CA Name:

Unit or CA Number: NMNM111789X

US Well Number: 3001530153

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: MAY 16, 2022 01:18 PM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 05/17/2022

Signature: James A. Amos

Start Date	End Date	Summary
5/3/2022	5/3/2022	Drove to location, PJSM, move rig and all equipment, RU pulling unit, ND WH, NU BOP, RU tubing equipment, POOH w/124 jts of 2-3/8", RU WL, RIH w/ gauge ring and tag at 3966', POOH, RD WL, CIBP already set at 3975', RIH w/ tubing to 3975', ready to pump cement, secure well and SDFN
5/4/2022	5/4/2022	Drove to location, PJSM, Wait on brine and freshwater, circulated 9.5 ppg brine around well, test casing to 500 psi, good test, mix and pump plug #1 25 sx of class C Cement, displace with 14.42 bbls of 9.5 ppg gelled brine, POOH LD 7 jts rack back 60 jts, WOC to tag, RIH 118 jts and tag plug #1 @ 3722', POOH LD 37 jts to put EOT @ 2550', Pressure up to test casing to 500 psi, did not hold, secure well and SDFN
5/5/2022	5/5/2022	Drove to location, PJSM, POOH 81 jts, PU 36 from racks, RIH w/ packer to find casing leak, found @ 126', POOH LD 4 jts and packer, RIH to 2550', mix and pump plug #2 25 sx of class C cement, displace w/ 8.91 bbls of 9.5 ppg gelled brine, POOH LD 54 jts to put EOT @ 852', mix and pump plug #3 25 sx of class C cement, displace w/ 2.34 bbls of 9.5 ppg gelled brine, POOH w/ 20 jts and LD 7, WOC to tag, BLM rep Ebru Barraza decided to tag cement in the morning, secure well and SDFN.
5/6/2022	5/6/2022	Drove to location, PJSM, RIH 4 jts and packer to put EOT @ 126', set packer, pump to break circulation on surface valve, got 2 bpm @ 100 psi, circulate 10 bbls of water, POOH LD 4 jts and packer, secure well and SDFN
5/9/2022	5/9/2022	Drove to location, PJSM, RU WL, RIH and perforate @ 365', POOH and RD WL, RIH w/ packer and 6 jts to put EOT at 189', set packer, pump to get injection rate, got 2 BPM @500 psi, unset packer and POOH, Ebru Barraza w/ BLM approved to drop 50 ' below perfs and pump 25 sx, RIH w/ 13 jts to put EOT @ 415', mix and pump plug #4 25 sx of class C cement, displace with 0.65 bbls of 9.5 ppg brine, POOH and WOC, RIH and tag plug #4 @ 184', POOH LD 6 jts, close blind rams, mix and pump plug #5 15 sx of class C cement, cement came to surface, RD tubing equipment, ND BOP, SDFN
5/10/2022	5/10/2022	Drove to location, PJSM, RD equipment and move to next well.

API #	30-015-30153	Dodd Federal Unit #72	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	22-17S-29E
Field	Dodd; Glorieta-Upper Yeso		Footage	2085 FNL 990 FEL
Spud Date	6/12/1998		Survey	

Formation (MD)	
San Andres	
Glorieta	
Yeso	
Bone Spring	
Wolfcamp	
Canyon	
Strawn	
Atoka	
Morrow	

RKB	3591
GL	3579

Hole Size	17-1/2"
TOC	Surface
Method	circ 43 sx

Csg Depth	315'
Size	13-3/8"
Weight	48
Grade	
Connections	
Cement	450 sx

Tubing Detail				
Jts	Size	Depth	Length	Detail

Rod Detail					
Rods	Size	Depth	Length	Guides	Detail

Hole Size	12-1/4"
TOC	Surface
Method	Circ 85 sx


Csg Depth	802'
Size	8-5/8"
Weight	24
Grade	
Connections	
Cement	450 sx

Last Update	12/2/2021
By	RCB

PBTD	4496'
TD MD	4565'
TD TVD	4565'

Hole Size	7-7/8"
TOC	Surface
Method	Circ 61 sx

Csg Depth	4514'
Size	5-1/2"
Weight	17
Grade	
Connections	
Cement	935 sx



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 107997

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 107997
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/19/2022