<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 393-6161 Fax: (575) 393-0/20

District II
811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fay: (505) 476-3462

#### **State of New Mexico**

Form C-101 Revised July 18, 2013

# **Energy Minerals and Natural Resources Oil Conservation Division**

☐AMENDED REPORT

1220 South St. Francis Dr.

			1. Operator Name an					<sup>2.</sup> OGRID Numl	ber
		1.1	FAE II Operation 1757 Katy Freeway					329326  3. API Numbe	
		11	Houston, TX	77079				30-025-088 <sup>4</sup>	-
	erty Code 196				Property Name STATE A A/C 2			E .	Vell No. <b>#055</b>
					rface Location				
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
Р	08	22S	36E		660	S	660	Е	LEA
		•		8. Proposed	d Bottom Hole Lo	cation			
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
Р	08	22S	36E		660	S	660	Е	LEA
					ol Information				1
			EUNI		Name S-QUEEN, SOUTH				Pool Code 24130
				Additiona	l Well Informatio	n		T	
	k Type E		12. Well Type O		13. Cable/Rotary R		<sup>14.</sup> Lease Type	15. Ground Level Elev	
	ultiple		17. Proposed Depth		18. Formation				<sup>20.</sup> Spud Date
Nepth to Grou	O		3850'		RVRs-QUEEN fresh water well	EN TBD 09/16/202  Distance to nearest surface water			9/16/2022
			ystem in lieu of lin _						
Type	Hol	e Size	<sup>21.</sup> <b>Pr</b>	oposed Cas	ing and Cement P		Sacks of	Cement	Estimated TOC
Type Surface		<u> </u>			eight/ft Se	rogram tting Depth 322'	Sacks of		Estimated TOO
	12	e Size	<sup>21.</sup> <b>Pr</b> Casing Size	oposed Casing We	eight/ft Se	tting Depth		sxs	
Surface	12	e Size	21. <b>Pr</b> Casing Size 8.625" 5.5"	Casing Wo	eight/ft Se	322' 3850'	300	sxs	Surface
Surface	12	e Size	21. <b>Pr</b> Casing Size 8.625" 5.5"	Casing Wo	eight/ft Se	322' 3850'	300	sxs	Surface
Surface	12	e Size	21. Pr Casing Size 8.625" 5.5" Casing/0	Cement Pro	gram: Additional	322' 3850' Comments	300	sxs	Surface
Surface	12	e Size	21. Pr Casing Size 8.625" 5.5" Casing/C	Cement Pro	gram: Additional	322' 3850' Comments	300 250	sxs sxs	Surface
Surface Production	12	e Size 2.25" 375"	21. Pr Casing Size 8.625" 5.5" Casing/C	Casing Wo	gram: Additional	322' 3850' Comments	300 250	sxs sxs	Surface Surface
Surface Production	Type ouble R	e Size	21. Pr Casing Size 8.625" 5.5"  Casing/C	Casing Working Pressure 3,000#	gram: Additional  wout Prevention P	322' 3850' Comments Crogram Test Pres	300 250	sxs sxs	Surface Surface
Surface Production  D	Type ouble R	e Size  2.25"  375"  am  e information lief.	Casing Size 8.625" 5.5" Casing/C	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P	tting Depth 322' 3850'  Comments  Program  Test Pres 3,000	300 250	sxs sxs M	Surface Surface  Surface  Janufacturer
D Thereby ce f my knowle further cer 9.15.14.9 (B	Type ouble R  rtify that th dge and bel tify that I I	e Size  2.25"  375"  am  e information lief.	Casing Size 8.625" 5.5" Casing/C  22. Pro  We  an given above is true  ed with 19.15.14.9 (	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P  to the best and/or  Approved	Comments  Comments  Comments  Comments  Comments  Comments  Comments  Comments  Comments	300 250 ssure O#	sxs sxs M	Surface Surface  Surface  Janufacturer
D Thereby cef my knowle further cer 9.15.14.9 (Bignature:	Type ouble R  rtify that th dge and bel tify that I I	e Size 2.25" 375" am e information lief. nave complicity.	Casing Size 8.625" 5.5" Casing/C  22. Pro  We  an given above is true  ed with 19.15.14.9 (	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P  to the best and/or  Approved	tting Depth 322' 3850'  Comments  Program  Test Pres 3,000  OIL	300 250 ssure O#	sxs sxs M	Surface Surface  Surface
D Thereby ce f my knowle further cer 9.15.14.9 (Bignature:	Type ouble R rtify that the dge and beltify that I I I NMAC [	e Size 2.25" 375" am e information lief. have complical , if applica	Casing Size 8.625" 5.5" Casing/C  22. Pro  We  an given above is true  ed with 19.15.14.9 (	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P  to the best and/or  Approved  Title:	Comments  Program  Test Pres 3,000  OIL  d By:  Kautz	300 250 ssure D#	sxs sxs  M U TION DIVIS	Surface Surface  Surface  Ianufacturer Inknown
D  Thereby ce f my knowle further cer 9.15.14.9 (Biginature:	Type ouble R  rtify that th dge and bel tify that I I ) NMAC [  VANESS/	e Size 2.25" 375" am e information lief. nave complicity. A NEAL	Casing Size 8.625" 5.5"  Casing/C  22. Pro  We are given above is true and with 19.15.14.9 (which is the content of the conten	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P  to the best and/or  Approved  Title:	Comments  Comments  Comments  Comments  Comments  Comments  Comments  Comments  Comments	300 250 ssure D#	sxs sxs M	Surface Surface  Surface  Ianufacturer Inknown
D  Thereby ce f my knowle further cer 9.15.14.9 (Biginature:	Type ouble R  rtify that th dge and bel tify that I I ) NMAC [  VANESSA  SERVOIR F  SSS: vanessa	e Size 2.25" 375" am e information lief. have complical , if applica	Casing Size 8.625" 5.5"  Casing/C  22. Pro  We are given above is true and with 19.15.14.9 (which is the content of the conten	Casing Wo 24# 14# Cement Pro oposed Blov orking Pressure 3,000# and complete to	gram: Additional  wout Prevention P  to the best and/or Approved Approved Approved	Comments  Program  Test Pres 3,000  OIL  d By:  Kautz	300 250 ssure )# CONSERVA	sxs sxs  M U TION DIVIS	Surface Surface  Surface  Ianufacturer Inknown

Conditions of Approval Attached

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

	<sup>1</sup> API Number		er	2 P	ool Code	<sup>3</sup> Pool Name					
	30	-025-088	42	24130 EUNICE; 7 RVRS-QUE			EUNICE; 7 RVRS-QUEEN, SOUTH				
ı	<sup>4</sup> Property	Code			5	<sup>5</sup> Property Name <sup>6</sup> Well Number					
	16196	5	STATE A A/C 2 #055					#055			
ı	<sup>7</sup> OGRID	No.			8 (	Operator Name			9 F	Elevation	
	32932	6			FAE II C	PERATING,	LLC		3	3581'	
					<sup>10</sup> Surface Location						
ſ	III Lot	Section	Townshin	Range	Range Lot Idn Feet from N/S Line Feet From			Feet from N/S Line Feet From F/W Line Count			

Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
08	22S	36E		660	S	660	E	LEA
" Bottom Hole Location If Different From Surface								
Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
08	22S	36E		660	S	660	E	LEA
13 Joint o	r Infill	Consolidation Code	15 Order No.					
7	Y							
	08 Section 08	08         22S           Section         Township           08         22S	08         22S         36E           Bottom           Section         Township         Range           08         22S         36E	08         22S         36E           " Bottom Hole Locat           Section         Township         Range         Lot Idn           08         22S         36E	08         22S         36E         660           " Bottom Hole Location If Difference           Section         Township         Range         Lot Idn         Feet from           08         22S         36E         660	08         22S         36E         660         S           " Bottom Hole Location If Different From Sur           Section         Township         Range         Lot Idn         Feet from         N/S Line           08         22S         36E         660         S	08         22S         36E         660         S         660           " Bottom Hole Location If Different From Surface           Section         Township         Range         Lot Idn         Feet from         N/S Line         Feet From           08         22S         36E         660         S         660	08         22S         36E         660         S         660         E           " Bottom Hole Location If Different From Surface           Section         Township         Range         Lot Idn         Feet from         N/S Line         Feet From         E/W Line           08         22S         36E         660         S         660         E

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16			<sup>17</sup> OPERATOR CERTIFICATION
			Thereby certify that the information contained herein is true and complete to
			the best of my knowledge and belief, and that this organization either owns a
			working interest or unleased mineral interest in the land including the
			proposed bottom hole location or has a right to drill this well at this location
			pursuant to a contract with an owner of such a mineral or working interest,
			or to a voluntary pooling agreement or a compulsory pooling order
			heretofore entered by the division.
			05\17\2022
			Signature Date
			~ <b>/ \</b>
			VANESSA NEAL
			Printed Name
			vanessa@faenergyus.com
			E-mail Address
			18SURVEYOR CERTIFICATION
			I hereby certify that the well location shown on this plat
			was plotted from field notes of actual surveys made by
			me or under my supervision, and that the same is true
			and correct to the best of my belief.
			Day of Commen
			Date of Survey
			Signature and Seal of Professional Surveyor:
	SE/4 SE/4		
	Sec 08 (40 acres)	<b>∩</b> ——	
		660'	
		,099	Certificate Number

**STATE A A/C 2 #055** API: 30-025-08842 STATE Well Name: Lease Type: 660' FSL & 660' FEL 22S-36E-08-P NM-2A A-983 Location: T-R-Sec-Spot-Lot: Lease No: Lea, NM Formation(s): [24130] Eunice; 7 RVRs-Queen, South ounty/State: **PROPOSED** KB: 3592 Surface Csg DF: 3591' Size: 8-5/8" Wt.&Thrd: 24# GL: 3581' Grade: J-55 SMLS Spud Date: 3/29/1961 Set @: 322' Compl. Date: 4/5/1961 Sxs cmt: 300 sxs Circ: Circ TOC: Surface History - Highlights 1970-08: Clean out to 3847'; Convert to Injection Hole Size: 12-1/4" 1976-10: Well shut-in 1985-09: Test csg for leaks, Convert to producer 1990-12: TA Well 1993-03: P&A'd well, Cut csg 3' below GL Proposed: Re-entry. Dig out around P&A marker, tie-in new csg above GL; Drill out cmt plugs & CIBP. Use pkr to test csg integrity, if leaks, attempt to squeeze, if unable to squeeze run 4" liner across bad csg & cmt in place; Add perfs & Acidize QUEEN; RTP YATES (Top @ 3148') 7 RVRS (Top @ 3330') SN 3780' 3817 EOT **Production Csq** Size: 5-1/2" QUEEN (Top @ 3680') Wt.&Thrd: 14# 8rd 3752-3756', 3760-3762', 3767-3769' (2 SPF) - PROPOSED Acidize w/ 3000 gals 15% NEFE HCL acid, 1000# rock salt & flush w/ 250 bbls Grade: J-55 ST&C Set @: 3850' Sxs Cmt: 250 sxs 3774-3778', 3781-3784', 3792-3796', 3802-3810', 3816-3820', 3831-3835' (140 shots) -Apr 1961 Circ: 2590' (Temp) TOC: Frac w/ 20,000 gals lease oil, 500# adomite & 20,000# sand; Acidize w/ 5000 gals 15% NEFE HCL acid, 1500# rock salt & flush w/ 50 bbls 2% KCL wtr Hole Size: **PBTD 3847**' TD 3850'

lubulars - Capacities and Performance	
2-3/8" 4.7# J-55 Tubing (117 jts 2-3/8" tubing, SN, 4' perf sub, MA w/ bull plug)	
2 0/0 4.7# 0 00 Tubing (117 Jul 2 0/0 Tubing, ON, 4 Periodus, W/N W Buil Plug)	

Well Name:		SIAIEA		API:	30-025-08842	Lease Type:	STATE
Location:	660'	FSL & 660' F	EL	T-R-Sec-Spot-Lot:	22S-36E-08-P	Lease No:	NM-2A A-983
ormation(s):	[24130] Eun	nice; 7 RVRs-Q	ueen, South			ounty/State:	Lea, NM
			CURRE	NT			
Surface Csg						<b>KB</b> : 3592'	
Size:	8-5/8"	_				<b>DF</b> : 3591'	
Vt.&Thrd:	24#	_			_	GL: 3581'	
Grade:	J-55 SMLS	_				ud Date: 3/29/1961	
Set @:	322'				Comp	pl. Date: 4/5/1961	
Sxs cmt:	300 sxs Circ	_					
Circ: TOC:	Surface	_			Uioto m.	- Highlights	
Hole Size:	12-1/4"	_			-	<u>- riigniights</u> <u>:</u> Clean out to 3847'; Conv	ert to Injection
TOIC GIZC.	12 1/4	_				: Well shut-in	ore to injustion
Cmt Plug		0-330'				Test csg for leaks, Conv	ert to producer
Perf Csg (2 S	SPF)	~330'				: TA Well	·
Cmt Plug		330-600'				P&A'd well, Cut csg 3' be	elow GL
Bad Csg		53-2227'					
					Allinfo	from OCD well files ONL	v
					All lillo	Ironi OCD wen liles ONL	ı <b>T</b>
Cmt Plug	23	311-2600'			<u> </u>		
Office Tag	20	711 2000					
				YATES (	Top @ 3148')		
				7 RVRS	(Top @ 3330')		
Cmt on top (3	30 sxs)	~3560'					
CIBP	,	3710'					
Production (							
Size:	5-1/2"	_					
Wt.&Thrd:	14# 8rd	_			(T. O. 0.000)		
Grade:	J-55 ST&C	<u>-</u>			<u>(Top @ 3680')</u> 791 2794 27941 2702 2704	SI 2002 2040I 2040 0000	1 2024 20251 /4 40 1
Set @: Sxs Cmt:	3850'	_			78', 3781-3784', 3792-3796 [ISOLATED]	o , 3802-3810°, 3816-3820	, აგა I-3835° (140 sh
	250 sxs	_			rac w/ 20,000 gals lease o	il 500# adomite & 20 000	# sand
Circ:	2590' (Temp	<u> </u>		<b>∓</b> ′	140 W/ 20,000 yais icase 0	, Jooπ adomite α 20,000	T Janu
Circ: TOC:		<u>~ /</u>					
Circ: TOC: Hole Size:	7-7/8"						
тос:		_	PBTD 0	,•			
тос:		<u> </u>	PBTD 0 TD 3850				
тос:		_					

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically
Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

#### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

## Section 1 – Plan Description Effective May 25, 2021

I. Operator: FAE II Operating, LLC OGRID: 329326 Date: 05/17/2022

II. Type: ☐ Original ☐	☐ Amendment (	due to □ 19.15.27	'.9.D(6)(a) NMA(	C □ 19.15.27.9.D(	6)(b) N	MAC 🗵 (	Other.	
If Other, please describe	e: Re-enter	State A A/C 2 #05	55 and return 7 RV	VRs-QUEEN to Pr	oductic	n		
III. Well(s): Provide the be recompleted from a s					vells pr	oposed to b	oe dril	led or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		icipated MCF/D	Pı	Anticipated roduced Water BBL/D
STATE A A/C 2 #055	30-025-08842	P-08-22S-36E	660' FSL & 660' FEL	3		9		115
V. Anticipated Schedu proposed to be recomple Well Name	le: Provide the	following informa		or recompleted w	ell or se	19.15.27.9 et of wells  Initial F	propos	-
		-	Date	Commencement		Back D	ate	Date
STATE A A/C 2 #055	30-025-08842	9/16/2022	9/16/2022	9/16/2022		9/27/202	22	9/28/2022
VI. Separation Equipm VII. Operational Prac Subsection A through F	etices: ⊠ Attac f of 19.15.27.8 ì	h a complete desc NMAC.	cription of the act	tions Operator will	l take t	o comply v	with th	ne requirements of
VIII. Best Management during active and planned			ete description of	Operator's best m	nanagei	nent practi	ces to	minimize venting

# Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural s	gas gathering system	will □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well	prior to the date of first p	production.			

XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

П	A 441- /	O				:	4 - 41 - :	sed line pressure	_
1 1	Allach (	merator	's blab i	o manage	production	in response	: 10 ine increa	sea line pressure	e

XIV. Confidentiality: U Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific	information
for which confidentiality is asserted and the basis for such assertion.	

# Section 3 - Certifications Effective May 25, 2021

Operator certifies that, at	ter reasonable inquiry and based on the available information at the time of submittal:
one hundred percent of	to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering
hundred percent of the a into account the current	able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one nticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. box, Operator will select one of the following:
	or will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection
D of 19.15.27.9 NMAC;	or
   Venting and Flaring Pl	an.   Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential
	s for the natural gas until a natural gas gathering system is available, including:
(a)	power generation on lease;
(b)	power generation for grid;
(c)	compression on lease;
(d)	liquids removal on lease;
(e)	reinjection for underground storage;
(f)	reinjection for temporary storage;
(g)	reinjection for enhanced oil recovery;
(h)	fuel cell production; and
(i)	other alternative beneficial uses approved by the division.

## **Section 4 - Notices**

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: Vanessa Neal
Title: Sr. Reservoir Engineer
E-mail Address: vanessa@faenergyus.com
Date: 18 MAY 2022
Phone: 832-219-0990
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

# FAE II Operating, LLC ("FAE") Natural Gas Management Plan

#### VI. Separation Equipment

- Separation equipment is sized to allow for retention time and velocity to adequately separate oil, gas, and water at anticipated peak rates.
- Valves and meters are designed to service without flow interruption or venting of gas.
- Gas from treater and wellhead will be tied into the sales line.

#### **VII. Operational Practices**

#### 19.15.27.8 (A)

FAE's field operations are designed with the goal of minimizing venting of natural gas. Wellhead and existing production equipment are tied into the gas sales line.

#### 19.15.27.8 (B) Venting and Flaring during drilling operations

- Venting will only occur if there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment.
- Daily vented volumes during drilling operations will be estimated on the daily report.
- All equipment will be available to process wellhead production upon completion of the well.

#### 19.15.27.8 (C) Venting and Flaring during completions or recompletions operations.

- During all phases of flowback, wells will flow through a sand separator, or other appropriate
  flowback separation equipment, and the well stream will be directed to a central tank battery (CTB)
  through properly sized flowlines.
- The CTB will have properly sized separation equipment for maximum anticipated flowrates.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks;
   vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from well is <60 MCFPD.</li>

#### 19.15.27.8 (D) Venting and Flaring during production operations.

- During production, the well stream will be routed to the CTB where multiple stages of separation will separate gas from liquids. All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.</p>
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.

#### 19.15.27.8 (E) Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas/H2S detectors will be installed throughout the facilities and wellheads to detect leaks and enable timely repairs.

#### 19.15.27.8 (F) Measurement or estimation of vented and flared natural gas

- All gas from wellhead and treater will be routed to a sales outlet.
- When metering is not practical due to low pressure/low rate (<60 MCFPD), the vented volume will be estimated based on annual GOR.

#### **VIII. Best Management Practices**

- FAE will use best management practices to vent as minimally as possible during well intervention operations and downhole well maintenance.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD. All venting events will be recorded and all start-up, shutdown, maintenance logs will be kept for control equipment
- All equipment will be maintained to provide highest run-time possible.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.
- All procedures are drafted to keep venting to the absolute minimum.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 109536

#### **CONDITIONS**

Operator:	OGRID:
FAE II Operating LLC	329326
11757 Katy Freeway, Suite 725	Action Number:
Houston, TX 77079	109536
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

#### CONDITIONS

Created By		Condition Date
pkautz	None	5/23/2022