Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVE	D
OMB No. 1004-013	7
Expires: October 31, 2	02

5.	Lease	Serial	No

BURE	AU OF LAND MANAGEMENT		5. Lease Seriai No.	
SUNDRY NOTICES AND REPORTS ON WI Do not use this form for proposals to drill or to			6. If Indian, Allottee or	r Tribe Name
	lse Form 3160-3 (APD) for suc			
	RIPLICATE - Other instructions on page	2	7. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well Oil Well Gas We	ell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or I	Exploratory Area
4. Location of Well (Footage, Sec., T.,R.	,M., or Survey Description)		11. Country or Parish,	State
12. CHEC	CK THE APPROPRIATE BOX(ES) TO INC	DICATE NATURE OF NOTI	ICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF AC	TION	
Notice of Intent	Acidize Deep Alter Casing Hydra	_	uction (Start/Resume) amation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction Reco	omplete	Other
			porarily Abandon	
Final Abandonment Notice	Convert to Injection Plug Peration: Clearly state all pertinent details, in		er Disposal	1 1
	ns. If the operation results in a multiple com ces must be filed only after all requirements			
14. I hereby certify that the foregoing is t	rue and correct. Name (Printed/Typed)	Title		
		1100		
Signature		Date		
	THE SPACE FOR FEDE	ERAL OR STATE OF	ICE USE	
Approved by				
		Title	I	Date
	ed. Approval of this notice does not warrant quitable title to those rights in the subject leaduct operations thereon.		<u> </u>	
	U.S.C Section 1212, make it a crime for an		Ifully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Batch Well Data

GAVILON FED COM 603H, US Well Number: 3002547862, Case Number: NMNM57683, Lease Number: NMNM57683, Operator: MATADOR PRODUCTION COMPANY

GAVILON FED COM 604H, US Well Number: 3002547861, Case Number: NMNM57683, Lease Number: NMNM57683, Operator: MATADOR PRODUCTION COMPANY

GAVILON FED COM 708H, US Well Number: 3002547863, Case Number: NMNM57683, Lease Number: NMNM57683, Operator: MATADOR PRODUCTION COMPANY

Technical Specifications

Connection Type:	Size(O.D.):	Weight (Wall):	Grade:
DWC/C Casing	7 in	29.00 lb/ft (0.408 in)	VMS P110 EC

2012 API Spec 5CT Coupling O.D.

, , , , , , , , , , , , , , , , , , , ,		
VMS P110 EC 125,000 135,000	Material Grade Minimum Yield Strength (psi) Minimum Ultimate Strength (psi)	VAM-USA 4424 W. Sam Houston Pkwy. Suite 150
7.000 6.184 0.408 29.00 28.75 8.449	Pipe Dimensions Nominal Pipe Body O.D. (in) Nominal Pipe Body I.D.(in) Nominal Wall Thickness (in) Nominal Weight (lbs/ft) Plain End Weight (lbs/ft) Nominal Pipe Body Area (sq in)	Houston, TX 77041 Phone: 713-479-3200 Fax: 713-479-3234 E-mail: VAMUSAsales@na.vallourec.com
1,056,000 9,580 12,750 11,700	Pipe Body Performance Properties Minimum Pipe Body Yield Strength (lbs) Minimum Collapse Pressure (psi) Minimum Internal Yield Pressure (psi) Hydrostatic Test Pressure (psi)	
7.875 6.184 6.125 4.50 8.449 100.0	Connection Dimensions Connection O.D. (in) Connection I.D. (in) Connection Drift Diameter (in) Make-up Loss (in) Critical Area (sq in) Joint Efficiency (%)	
1,056,000 26,010 1,045,000 528,000 9,580 12,750 40.9	Connection Performance Properties Joint Strength (lbs) Reference String Length (ft) 1.4 Design Factor API Joint Strength (lbs) Compression Rating (lbs) API Collapse Pressure Rating (psi) API Internal Pressure Resistance (psi) Maximum Uniaxial Bend Rating [degrees/100 ft]	
26,800 31,300 35,800	Appoximated Field End Torque Values Minimum Final Torque (ft-lbs) Maximum Final Torque (ft-lbs) Connection Yield Torque (ft-lbs)	

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).


Connection specifications within the control of VAM-USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

5/10/2013 3:49:39 PM



DWC Connection Data Notes:

- DWC connections are available with a seal ring (SR) option.
- All standard DWC/C connections are interchangeable for a give pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.
- 3. Connection performance properties are based on nominal pipe body and connection dimensions.
- DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
- 5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.
- 6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.
- Bending efficiency is equal to the compression efficiency.
- 8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.
- 9. Connection yield torque is not to be exceeded.
- 10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.
- DWC connections will accommodate API standard drift diameters.



Connection specifications within the control of VAM-USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

5/10/2013 3:49:39 PM



TEC-LOCK WEDGE 5.500" 20 LB/FT (.361"Wall) with 5.875" SPECIAL CLEARANCE OD

BEN P110 CY

Pipe Body Data

Nominal OD:	5.500	in
Nominal Wall:	.361	in
Nominal Weight:	20.00	lb/ft
Plain End Weight:	19.83	lb/ft
Material Grade:	P110 CY	
Mill/Specification:	BEN	
Yield Strength:	125,000	psi
Tensile Strength:	135,000	psi
Nominal ID:	4.778	in
API Drift Diameter:	4.653	in
Special Drift Diameter:	None	in
RBW:	87.5 %	
Body Yield:	729,000	lbf
Burst:	14,360	psi
Collapse:	13,010	psi

Connection Data

Standard OD:	5.875	in
Pin Bored ID:	4.778	in
Critical Section Area:	5.656	in²
Tensile Efficiency:	97 %	
Compressive Efficiency:	100 %	
Longitudinal Yield Strength:	707,000	lbf
Compressive Limit:	729,000	lbf
Internal Pressure Rating:	14,360	psi
External Pressure Rating:	13,010	psi
Maximum Bend:	101.2	°/100ft

Operational Data

15,000	ft*lbf
18,700	ft*lbf
41,200	ft*lbf
45,800	ft*lbf
5.97	in
	18,700 41,200 45,800

Notes Operational Torque is equivalent to the Maximum Make-Up Torque



Generated on Sep 03, 2019

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 96035

CONDITIONS

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	96035
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By		Condition Date
pkautz	None	5/23/2022