Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVEI)
OMB No. 1004-013	7
Expires: October 31, 2	02

BUR	EAU OF LAND MANAGEMENT		3. Lease Serial No. MULTIPLE			
SUNDRY N	IOTICES AND REPORTS ON W	/ELLS		6. If Indian, Allottee	or Tribe Name	
	form for proposals to drill or to Use Form 3160-3 (APD) for suc			MULTIPLE		
SUBMIT IN	TRIPLICATE - Other instructions on pag	e 2		_	eement, Name and/or No.	
1. Type of Well				MULTIPLE		
Oil Well Gas V	_			8. Well Name and No	O. MULTIPLE	
2. Name of Operator EOG RESOURO	CES INCORPORATED			9. API Well No. MUI	LTIPLE	
3a. Address 1111 BAGBY SKY LOB	BBY 2, HOUSTON, TX 770 3b. Phone No. (713) 651-700		rea code)	10. Field and Pool or MULTIPLE	Exploratory Area	
4. Location of Well (Footage, Sec., T.,F	R.,M., or Survey Description)			11. Country or Parish, State		
MULTIPLE				MULTIPLE		
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE 1	NATURE OF NOT	TICE, REPORT OR OT	THER DATA	
TYPE OF SUBMISSION			TYPE OF AC			
Notice of Intent	Acidize Deep		=	duction (Start/Resume)		
		aulic Fra		elamation	Well Integrity	
Subsequent Report		Construc		complete	Other	
Final Abandonment Notice		and Aban Back	_	nporarily Abandon ter Disposal		
	Operation: Clearly state all pertinent details, in			1		
is ready for final inspection.) EOG Resources Inc. (EOG) re	espectfully requests the execution of the low (and with the additional Offline Ceme	variance	for Wellhead bre	eak testing and offling	-	ed that the site
30-025-47440 Merciless 13 Fe	ed Com #501H					
30-025-47441 Merciless 13 Fe	ed Com #502H					
30-025-47442 Merciless 13 Fed Com #503H						
30-025-47443 Merciless 13 Fe	ed Com #504H					
equipment testing of Onshore equipment (BOPE) along with	g: EOG Resources Inc. (EOG) respectfull Order No. 2 (item III.A.2.a.i) to allow a te Batch Drilling & Offline cement operation	esting sc	nedule of the blo	w out preventer (BOI		on
Continued on page 3 additiona						
	true and correct. Name (Printed/Typed)	R	egulatory Special	list		
STAR HARRELL / Ph: (432) 848-9	161	Title				
Signature		Date		05/04/2	2022	
	THE SPACE FOR FEDI	ERAL	OR STATE O	FICE USE		
Approved by						
CHRISTOPHER WALLS / Ph: (57	5) 234-2234 / Approved	Ti	Petroleum En	gineer	05/05/20 Date	J22
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.			fice CARLSBAD)		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Full BOPE test at first installation on the pad.

Full BOPE test every 30 days per Onshore Order No. 2.

Function test BOP elements per Onshore Order No. 2.

Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.

After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.

TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

EOG respectfully requests to change the surface hole size from 17.5 to 16, and the production hole size from 8.75 by 8.5 to 7.875 (see attached casing design) for each well listed above.

Batch Well Data

MERCILESS 13 FED COM 501H, US Well Number: 300254744000X1, Case Number: NMNM110835, Lease Number: NMNM110835, Operator:EOG RESOURCES INCORPORATED

MERCILESS 13 FED COM 502H, US Well Number: 300254744100X1, Case Number: NMNM110835, Lease Number: NMNM110835, Operator:EOG RESOURCES INCORPORATED

MERCILESS 13 FED COM 503H, US Well Number: 300254744200X1, Case Number: NMNM110835, Lease Number: NMNM110835, Operator: EOG RESOURCES INCORPORATED

MERCILESS 13 FED COM 504H, US Well Number: 300254744300X1, Case Number: NMNM110835, Lease Number: NMNM110835, Operator:EOG RESOURCES INCORPORATED



Merciless 13 Fed Com 501H, 502H, 503H & 504H Revised Permit Information 03/28/2022:

Casing Program:

Hole	Interval MD		Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	1,060	0	1,060	13-3/8"	54.5#	J-55	STC
12-1/4"	0	4,000	0	3,991	9-5/8"	40#	J-55	LTC
12-1/4"	4,000	4,810	3,991	4,801	9-5/8"	40#	HCK-55	LTC
7-7/8"	0	18,507	0	10,805	5-1/2"	17#	HCP-110	LTC

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 12-1/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 12-1/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

Cementing Program:

		Wt.	Yld	Slurry Description	
Depth	No. Sacks	ppg	Ft3/sk	Starry Description	
1,060'	320	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk	
13-3/8''				Cello-Flake (TOC @ Surface)	
	100	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2%	
				Sodium Metasilicate (TOC @ 860')	
4,810'	700	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx	
9-5/8''				(TOC @ Surface)	
	310	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 3,850')	
18,507'	450	11.0	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3%	
5-1/2''				Microbond (TOC @ 4,310')	
	1470	14.4	1.2	Tail: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3%	
				Microbond (TOC @ 10,463')	



Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Mud Program:

Depth (TVD)	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,060'	Fresh - Gel	8.6-8.8	28-34	N/c
1,060' – 4,810'	Brine	8.6-8.8	28-34	N/c
4,810' – 18,507'	Oil Base	8.8-9.5	58-68	N/c - 6


Wellhead:

EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of Onshore Order No. 2 (item III.A.2.i) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 30 days per Onshore Order No. 2.
- Function test BOP elements per Onshore Order No. 2.
- Break testing BOP and BOPE coupled with batch drilling operations and production sections that do not penetrate the Wolfcamp or deeper formations.
- After the well section is cemented the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad. The cemented well will be secured with a blind flange and a pressure gauge for monitoring.



Revised Wellbore



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 104747

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	104747
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By		Condition Date
pkautz	None	5/24/2022