

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-45525
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name CAL MON 35 FEDERAL #176H
8. Well Number
9. OGRID Number 16696
10. Pool name or Wildcat COTTON DRAW; BONE SPRING

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA INC.	
3. Address of Operator 5 Greenway Plaza, Suite 110, Houston, TX	
4. Well Location	
Unit Letter <u>A</u> : <u>110</u> feet from the <u>NORTH</u> line and <u>580</u> feet from the <u>EAST</u> line	
Section _____ Township _____ Range _____ NMPM _____ County _____	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3471' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input checked="" type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY USA INC. respectfully requests to amend the Bone Spring horizontal spacing unit previously filed to be a standard (13367 Cotton Draw; Bone Spring) HSU of 40-acres to coincide with the perforations. See the attached C102 well plat for reference.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY ADVISOR DATE 6/1/2022

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 6/6/2022
 Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-45525	Pool Code 13367	Pool Name COTTON DRAW; BONE SPRING
Property Code 314855	Property Name CAL-MON "35" FEDERAL	Well Number 176H
OGRID No. 16696	Operator Name OXY USA INC.	Elevation 3471.1'

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	35	23 SOUTH	31 EAST, N.M.P.M.		110'	NORTH	580'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	35	23 SOUTH	31 EAST, N.M.P.M.		20'	SOUTH	311'	EAST	EDDY
Dedicated Acres 40		Joint or Infill	Consolidation Code	Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	<p>SURFACE LOCATION NEW MEXICO EAST NAD 1983 Y=461688.66 US FT X=724133.16 US FT LAT.: N 32.2678723° LONG.: W 103.7419259°</p> <p>GRID AZ = 76°16'19" 257.02'</p>	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><u>Leslie T. Reeves</u> 5/25/22 Signature Date</p> <p>LESLIE REEVES Printed Name LESLIE_REEVES@OXY.COM E-mail Address</p>
	<p>KICK OFF POINT NEW MEXICO EAST NAD 1983 Y=461749.66 US FT X=724382.84 US FT LAT.: N 32.2680362° LONG.: W 103.7411170°</p>	
	<p>FIRST TAKE POINT NEW MEXICO EAST NAD 1983 Y=461699.66 US FT X=724383.11 US FT LAT.: N 32.2678987° LONG.: W 103.7411171°</p>	
	<p>LAST TAKE POINT NEW MEXICO EAST NAD 1983 Y=456622.77 US FT X=724409.97 US FT LAT.: N 32.2539433° LONG.: W 103.7411208°</p>	
	<p>BOTTOM HOLE LOCATION NEW MEXICO EAST NAD 1983 Y=456542.77 US FT X=724410.39 US FT LAT.: N 32.2537234° LONG.: W 103.7411208°</p>	
<p>GRID AZ = 179°41'48" 5206.96' IN ALL</p> <p>HORIZONTAL SPACING UNIT</p>		<p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p><u>FEBRUARY 14, 2018</u> Date of Survey</p> <p><u>Tommy J. Reed</u> 2/5/2019 Signature and Seal of Professional Surveyor Certificate Number 15079</p> <p>WO# 171107WL-b (Rev. C) (KA)</p>

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-45525	Pool Code 13367	Pool Name COTTON DRAW; BONE SPRING
Property Code 314855	Property Name CAL-MON "35" FEDERAL	Well Number 176H
OGRID No. 16696	Operator Name OXY USA INC.	Elevation 3471.1'

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	35	23 SOUTH	31 EAST, N.M.P.M.		110'	NORTH	580'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	35	23 SOUTH	31 EAST, N.M.P.M.		20'	SOUTH	311'	EAST	EDDY
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

LTP BS: 353' FNL 383' FSL

<p>SURFACE LOCATION NEW MEXICO EAST NAD 1983 Y=461688.66 US FT X=724133.16 US FT LAT.: N 32.2678723° LONG.: W 103.7419259°</p> <p>GRID AZ = 76°16'19" 257.02'</p> <p>KICK OFF POINT NEW MEXICO EAST NAD 1983 Y=461749.66 US FT X=724382.84 US FT LAT.: N 32.2680362° LONG.: W 103.7411170°</p> <p>FIRST TAKE POINT NEW MEXICO EAST NAD 1983 Y=461699.66 US FT X=724383.11 US FT LAT.: N 32.2678987° LONG.: W 103.7411171°</p> <p>LAST TAKE POINT NEW MEXICO EAST NAD 1983 Y=456622.77 US FT X=724409.97 US FT LAT.: N 32.2539433° LONG.: W 103.7411208°</p> <p>BOTTOM HOLE LOCATION NEW MEXICO EAST NAD 1983 Y=456542.77 US FT X=724410.39 US FT LAT.: N 32.2537234° LONG.: W 103.7411208°</p>	<p>190'</p> <p>61'</p> <p>110'</p> <p>374'</p> <p>378'</p> <p>580'</p> <p>5206.96' IN ALL</p> <p>GRID AZ = 179°41'48"</p> <p>5206.96' IN ALL</p> <p>HORIZONTAL SPACING UNIT</p> <p>302'</p> <p>311'</p> <p>176'</p> <p>20'</p>	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>Leslie T. Reeves</i> 5/25/22 Signature Date</p> <p>LESLIE REEVES Printed Name LESLIE_REEVES@OXY.COM E-mail Address</p> <p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p><i>Tommy J. Reed</i> 2/5/2019 Date of Survey 15079 Certificate Number</p> <p>WO# 171107WL-b (Rev. C) (KA)</p>
---	--	--

Intent ☒ As Drilled ☐

13367 COTTON DRAW; BONE SPRING FORM

PERFS (MD):
11579' - 11789' - BS
TOP WOLFCAMP: 11813' MDAPI #
30-015-45525

Operator Name: OXY USA INC.	Property Name: CAL MON 35 FEDERAL	Well Number #176H
---------------------------------------	---	-----------------------------

Kick Off Point (KOP)

UL A	Section 35	Township 23S	Range 31E	Lot	Feet 61'	From N/S FNL	Feet 374'	From E/W FEL	County EDDY
Latitude 32.26800					Longitude -103.74126			NAD NAD 83	

First Take Point (FTP)

PERF @ 11579'

UL A	Section 35	Township 23S	Range 31E	Lot	Feet 190'	From N/S FNL	Feet 378'	From E/W FEL	County EDDY
Latitude 32.26765					Longitude -103.74128			NAD NAD83	

Last Take Point (LTP)

PERF @ 11789'

UL A	Section 35	Township 23S	Range 31E	Lot	Feet 353'	From N/S FNL	Feet 383'	From E/W FEL	County EDDY
Latitude 32.26720					Longitude -103.74129			NAD NAD83	

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

*Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office*

☒ **AMENDED REPORT**

WELL LOCATION AND ACREAGE DEDICATION PLAT

<i>API Number</i>		<i>Pool Code</i>	<i>Pool Name</i>
30-015-45525		98236	WC-015 G-08 S233135D; WOLFCAMP
<i>Property Code</i>	<i>Property Name</i>		<i>Well Number</i>
314855	CAL-MON "35" FEDERAL		176H
<i>OGRID No.</i>	<i>Operator Name</i>		<i>Elevation</i>
16696	OXY USA INC.		3471.1'

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	35	23 SOUTH	31 EAST, N.M.P.M.		110'	NORTH	580'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no. <i>P</i>	Section <i>35</i>	Township <i>23 SOUTH</i>	Range <i>31 EAST, N.M.P.M.</i>	Lot Idn	Feet from the <i>20'</i>	North/South line <i>SOUTH</i>	Feet from the <i>311'</i>	East/West line <i>EAST</i>	County <i>EDDY</i>
Dedicated Acres <i>160</i>		Joint or Infill	Consolidation Code	Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SURFACE LOCATION
NEW MEXICO EAST
NAD 1983
Y=461688.66 US FT
X=724133.16 US FT
LAT.: N 32.2678723°
LONG.: W 103.7419259°

KICK OFF POINT
NEW MEXICO EAST
NAD 1983
Y=461749.66 US FT
X=724382.84 US FT
LAT.: N 32.2680362°
LONG.: W 103.7411170°

FIRST TAKE POINT
NEW MEXICO EAST
NAD 1983
Y=461699.66 US FT
X=724383.11 US FT
LAT.: N 32.2678987°
LONG.: W 103.7411171°

LAST TAKE POINT
NEW MEXICO EAST
NAD 1983
Y=456622.77 US FT
X=724409.97 US FT
LAT.: N 32.2539433°
LONG.: W 103.7411208°

BOTTOM HOLE LOCATION
NEW MEXICO EAST
NAD 1983
Y=456542.77 US FT
X=724410.39 US FT
LAT.: N 32.2537234°
LONG.: W 103.7411208°

GRID AZ = 76°16'19"
257.02'

GRID AZ = 179°41'48"
5206.96' IN ALL

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Leslie T. Reeves 5/25/22
Signature Date

LESLIE REEVES
Printed Name
LESLIE_REEVES@OXY.COM
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

FEBRUARY 14, 2018
Date of Survey

[Signature]
Signature and Seal of Professional Surveyor

15079
Certificate Number

WO# 171107WL-b (Rev. C) (KAI)

Intent ☒ As Drilled ☐

98236 WC-015 G-08 S233136D; WOLFCAMP FORM

AS PREVIOUSLY FILED; NO NEW WOLFCAMP
PERFS WITH HEEL FRAC
TOP WOLFCAMP: 11813' MDAPI #
30-015-45525

Operator Name: OXY USA INC.	Property Name: CAL MON 35 FEDERAL	Well Number #176H
---------------------------------------	---	-----------------------------

Kick Off Point (KOP)

UL A	Section 35	Township 23S	Range 31E	Lot	Feet 61'	From N/S FNL	Feet 374'	From E/W FEL	County EDDY
Latitude 32.26800					Longitude -103.74126			NAD NAD 83	

First Take Point (FTP)

UL A	Section 35	Township 23S	Range 31E	Lot	Feet 378'	From N/S FNL	Feet 383'	From E/W FEL	County EDDY
Latitude 32.26713					Longitude -103.74129			NAD NAD83	

Last Take Point (LTP)

UL P	Section 35	Township 23S	Range 31E	Lot	Feet 176'	From N/S FSL	Feet 302'	From E/W FEL	County EDDY
Latitude 32.25416					Longitude -103.7412			NAD NAD83	

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 112536

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 112536
	Action Type: [C-103] NOI General Sundry (C-103X)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	6/3/2022
kpickford	NSLs: Will require administrative orders for non-standard location prior to placing the new perforated interval into production.	6/6/2022