

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: SUNRAY H COM Well Location: T30N / R10W / SEC 11 / County or Parish/State: SAN

NENE / 36.831284 / -107.846298 JUAN / NM

Well Number: 6 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM93313 Unit or CA Name: Unit or CA Number:

NMNM104884, NMNM116931

US Well Number: 3004529242 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2677193

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 06/16/2022 Time Sundry Submitted: 05:21

Date proposed operation will begin: 07/01/2022

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Mesaverde and downhole trimmingle with the existing Dakota/Gallup. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A prereclamation site visit was held on 3/31/2022 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Sunray_H_Com_6__NOI_MV_RC_Packet_20220616052112.pdf

Page 1 of 2

(eceived by OCD: 6/17/2022 12:59:50 PM Well Location: T30N / R10W / SEC 11 / C

NENE / 36.831284 / -107.846298

County or Parish/State: SAN 2 of

JUAN / NM

Well Number: 6 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM93313 Unit or CA Name: Unit or CA Number:

NMNM104884, NMNM116931

US Well Number: 3004529242 **Well Status:** Producing Gas Well **Operator:** HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER Signed on: JUN 16, 2022 05:21 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 06/16/2022

Signature: Kenneth Rennick

Page 2 of 2



Prepared by:	Scott Anderson
Preparation Date:	June 6, 2022

WELL INFORMATION							
Well Name:	SUNRAY H COM 6	State:	NM				
API #:	API #: 3004529242		SAN JUAN				
Area:	4	Location:	820' FNL & 1060' FEL - Unit A - Section 11 - T 030N - R 010W				
Route:	0410	Latitude:	36.83128 N				
Spud Date:	4/29/1995	Longitude:	-107.84629 W				

PROJECT DESCRIPTION

Isolate the Dakota formation, perforate and stimulate the Mesa Verde formation in 1-2 stages and trimmingle the Mesa Verde production with the existing Dakota/Gallup formation production. Strip facilities if necessary; repair production eqmt as needed

CONTACTS							
Title	Cell Phone #						
Engineer	Scott Anderson		248-761-3965				
Area Foreman	Colter Faverino		326-9758				
Lead	Ramon Florez		486-9680				
Artificial Lift Tech	Chris Huff		599-3479				
Operator	Patrick Sheets		970-769-2524				



JOB PROCEDURES


NMOCD BLM

~


Contact OCD and BLM (where applicable) 24 hrs prior to MIRU or running MITs. Record and document all casing pressures daily, including BH, IC (if present) and PC. Comply with all NMOCD, BLM (where applicable), and HEC safety and environmental regulations.

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. PU to release FH packers at 6,702' and 7,532', TOOH with 2 3/8" tubing set at 7,570'.
- 3. Set a 4-1/2" bridge plug at +/- 7,532' to isolate the Dakota.
- 4. Set a 4-1/2" bridge plug at +/- 6,260' to isolate the Gallup.
- Load hole with KCI fluid and run a CBL on the 4-1/2" and 7" casing. Verify cement coverage across the Mesa Verde formations. Review CBL results with engineering/NMOCD/BLM and perform cmt remediation, if required.
- 6. If needed, set a 7" retrievable bridge plug at +/- 5,880' to provide a base for the frac.
- 7. Perforate the Mesa Verde. (Top perforation @ 4,743', Bottom perforation @ 5,840')
- 8. Frac will be completed via a frac string. RIH w/ 2-7/8" frac string and set 7" pkr at ~4,643'.
- 9. N/D BOP, N/U frac stack (if necessary) and test frac stack to frac pressure. PT frac string to 9000# against the ceramic disc.
- 10. If necessary, RU slickline. RIH and break ceramic disc. RD slickline.
- 11. Frac the Mesa Verde in a single stage.
- 12. RU flowback eqmt if necessary. Flowback well until tubing pressure drops to working level and sand subsides or well loads up. RD flowback eqmt.
- 13. MIRU workover rig. Nipple down frac stack, nipple up BOP and pressure test surface eqmt..
- 14. Release the pkr and POOH LD frac string.
- 15. PU workstring, RIH with retrieving tool, latch RBP at 5,880', relase and POOH.
- 16. TIH with a mill and clean out to the top of the Gallup isolation plug at 6,260'. Drill out
- 17. CIH to to of DK isolation plug at 7,532'. Drill out and cleanout to PBTD of 7,960'. TOOH.
- 18. TIH and land production tubing. Get a trimmingled Dakota/Gallup/Mesa Verde flow rate.









District I

1629 N. French Dr., Hoods, Nik 88246W

Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

August 1, 2011

Form C-102

Permit 319019

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-045-29242	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 319340	5. Property Name SUNRAY H COM	6. Well No. 006
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6538

10 Surface Location

	10. Gariago Escation										
I	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	1
	Α		11 3)N 10	W 1	820	N	1060	E	SAN JUAN	
											ı

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A	Acres 3.10		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: A Worker

Title: Operations Regulatory Tech Sr

Date: 6/14/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

NEALE EDWARDS

Date of Survey:

9/29/1994

Certificate Number:

6857

Received by OCD: 6/17/2022 12:59:50 PM

Page 7 of 15

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company				o	GRID	: 372171	Date: <u>6/14/202</u>	2	
II. Type: □ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.									
If Other, please describe:									
III. Well(s): Provide be recompleted from						ell or set of wells	proposed to be dr	illed or proposed to	
Well Name	API	ULSTR		Footages		Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D	
Sunray H Com 6	3004529242	A,11,30N,10W	820	' FNL & 1060' I	FEL	0.25	430	3	
V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Date Tommencement Date Back Date Date									
Sunray H Com 6	30045292	42						2022	
VI. Separation Equipment: ☐ Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: ☐ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: ☐ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.									

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF	

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system [\square will \square will not have	capacity to gather 100%	of the anticipated natural gas
production volume from the well prior to the date of first	st production.		

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portio	n, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new	well(s).

_		_								
1 1	Attach (Oparator	'a nlan ta :	managa 1	aroduction	in response	to the	increased	lina r	araccura

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provi	ded in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information of the	mation
for which confidentiality is asserted and the basis for such assertion.	

(i)

Section 3 - Certifications

Effective May 25, 2021 Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: ☐ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: AWatsker
Printed Name: Amanda Walker
Title: Operations Regulatory Tech Sr
E-mail Address: mwalker@hilcorp.com
Date: 6/14/2022
Phone: 346-237-2177
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy
Interim Reclamation Plan
Sunray H COM 6
API: 30-045-29242
Unit A – Sec 11-T30N-R10W
Lat:36.83128, Long: -107.84629
Footage: 820' FNL & 1060' FEL
San Juan County, NM

1. PRE-INTERIM RECLAMATION SITE INSPECTION

- 1.1) A pre-interim reclamation onsite inspection was conducted on March 31, 2022 with BLM Environmental Protection Specialist Roger Herrera and Bobby Spearman Construction Foreman for Hilcorp Energy.
- 1.2) Location surface will be brush hogged or mulched and bladed as required within original disturbance to acquire additional working surface for well recompletion activities.

2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will be completed after well recompletion.
- 2.2) Location tear drop will be re-defined as applicable during interim reclamation.
- 2.3) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.4) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

3. ACCESS ROAD RECLAMATION PROCEDURE:

3.1) No lease access road issues were identified at the time of onsite.

4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

5. WEED MANAGEMENT

5.1) No action is required at this time for weed management, no noxious weeds were identified during the onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 118411

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	118411
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	6/22/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	6/22/2022