U.S. Department of the Interior BUREAU OF LAND MANAGEMENT O4/25/2022

Well Name: CBM 33-29-14

Well Location: T29N / R14W / SEC 33 /

SENW / 36.68615 / -108.3188

County or Parish/State: SAN

JUAN / NM

Well Number: 6

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

EASTERN NAVAJO

Lease Number: N0G10081773

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453529700X1

Well Status: Abandoned

Operator: NAVAJO NATION OIL

& GAS COMPANY

# Subsequent Report

Sundry ID: 2650729

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/03/2022

Time Sundry Submitted: 11:02

Date Operation Actually Began: 12/27/2021

Actual Procedure: Please find attached the P&A Procedure for the CBM 33-29-14 #6.

### **SR Attachments**

#### **Actual Procedure**

P A NNOGC CBM 33 29 14 6 20220103110145.pdf

Received by OCD: 4/25/2022 4:26:28:29-14

Well Location: T29N / R14W / SEC 33 / SENW / 36.68615 / -108.3188

County or Parish/State: SAN

Page 2 of 5

JUAN / NM

Well Number: 6

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

WELL

**EASTERN NAVAJO** 

Lease Number: N0G10081773

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453529700X1

Well Status: Abandoned

Operator: NAVAJO NATION OIL & GAS COMPANY

### **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAWNA MARTINEZ

Signed on: JAN 03, 2022 11:02 AM

Name: NAVAJO NATION OIL & GAS COMPANY

Title: Regulatory Tech

Street Address: 332 RD 3100

City: AZTEC

State: NM

Phone: (505) 327-4892

Email address: SHAWNA@WALSHENG.NET

## Field Representative

Representative Name:

Street Address:

City:

Zip:

Phone:

Released to Imaging: 6/27/2022 7:44:05 AM

Email address:

## **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK** 

BLM POC Phone: 5055647742

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 02/14/2022

Page 2 of 2

### **NNOGC**

# CBM 33-29-14 #6 P&A Summary

Date Completed

12/27/2021

Plug#	Formation	BLM Pick Formation Top	Perfs	CICR Depth	Cement Detail	Cement Plug Depths	Plug Position
1	Pictured Cliffs	977'	NA	NA	19 sxs Class G Neat (21.85 cf)	873' - 1036'	Inside
2	Fruitland	656	NA	NA	20 sxs Class G Neat (23 cf)	721' - 549'	Inside
3	Surface		NA	NA	55 sxs Class G Neat (63.3 cf)	410' - Surface	Inside

SICP=0/Breadenhead=0. MIRU. JHA with crew. ND Tubing head and RU BOP. Function test BOP. TIH with 33 joints 2-7/8, J55, EU8RD tubing. EOT @ 1036'KB. Mix and pump 19 sks, 2.9 cut, class G neat cement. Plug #1 from 1036' to 873' KB. (PC Top@1009'). LD 11 joints. EOT @ 721' KB. Mix and pump 20 sks, 23 cuft class G neat cement and displace with 3 bbls water. Plug #2 from 721' to 549'KB. (Fruitland Top @ 656'). LD 9 joints. EOT @410' KB. Mix and pump 55 sks, 63.3 cuft, class G neat cement. Circulated 1 bbl cement excess. #3 plug from 410'KB to surface. ND BOP and wash out BOP. Cut off wellhead. Ran tank strap and tagged cement @16' in 5-1/2x8-5/8 and 32' in 5-1/2 casing strings. Weld marker plate to casing strings and top off with 14 sks, 16.1cuft class G neat cement.

SENW/36.68615/-108.3188

Navajo Nation Minerals Inspector Valjean Uentillie on location to approve all operations.

Well/Facility:	CBM 33-29-14#6	Well Status:	DUC	Date	Drawn: Jur
Operator:	NNOGC	Orig Oper:	NNOGC		
Lease/Op Agmi	<u>:</u>	Prod Interval	<u> </u>	_	
Field:	SJB	API#:	30-045-35297	_	
County:	San Juan	GL/KB:	5609' GL (5' KB)	_ 8	
State:	NM	TD:	1185'	_	
Spud:	1/11/2012	PBTD:	1166'	_	
Comp. Date:		LAT:	36.68615	_	
1st Prod:		LONG:	108.3188	_	
Xmas tree:				_	
Surface Loc:	1480' FNL & 1593' FV				
	Section 33, T29N, R1	4W		_ 4	
Comments:					
					800
				_	8
				_	
				_	
Date:	History:				
	History:				
Date: 12/27/2021					
Date: 12/27/2021					

Hole Size 12-1/4" Surf Csg: 356' KB 8-5/8", 24#, J-55, STC Cmt w/ 185sx (329 cf) Versaset Circulated 20 bbls of cement to surface Plug #3 (410' - Surface') 19 sx (21.85 cf) of Class G Hole Size 7-7/8" Plug #2 (721' - 549') 20 sx (23 cf) of Class G Marker joint: 818'KB Plug #1 (1036' - 873') 19 sx (21.85 cf) of Class G Tagged: 1307'KB PBTD: 1166'KB TD: 1185'KB Prod Csg 1178' @ 'KB

Geologic Markers

Depth

296'

1,159

1 MD

1.5 Fruitland

Lewis

1.5 Kirtland Shale Surf

Fruitland Coal 879' Pictured Cliffs 1,009'

Tubing D	Detail - 2-3/8", 4.7#,	J55, EUE 8	rd
	Length	Тор	Bottom
KB Adjustment			

36 Joints of 5.5",15.5lb,J55 LT&C

CIRC 12BBL CMT to surface

CMT: LEAD: 80SX(192cf) Halliburton PRB II, TAIL: 100SX(184cf) Halliburton PRB II

Inclination

350

845 1,165

MD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 101366

### **CONDITIONS**

Operator:	OGRID:
NNOGC EXPLORATION AND PRODUCTION, LLC	292875
P.O. Box 4439	Action Number:
Window Rock, AZ 86515	101366
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
mkuehling	None	6/23/2022