U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Philit Report 04/25/2022

Well Name: CBM A POD 13 K

Well Location: T27N / R14W / SEC 13 /

NESW / 36.5732 / -108.28368

County or Parish/State: SAN

JUAN / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

EASTERN NAVAJO

Lease Number: N0G10081773

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453533600X1

Well Status: Abandoned

Operator: NAVAJO NATION OIL

& GAS COMPANY

Subsequent Report

Sundry ID: 2649683

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/20/2021

Time Sundry Submitted: 10:23

Date Operation Actually Began: 12/17/2021

Actual Procedure: Please find attached the P&A Procedure for the CBM POD A 13K #1.

SR Attachments

Actual Procedure

P_A_NNOGC_CBM_POD_A_13K___1_20211220102256.pdf

Received by OCD: 4/25/2022 4:31:50 PM Well Name: CBM A POD 13 K

Well Location: T27N / R14W / SEC 13 / NESW / 36.5732 / -108.28368

JUAN / NM

County or Parish/State: SAN

Well Number: 1

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name: **EASTERN NAVAJO**

Page 2 of 5

Lease Number: N0G10081773

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453533600X1

Well Status: Abandoned

Operator: NAVAJO NATION OIL

& GAS COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAWNA MARTINEZ

Signed on: DEC 20, 2021 10:23 AM

Name: NAVAJO NATION OIL & GAS COMPANY

Title: Regulatory Tech

Street Address: 332 RD 3100

City: AZTEC

State: NM

Phone: (505) 327-4892

Email address: SHAWNA@WALSHENG.NET

Field Representative

Representative Name:

Street Address:

City:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/14/2022

Signature: Kenneth Rennick

Released to Imaging: 6/27/2022 7:49:20 AM

Page 2 of 2

NNOGC

CBM POD A 13K #1

Date Completed

12/17/2021

Plug#	Formation	BLM Pick Formation Top	Perfs	CICR Depth	Cement Detail	Cement Plug Depths	
1	Pictured Cliffs	1285'	NA	NA	20 sxs Class G Neat (23.6 cf)	1351'-1178'	Inside
2	Fruitland	961'	NA	NA	18 sxs Class G Neat (20.7 cf)	1014-860'	Inside
3	Surface Shoe	174'	N/A	N/A	32 sxs Class G Neat (36.8 cf)	3972'-3818'	Inside
4	Top Off	0	N/A	N/A	12 sxs Class G Neat (13.8 cf)	Surface	Inside

12/17

Function test BOP. TIH with 2-7/8 open ended tubing to 1351'KB. Pressure test casing to 600 psi. Held. Bled pressure off.


PLG #1) M&P 20 sks, 23.6 cuft, class G neat cement and displace with 6.5 bbls. 1st plug from 1351' to 1178' KB.

PLG #2) M&P 18 sks, 20.7 cuft, class G neat cement and displace with 4.5 bbls. 2nd plug from 1014' to 860' KB.

PLG #3) M&P 32 sks, 36.8 cuft, class G neat cement from 229' to surface. Circulated .5 bbls out surface. LD all tubing and ND BOP. Wash clean and finish digging cellar out to 4.5', per NNMinerals Inspector Val. Cut off wellhead, tag TOC at 6' in annulus and 11' in 5-1/2" casing, weld on marker plate. Top off casing strings with 12 sks, 13.8 cuft class G Neat cement. RD rig and cement equipment. Crew off location at 1600.

Navajo Nation Minerals Inspector Valjean Uentillie on location for all operations

Well/Facility:	CBM POD A 13K-1	Well Status:	DUC				
Operator:	NNOGC	_ Orig Oper:	NNOGC No perfs				
_ease/Op Agm		_ Prod Interval:					
Field:	Basin FTC	API #:	30-045-35336				
County:	San Juan	GL/KB:	6052' GL (5' KB)				
State:	NM	TD:	1500'				
Spud:	3/6/2012	PBTD:					
Comp. Date:		LAT:	35.5732				
Ist Prod:		LONG:	108.28368				
Kmas tree:							
Surface Loc:	1893' FSL, 1495' FWL						
Sec-Twn-Rge:	Section 11, T27N, R14	W					
Comments:							
	T						
Date:	History:						
	Spud Well						
	Rig released.						
12/17/2021	P&A						
MD	Inclination	Cool	ogic Markere				
	Inclination		ogic Markers				
165	0.5	Formations	MD				
165 665	0.5	Formations Kirtland	MD Surface				
665 1,165	0.5 0.75 1.25	Formations Kirtland Fruitland	MD Surface 635'				
165 665	0.5 0.75 1.25	Formations Kirtland Fruitland F. Basal Coal	MD Surface 635' 1245'				
165 665 1,165	0.5 0.75 1.25	Formations Kirtland Fruitland F. Basal Coal Pictured Cliffs	MD Surface 635' 1245'				
165 665 1,165	0.5 0.75 1.25	Formations Kirtland Fruitland F. Basal Coal	MD Surface 635' 1245'				



Tubing Detail - 2-3/8", 4.	7#, J55, EUE 8	rd
Length	тор Тор	Bottom
KB Adjustment		
195 jts tbg		
7" Weatherford B-2 anchor		
3 jts tbg		
Seat Nipple		

Perf Sub Mud Anchor

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 101370

CONDITIONS

Operator:	OGRID:
NNOGC EXPLORATION AND PRODUCTION, LLC	292875
P.O. Box 4439	Action Number:
Window Rock, AZ 86515	101370
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	6/23/2022