

District I  
1625 N. French Dr., Hobbs, NM 88240

District II  
811 S. First St., Artesia, NM 88210

District III  
1000 Rio Brazos Rd., Aztec, NM 87410

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-104  
Revised August 1, 2011

Submit one copy to appropriate District Office

☒ AMENDED REPORT

# I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

<sup>1</sup> Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		<sup>2</sup> OGRID Number: 16696
		<sup>3</sup> Reason for Filing Code/ Effective Date - NW- 01/24/2022
<sup>4</sup> API Number 30-025-46935	<sup>5</sup> Pool Name RED TANK BONE SPRING	<sup>6</sup> Pool Code 51683
<sup>7</sup> Property Code: 321612	<sup>8</sup> Property Name: TACO CAT 27-34 FEDERAL COM	<sup>9</sup> Well Number: 26H

# II. <sup>10</sup> Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	22S	32E		535	NORTH	1255	EAST	LEA

# <sup>11</sup> Bottom Hole Location FTP: 122' FNL 544' FEL LTP: 158' FSL 524' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	34	22S	32E		49	SOUTH	524	EAST	LEA
<sup>12</sup> Lse Code F	<sup>13</sup> Producing Method Code : P		<sup>14</sup> Gas Connection Date: 1/25/22		<sup>15</sup> C-129 Permit Number		<sup>16</sup> C-129 Effective Date		<sup>17</sup> C-129 Expiration Date

# III. Oil and Gas Transporters

<sup>18</sup> Transporter OGRID	<sup>19</sup> Transporter Name and Address	<sup>20</sup> O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

# IV. Well Completion Data

<sup>21</sup> Spud Date 08/31/2021	<sup>22</sup> Ready Date 01/24/2022	<sup>23</sup> TD 21158'M 10656'V	<sup>24</sup> PBDT 21124'M 10656'V	<sup>25</sup> Perforations 10748-21049'	<sup>26</sup> DHC, MC
<sup>27</sup> Hole Size		<sup>28</sup> Casing & Tubing Size		<sup>29</sup> Depth Set	<sup>30</sup> Sacks Cement
17-1/2"		13-3/8"		972'	1165
12-1/4"		9-5/8"		6388'	1917
8-3/4" x 8-1/2"		5-1/2"		21138'	2840
		2-3/8" x 1-2/3" tbg		10658'	na

# V. Well Test Data

<sup>31</sup> Date New Oil 1/25/22	<sup>32</sup> Gas Delivery Date 1/25/22	<sup>33</sup> Test Date 2/18/22	<sup>34</sup> Test Length 24 hrs	<sup>35</sup> Tbg. Pressure	<sup>36</sup> Csg. Pressure 283
<sup>37</sup> Choke Size 128	<sup>38</sup> Oil 2375	<sup>39</sup> Water 3624	<sup>40</sup> Gas 2383		<sup>41</sup> Test Method F

<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:  
JANA MENDIOLA

Title:  
SR. REGULATORY ANALYST

E-mail Address:  
Janalyn\_mendiola@oxy.com

Date: 04/28/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

*PATRICIA MARTINEZ*

Title: *PETROLEUM SPECIALIST*

Approval Date: *6/28/2022*

<b>Well Name:</b> TACO CAT 27-34 FEDERAL COM	<b>Well Location:</b> T22S / R32E / SEC 27 / NENE / 32.3684943 / -103.658064	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 26H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM81272	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002546935	<b>Well Status:</b> Drilling Well	<b>Operator:</b> OXY USA INCORPORATED

Subsequent Report

<b>Sundry ID:</b> 2666187	
<b>Type of Submission:</b> Subsequent Report	<b>Type of Action:</b> Workover Operations
<b>Date Sundry Submitted:</b> 04/09/2022	<b>Time Sundry Submitted:</b> 06:57
<b>Date Operation Actually Began:</b> 12/13/2021	

**Actual Procedure:** RUPU 12/13/21, RIH & clean out to PBTD @ 21124', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 21049-10748' Total 1462 holes. Frac in 43 stages w/ 222414BBL Produced Water + 222414BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25129480# sand, RD Liberty Oil Field Services 01/16/22. Well ready to produce 01/24/22. 03/05/22 RIH with 2-3/8" x 1-2/3" L80 tbg & gas lift set @ 10658', RD 03/06/22. Formation Tops for this completion are as follows: Rustler 871'M 871'V Salado 1355'M 1355'V Castile 3269'M 3269'V Lamar/Delaware 4732'M 4727'V Bell Canyon 4775'M 4770'V Cherry Canyon 5627'M 5615'V Brushy Canyon 6859'M 6811'V Bone Spring 8727'M 8644'V Ist Bone Springs 9808'M 9708'V 2nd Bone Springs 10458'M 10313'V

Received by OCD: 4/28/2022 4:33:32 PM

Page 3 of 8

Well Name: TACO CAT 27-34 FEDERAL COM	Well Location: T22S / R32E / SEC 27 / NENE / 32.3684943 / -103.658064	County or Parish/State: LEA / NM
Well Number: 26H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM81272	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546935	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JANA MENDIOLA	Signed on: APR 09, 2022 06:56 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/14/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>			<b>Form C-105</b> Revised April 3, 2017					
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							1. WELL API NO. 30-025-46935			
4. Reason for filing: <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN			
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER							3. State Oil & Gas Lease No.			
8. Name of Operator: OXY USA INC.					9. OGRID: 16696					
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710					11. Pool name or Wildcat RED TANK; BONE SPRING					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	27	22S	32E		535	NORTH	1255	EAST	LEA
BH:	P	34	22S	32E		49	SOUTH	524	EAST	LEA
13. Date Spudded 08/31/21	14. Date T.D. Reached 11/05/2021	15. Date Rig Released 11/08/2021			16. Date Completed (Ready to Produce) 01/24/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3654' GL		
18. Total Measured Depth of Well 21158'M 10656'V			19. Plug Back Measured Depth 21124'M 10656'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10748-21049' 2 <sup>ND</sup> Bone Spring										
<b>23. CASING RECORD (Report all strings set in well)</b>										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		972'		17.5"		1165sx-surf circ		
9.625" HCL80		40		6388'		12.25"		1917sx-surf circ		
5.5" P110		20		21138'		8.75" x 8.5"		2840sx-TOC@3618'		
<b>24. LINER RECORD</b>										
SIZE	TOP	BOTTOM		SACKS CEMENT		SCREEN		25. TUBING RECORD		
								SIZE		
								DEPTH SET		
								PACKER SET		
26. Perforation record (interval, size, and number) 10748-21049' Total 1462 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10748-21049'		222414BBL Produced Water + 222414BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25129480# sand		
<b>28. PRODUCTION</b>										
Date First Production 1/25/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 2/18/2022	Hours Tested 24 hrs.	Choke Size 128	Prod'n For Test Period	Oil - Bbl 2375	Gas - MCF 2383	Water - Bbl. 3624	Gas - Oil Ratio 1003			
Flow Tubing Press.	Casing Pressure 283	Calculated 24- Hour Rate	Oil - Bbl. 2375	Gas - MCF 2383	Water - Bbl. 3624	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>04/28/2022</u>	
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 871'	T. Bell Canyon 4775'	T. Ojo Alamo	T. Penn A "
T. Salado 1355'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3269'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4732'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5627'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6859'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8727'	T. Todilto	
T. Abo	T. 1 <sup>st</sup> Bone Springs 9808'	T. Entrada	
T. Wolfcamp	T. 2 <sup>nd</sup> Bone Springs 10458'	T. Wingate	
T. Penn	T. 3 <sup>rd</sup> Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.  
Taco Cat 27-34 Federal Com 26H  
API No. 30-025-46935



**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 102621

**ACKNOWLEDGMENTS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 102621
	Action Type: [C-104] Completion Packet (C-104C)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 102621

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 102621
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/28/2022