

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30-045-35763	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 514H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 09	Township 23N	Range 09W	Lot Idn	Feet from the 1235'	North/South Line South	Feet from the 824'	East/West line East	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. B	Section 05	Township 23N	Range 09W	Lot Idn	Feet from the 1134'	North/South line North	Feet from the 1962'	East/West line East	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 04/12/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	

IV. Well Completion Data

²¹ Spud Date 05/03/21	²² Ready Date 03/19/22	²³ TD 14,905' MD 4,912' TVD	²⁴ PBTD 14,886 MD 4,912' TVD	²⁵ Perforations 5,443'-14,542' MD 4,841'- 4,903' TVD Frac Sleeve @ 14,860'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12.25		9.625" 36# J55		352'	109
8.75		7" 26# J55		5,214'	615
6.125		4.5" 11.6# P110		TOL: 4,885' BOL: 14,900'	859
		2.875" 6.5# L80 Tubing		5,156'	

V. Well Test Data

³¹ Date New Oil 03/20/22	³² Gas Delivery Date 04/12/22	³³ Test Date 03/22/22	³⁴ Test Length 24	³⁵ Tbg. Pressure 234	³⁶ Csg. Pressure 890
³⁷ Choke Size 40/64	³⁸ Oil 505	³⁹ Water 415	⁴⁰ Gas 1500		⁴¹ Test Method F
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: sford@djrlle.com			Approval Date: <i>6/29/2022</i>		
Date: 06/29/22		Phone: 505-716-3297			

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (505) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☒ AS-DRILLED
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35763	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 514H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6805'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	9	23N	9W		1235'	SOUTH	824'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	5	23N	9W		1134'	NORTH	1962'	EAST	SAN JUAN


¹² Dedicated Acres
PENETRATED SPACING UNIT;
SEC 9: NE/SE, NW/SE, SE/NE, SW/NE, NW/NE,
SE/NW, NE/NW & NW/NW (320 AC.); SEC 4: SE/SW,
SW/SW & NW/SW (120 AC.); SEC 5: NE/SE, SE/NE,
SW/NE & NW/NE (160.89 AC.) = 600.89 ACRES

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13856 R-13856A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 01/21/22
Signature Date

Shaw-Marie Ford
Printed Name

sford@djrlc.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 26, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	Nageezi P09 2309 514H
County & State	San Juan, NM
SDI Job No.	OP.031062
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 448 feet to a measured depth of 14,905 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

9-Nov-21

Date

Janie Collins

Contract Well Planner
Scientific Drilling International



DJR

**Nageezi Unit
P09 2309 Pad
#514H**

End of Well Report



www.scientificdrilling.com







Company Name: DJR Operating
Project: Nageezi Unit
Site: P09 2309
Well: # 514H
Wellbore: Original Drilling




WELL DETAILS: # 514H

GL 6805 & RKB 26' @ 683 ft (H&P 443) 6805			
+N/-S	+E/-W	Northing	Longitude
0	0	1905794.67	-107.78808300
2			



Design: Original Drilling (# 514H/Original Drilling)	PROJECT DETAILS: Nageezi Unit
Created By: Janie Collins	Geodetic System: US State Plane 1983
Date: 11-12, November 09 2021	Datum: North American Datum 1983
	Ellipsoid: GRS 1980
	Zone: New Mexico Western Zone
	System Datum: Mean Sea Level
	Local North: True





DJR Operating

Nageezi Unit

P09 2309

514H - Slot 2

Original Drilling

Design: Original Drilling

Standard Survey Report

09 November, 2021



www.scientificdrilling.com



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		P09 2309				
Site Position:		Northing:	1,905,783.38	usft	Latitude:	36.23758800
From:	Lat/Long	Easting:	2,736,419.66	usft	Longitude:	-107.78813800
Position Uncertainty:		0	ft	Slot Radius:	13.20	in
					Grid Convergence:	0.03 °

Well	# 514H - Slot 2					
Well Position	+N/-S	0 ft	Northing:	1,905,794.67 usft	Latitude:	36.23761900
	+E/-W	0 ft	Easting:	2,736,435.88 usft	Longitude:	-107.78808300
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6805 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021_FILE	11/2/2021	8.65	62.72	49,202.50000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	321.77	

Survey Program	Date	11/9/2021			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
448	4099	Survey #1 - Surface MWD Survey (Origin	MWD+HDGM	OWSG MWD + HDGM	
4179	5175	Survey #2 - Curve MWD Survey (Original	MWD+HDGM	OWSG MWD + HDGM	
5269	14,905	Survey #3 - Lateral MWD Survey (Origina	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
448	1.27	213.09	448	-4	-3	-2	0.28	0.28	0.00	
540	1.17	20.23	540	-4	-3	-1	2.64	-0.11	181.67	
631	3.17	23.42	631	-1	-2	0	2.20	2.20	3.51	
724	6.22	31.36	724	6	2	3	3.35	3.28	8.54	
814	8.71	38.47	813	15	9	7	2.95	2.77	7.90	
906	8.52	39.90	904	26	18	10	0.31	-0.21	1.55	
999	8.02	37.95	996	36	26	12	0.62	-0.54	-2.10	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1092	9.22	41.11	1088	47	35	15	1.39	1.29	3.40	
1183	8.97	40.20	1178	58	44	18	0.32	-0.27	-1.00	
1276	9.21	38.26	1269	69	53	21	0.42	0.26	-2.09	
1367	9.01	35.99	1359	81	62	25	0.45	-0.22	-2.49	
1457	8.97	40.65	1448	92	71	28	0.81	-0.04	5.18	
1550	8.51	35.64	1540	103	80	32	0.96	-0.49	-5.39	
1641	9.61	39.35	1630	114	88	35	1.37	1.21	4.08	
1732	9.19	37.36	1720	126	98	39	0.58	-0.46	-2.19	
1825	9.92	43.45	1811	138	108	42	1.34	0.78	6.55	
1918	9.83	41.69	1903	149	118	44	0.34	-0.10	-1.89	
2008	10.06	40.30	1992	161	129	47	0.37	0.26	-1.54	
2103	10.18	41.58	2085	174	140	50	0.27	0.13	1.35	
2198	9.85	39.62	2179	186	150	53	0.50	-0.35	-2.06	
2294	10.36	41.37	2273	199	161	57	0.62	0.53	1.82	
2390	10.73	41.59	2368	212	173	60	0.39	0.39	0.23	
2484	9.51	42.79	2460	224	184	63	1.32	-1.30	1.28	
2579	9.12	41.51	2554	236	194	65	0.46	-0.41	-1.35	
2674	7.95	40.07	2648	247	203	68	1.25	-1.23	-1.52	
2769	7.37	40.80	2742	256	212	70	0.62	-0.61	0.77	
2864	6.54	36.67	2836	265	219	73	1.02	-0.87	-4.35	
2959	8.17	35.50	2931	275	226	76	1.72	1.72	-1.23	
3054	8.51	46.54	3025	285	235	79	1.72	0.36	11.62	
3149	8.31	44.95	3119	295	245	80	0.32	-0.21	-1.67	
3244	9.99	40.95	3212	306	255	82	1.89	1.77	-4.21	
3339	9.88	39.62	3306	319	266	86	0.27	-0.12	-1.40	
3434	8.86	35.07	3400	331	275	90	1.33	-1.07	-4.79	
3529	9.93	40.16	3493	343	285	93	1.42	1.13	5.36	
3624	8.30	32.51	3587	355	294	97	2.13	-1.72	-8.05	
3719	9.90	38.87	3681	367	303	101	1.99	1.68	6.69	
3814	8.67	39.75	3775	379	312	105	1.30	-1.29	0.93	
3910	8.77	42.86	3870	390	322	107	0.50	0.10	3.24	
4004	8.80	38.38	3963	401	331	110	0.73	0.03	-4.77	
4099	8.35	38.01	4056	412	340	113	0.48	-0.47	-0.39	
4179	8.52	39.57	4136	421	347	116	0.36	0.21	1.95	
4274	9.24	16.84	4229	434	354	122	3.74	0.76	-23.93	
4369	16.35	341.15	4322	454	352	139	10.86	7.48	-37.57	
4464	24.57	334.70	4411	485	339	171	8.96	8.65	-6.79	
4559	31.61	327.28	4495	523	317	215	8.26	7.41	-7.81	
4654	38.28	327.40	4573	569	288	269	7.02	7.02	0.13	
4749	45.74	325.00	4643	622	252	332	8.03	7.85	-2.53	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4844	54.52	324.88	4704	682	211	405	9.24	9.24	-0.13	
4939	63.84	324.87	4753	748	164	486	9.81	9.81	-0.01	
5034	69.59	324.44	4790	819	113	574	6.07	6.05	-0.45	
5129	75.14	323.44	4819	892	60	664	5.93	5.84	-1.05	
5175	79.67	321.80	4829	928	33	709	10.44	9.85	-3.57	
5269	85.49	320.79	4841	1001	-26	802	6.28	6.19	-1.07	
5364	90.94	321.21	4844	1075	-85	897	5.75	5.74	0.44	
5458	92.58	321.37	4841	1148	-144	991	1.75	1.74	0.17	
5551	91.58	320.82	4838	1220	-202	1084	1.23	-1.08	-0.59	
5646	91.18	320.33	4836	1294	-263	1179	0.67	-0.42	-0.52	
5740	89.46	319.61	4835	1366	-323	1273	1.98	-1.83	-0.77	
5834	90.34	319.36	4835	1437	-384	1367	0.97	0.94	-0.27	
5929	88.32	319.63	4836	1509	-446	1462	2.15	-2.13	0.28	
6023	89.73	319.61	4838	1581	-507	1555	1.50	1.50	-0.02	
6118	88.93	320.32	4839	1654	-568	1650	1.13	-0.84	0.75	
6212	89.23	319.51	4841	1726	-629	1744	0.92	0.32	-0.86	
6307	89.80	318.00	4841	1797	-691	1839	1.70	0.60	-1.59	
6400	87.99	315.16	4843	1864	-755	1932	3.62	-1.95	-3.05	
6493	88.32	316.10	4846	1931	-820	2024	1.07	0.35	1.01	
6588	88.99	317.95	4848	2000	-885	2119	2.07	0.71	1.95	
6682	89.40	318.57	4850	2071	-947	2213	0.79	0.44	0.66	
6776	88.99	316.82	4851	2140	-1011	2306	1.91	-0.44	-1.86	
6870	89.06	316.55	4853	2208	-1075	2400	0.30	0.07	-0.29	
6964	90.44	317.58	4853	2277	-1139	2494	1.83	1.47	1.10	
7058	91.68	321.20	4851	2349	-1200	2588	4.07	1.32	3.85	
7152	90.37	321.99	4850	2422	-1259	2682	1.63	-1.39	0.84	
7246	91.61	321.96	4848	2496	-1317	2776	1.32	1.32	-0.03	
7340	89.87	321.77	4847	2570	-1375	2870	1.86	-1.85	-0.20	
7435	87.55	321.25	4849	2645	-1434	2965	2.50	-2.44	-0.55	
7529	88.72	319.31	4852	2717	-1494	3058	2.41	1.24	-2.06	
7623	89.60	318.55	4853	2788	-1555	3152	1.24	0.94	-0.81	
7717	90.44	317.79	4853	2858	-1618	3246	1.21	0.89	-0.81	
7810	89.80	317.02	4853	2926	-1681	3339	1.08	-0.69	-0.83	
7905	89.56	316.73	4854	2995	-1746	3434	0.40	-0.25	-0.31	
7999	89.53	315.33	4854	3063	-1811	3527	1.49	-0.03	-1.49	
8093	88.72	314.87	4856	3130	-1878	3620	0.99	-0.86	-0.49	
8187	89.33	315.85	4857	3197	-1944	3714	1.23	0.65	1.04	
8282	88.19	315.22	4860	3264	-2010	3808	1.37	-1.20	-0.66	
8376	88.59	315.73	4862	3331	-2076	3902	0.69	0.43	0.54	
8471	89.46	316.67	4864	3400	-2142	3996	1.35	0.92	0.99	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8564	88.83	317.56	4865	3468	-2205	4089	1.17	-0.68	0.96	
8659	88.93	317.44	4867	3538	-2269	4184	0.16	0.11	-0.13	
8753	88.59	317.76	4869	3607	-2333	4277	0.50	-0.36	0.34	
8847	88.83	318.04	4871	3677	-2396	4371	0.39	0.26	0.30	
8941	89.23	318.44	4873	3747	-2458	4465	0.60	0.43	0.43	
9035	88.69	319.01	4874	3818	-2520	4559	0.84	-0.57	0.61	
9129	89.93	318.94	4876	3889	-2582	4653	1.32	1.32	-0.07	
9224	88.36	319.97	4877	3961	-2644	4747	1.98	-1.65	1.08	
9318	89.40	319.56	4879	4033	-2704	4841	1.19	1.11	-0.44	
9413	88.76	320.31	4880	4105	-2766	4936	1.04	-0.67	0.79	
9507	88.22	321.85	4883	4179	-2825	5030	1.74	-0.57	1.64	
9601	88.69	321.65	4885	4252	-2883	5124	0.54	0.50	-0.21	
9695	87.75	321.25	4888	4326	-2941	5218	1.09	-1.00	-0.43	
9790	91.38	322.45	4889	4401	-3000	5313	4.02	3.82	1.26	
9884	89.70	320.26	4888	4474	-3059	5407	2.94	-1.79	-2.33	
9978	87.78	318.44	4890	4545	-3120	5501	2.81	-2.04	-1.94	
10,073	89.19	318.67	4893	4616	-3183	5596	1.50	1.48	0.24	
10,167	86.41	316.39	4896	4686	-3246	5690	3.82	-2.96	-2.43	
10,261	87.35	315.85	4901	4753	-3311	5783	1.15	1.00	-0.57	
10,353	88.05	315.24	4905	4819	-3376	5874	1.01	0.76	-0.66	
10,445	89.40	314.62	4907	4884	-3441	5966	1.61	1.47	-0.67	
10,538	88.39	315.39	4909	4950	-3506	6058	1.37	-1.09	0.83	
10,630	90.03	315.48	4910	5015	-3571	6149	1.79	1.78	0.10	
10,721	89.76	318.11	4910	5082	-3633	6240	2.91	-0.30	2.89	
10,812	88.96	319.39	4911	5150	-3693	6331	1.66	-0.88	1.41	
10,905	91.41	319.94	4911	5221	-3753	6424	2.70	2.63	0.59	
10,996	90.54	319.61	4910	5290	-3812	6515	1.02	-0.96	-0.36	
11,088	89.56	318.75	4910	5360	-3872	6607	1.42	-1.07	-0.93	
11,179	90.27	317.92	4910	5428	-3933	6698	1.20	0.78	-0.91	
11,272	90.27	318.50	4909	5497	-3995	6790	0.62	0.00	0.62	
11,372	91.51	319.82	4908	5573	-4060	6890	1.81	1.24	1.32	
11,464	91.51	319.58	4905	5643	-4120	6982	0.26	0.00	-0.26	
11,556	89.13	317.71	4905	5712	-4180	7074	3.29	-2.59	-2.03	
11,648	88.59	316.63	4907	5780	-4243	7166	1.31	-0.59	-1.17	
11,740	89.53	316.74	4908	5846	-4306	7257	1.03	1.02	0.12	
11,833	90.24	316.27	4908	5914	-4370	7350	0.92	0.76	-0.51	
11,925	90.60	315.28	4908	5980	-4434	7441	1.14	0.39	-1.08	
12,016	91.01	314.86	4906	6044	-4499	7532	0.64	0.45	-0.46	
12,108	90.91	315.41	4905	6109	-4563	7623	0.61	-0.11	0.60	
12,200	90.30	315.29	4904	6175	-4628	7715	0.68	-0.66	-0.13	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
12,293	90.94	316.17	4903	6241	-4693	7807	1.17	0.69	0.95	
12,384	89.23	315.14	4903	6307	-4757	7897	2.19	-1.88	-1.13	
12,476	89.09	315.73	4904	6372	-4821	7989	0.66	-0.15	0.64	
12,568	88.96	316.16	4906	6438	-4885	8080	0.49	-0.14	0.47	
12,660	89.73	317.07	4907	6505	-4948	8172	1.30	0.84	0.99	
12,753	90.07	317.53	4907	6573	-5011	8265	0.62	0.37	0.49	
12,845	90.34	318.81	4906	6642	-5073	8357	1.42	0.29	1.39	
12,937	90.84	318.96	4906	6711	-5133	8448	0.57	0.54	0.16	
13,029	89.97	316.11	4905	6779	-5195	8540	3.24	-0.95	-3.10	
13,123	91.04	318.08	4904	6848	-5259	8634	2.38	1.14	2.10	
13,215	91.14	318.08	4902	6916	-5321	8726	0.11	0.11	0.00	
13,306	91.71	317.66	4900	6984	-5382	8816	0.78	0.63	-0.46	
13,398	90.47	318.28	4898	7052	-5443	8908	1.51	-1.35	0.67	
13,491	89.33	319.18	4898	7122	-5505	9001	1.56	-1.23	0.97	
13,583	89.46	318.92	4899	7192	-5565	9093	0.32	0.14	-0.28	
13,675	90.24	318.64	4900	7261	-5626	9185	0.90	0.85	-0.30	
13,767	88.42	319.30	4901	7330	-5686	9277	2.10	-1.98	0.72	
13,859	88.66	318.28	4903	7399	-5747	9369	1.14	0.26	-1.11	
13,952	89.19	318.21	4905	7469	-5809	9461	0.57	0.57	-0.08	
14,044	89.70	316.82	4906	7537	-5871	9553	1.61	0.55	-1.51	
14,137	88.05	317.78	4908	7605	-5934	9646	2.05	-1.77	1.03	
14,229	88.59	317.37	4910	7673	-5996	9738	0.74	0.59	-0.45	
14,321	90.74	320.64	4911	7742	-6056	9829	4.25	2.34	3.55	
14,411	91.48	320.84	4909	7812	-6113	9919	0.85	0.82	0.22	
14,503	89.66	320.68	4908	7883	-6171	10,011	1.99	-1.98	-0.17	
14,596	88.82	319.89	4909	7955	-6231	10,104	1.24	-0.90	-0.85	
14,688	88.39	318.72	4912	8024	-6291	10,196	1.35	-0.47	-1.27	
14,779	90.07	319.02	4913	8093	-6350	10,287	1.88	1.85	0.33	
14,858	90.34	318.33	4913	8152	-6403	10,366	0.94	0.34	-0.87	
14,905	90.34	318.33	4912	8187	-6434	10,413	0.00	0.00	0.00	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 514H - Slot 2
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 514H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(ft)	(ft)	(ft)	(usft)	(usft)		
- Shape									
514H 85° Casing	0.00	0.00	4838	934	46	1,906,728.80	2,736,481.84	36.24018507	-107.78792566
- actual wellpath misses target center by 17ft at 5173ft MD (4829 TVD, 927 N, 34 E)									
- Point									
514H Heel	0.00	0.00	4853	1121	-111	1,906,915.77	2,736,324.45	36.24069890	-107.78845910
- actual wellpath misses target center by 14ft at 5416ft MD (4843 TVD, 1115 N, -118 E)									
- Circle (radius 50)									
514H Toe	0.00	0.00	4921	8161	-6430	1,913,952.76	2,730,002.16	36.26003620	-107.80989310
- actual wellpath misses target center by 17ft at 14883ft MD (4912 TVD, 8171 N, -6419 E)									
- Circle (radius 100)									

Design Annotations					
Measured Depth	Vertical Depth	Local Coordinates			
(ft)	(ft)	+N/-S	+E/-W	Comment	
(ft)	(ft)	(ft)	(ft)		
448	448	-4	-3	First Surface MWD Survey	
4099	4056	412	340	Last Surface MWD Survey	
4179	4136	421	347	First Curve MWD Survey	
5175	4829	928	33	Last Curve MWD Survey	
5269	4841	1001	-26	First Lateral MWD Survey	
14,858	4913	8152	-6403	Last Lateral MWD Survey	
14,905	4912	8187	-6434	Projection to TD	

Checked By: _____ Approved By: _____ Date: _____

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.23765 / -107.788025	County or Parish/State: SAN JUAN / NM
Well Number: 514H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NMNM8005	Unit or CA Name: NAGEEZI UNIT	Unit or CA Number: NMNM132981A, NMNM132981X
US Well Number: 3004535763	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2663522

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/23/2022

Date Operation Actually Began: 02/21/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 12:15

Actual Procedure: 2/13/22: PT 4.5" x 7" casing 2000 psi (5 min). Bleed down 7" to 1000 psi, pressure up 4.5" to 7050 psi & hold (15 min). Pressure up to 7500 psi & hold (15 min). All test good & recorded on chart. 2/21 to 2/28: Plug & Perf 32 stages. 3 & 2 spf with .35" diameter from 5443' to 14542' MD (4903' to 4841' TVD). Total of 1120 open holes. Plugs set from 14558' to 5723'. Kill plug at 5240'. Frac 32 stages with 59,499 bbls of fluid. 9,794,698 lbs proppant. 88,747,154 scf of N2. 3/15 to 3/18: MIRU AWS 812. NU BOP. PT pipe rams, flowback, blind rams high 4800 psi (10 min) low 300 psi (5 min). Annular high 2500 psi (10 min), low 300 psi (5 min). All tests good & recorded on chart. TIH. Drill out plugs. TOH. 3/19/22: PT BOP high 2000 psi, low 500 psi (30 min). Test good & recorded on chart. TIH with production string. Land 157 jts of 2.875" 6.5# L80 STC tubing. EOT: 5156'. 3 GLVs set at 4049', 2937', 1593'. TOH. PT 2.875" tubing hanger, high 5000 psi (30 min). Test good & recorded on chart. Turn well over to production. Rig AWS 812 released on 3/19/22

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.23765 / -107.788025	County or Parish/State: SAN JUAN / NM
Well Number: 514H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NMNM8005	Unit or CA Name: NAGEEZI UNIT	Unit or CA Number: NMNM132981A, NMNM132981X
US Well Number: 3004535763	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: MAR 23, 2022 12:15 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 03/28/2022
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

06/29/2022

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	ID 10400000923

[Request for OCD extension of time to file BLM approved Form 3160-4](#)

Section 1 - General

Well Completion Report Id: 85150**Submission Date:** N/A until DB**BLM Office:** Farmington Field Office**User:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Federal/Indian:** INDIAN**Lease Number:** NMNM8005**Lease Acres:****Agreement in place?:** YES**Federal or Indian Agreement:****Agreement Number:****Agreement Name:** NAGEEZI UNIT**Keep this Well Completion Report confidential?:****APD Operator:** DJR OPERATING LLC

Section 2 - Well

Field/Pool or Exploratory:**Pool Name:** Nageezi Unit; Mancos**Field Name:** Basin Mancos**Well Type:** OIL WELL**Spud Date:** 05-03-2021**Date Total Measured Depth Reached:** 11-07-2021**Drill & Abandon or Ready To Produce:** READY TO**Well Class:** HORIZONTAL

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		-466	466	466	USEABLE WATER	
KIRTLAND	SHALE		-606	606	606	NONE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A ID 10400000923
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-912	912	915	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1174	1174	1181	USEABLE WATER	
LEWIS	SHALE		-1275	1275	1283	NONE	
CHACRA	SANDSTONE		-1896	1896	1914	NONE	
MENEFEE	COAL, SANDSTONE		-2608	2608	2637	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-3601	3601	3646	NONE	
MANCOS	SHALE		-3737	3737	3784	NONE	
MANCOS	SILTSTONE		-4057	4057	4109	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-4576	4576	4659	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-4621	4621	4717	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-4712	4712	4851	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-4841	4841	5262	NATURAL GAS, OIL	

Completion and Completed

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A ID 10400000923
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A	NMNM8005	NEW		POW	03-19-2022	03-20-2022	GALLUP	5443	14542	Y	.35	1120	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	59499	9794698	Chemical Disclosure uploaded to FracFocus on 03/22/22. Amended to include Production Test data per the NMOCD on 06/28/22.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A, ID 10400000923
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	03/22/2022	24	505	1500	415	2970	40/64	234		890

Well Location

Survey Type: RECTANGULAR

Survey Number: 11393

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum:

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.237619	-107.788083	6805	FEDERAL	NMNM8005				1235	FSL	824	FEL	23N	9W	9	SESE
KOP Wellbore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.237619	-107.788083	6455	FEDERAL	NMNM8005				1235	FSL	824	FEL	23N	9W	9	SESE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.254103	-107.803256	1893	INDIAN	NOG14031920				1953	FSL	1	FEL	23N	9W	5	NESE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.255987	-107.805143	1893	INDIAN	NOG14031910				2643	FNL	639	FWL	23N	9W	5	SENE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.248729	-107.797219	1893	INDIAN	NOG14011831				1	FSL	1785	FWL	23N	9W	4	SESW

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A, ID 10400000923
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.237619	-107.788083	1961	FEDERAL	NMNM8005				2236	FSL	843	FEL	23N	9W	9	NESE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.245969	-107.794227	1893	INDIAN	NOG14021884				1102	FNL	2665	FWL	23N	9W	5	NENW
EXIT Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.260012	-107.809801	1893	INDIAN	NOG14031910				1169	FNL	1931	FEL	23N	9W	5	NWNE
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.260108	-107.809907	1893	INDIAN	NOG14031910	4912	14886		1134	FNL	1962	FEL	23N	9W	5	NWNE

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
---------------	--------------------	-----------	------------------------	---------------------------	-------------	------------	--------------	-----------------------------	-------	-------------	--------------------

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	ID 10400000923

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	378	9.625	36	J-55		ST&C		0
00	INTERMEDIATE	8.75	0	5214	7.0	26	J-55		LT&C		0
00	LINER	6.125	4885	14900	4.5	11.6	P-110		BUTT		0

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		C	109	1.61	0					31.3
00	INTERMEDIATE		G	368	2.32	0	G	247	1.49	3772	217.6
00	LINER		G	859	1.52	4885					232.5

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5156		6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	ID 10400000923

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC**Signed By:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Signed on:** 06/29/2022**Street Address:** 1 Road 3263**City:** Aztec**State:** NM**Zip:** 87410**Phone:** (505)632-3476**Email address:** sford@djrlc.com**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Extension:****Email address:****Attachments**

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 514H	US Well Number 3004535763
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NAGEEZI UNIT	Agreement Number(s) NMNM132981X, NMNM132981A ID 10400000923
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H	

514H_Certified_EOW_DD_Survey_20220629095847.pdf

514H_As_Drilled_WBD_20220629095900.pdf

514H_As_Drilled_C102_20220629095900.pdf

**Nageezi Unit 514H****API: 30-045-35763**

SHL: 1235' FSL x 824' FEL ULSTR: P-09-23N-09W


Lat: 36.237619 Long: -107.788083

BHL: 1134' FNL x 1962' FEL ULSTR: B-05-23N-09W

Lat: 36.260108 Long: -107.809907 Elevation: 6805' GL

Spud Date: 5/3/2021

Completed Date: 3/19/2022

Current Wellbore

14905' MD
 4912' TVD
 PBTD: 14886' MD
 FracSleeve: 14860' MD

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 121433

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 121433
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 121433

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 121433
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/29/2022