

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30-045-38230	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 602H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 09	Township 23N	Range 09W	Lot Idn	Feet from the 1257'	North/South Line South	Feet from the 791'	East/West line East	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. G	Section 05	Township 23N	Range 09W	Lot Idn	Feet from the 2019'	North/South line North	Feet from the 2118'	East/West line East	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 04/22/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	

IV. Well Completion Data

²¹ Spud Date 09/22/21	²² Ready Date 03/22/22	²³ TD 14,455' MD 4,528' TVD	²⁴ PBTD 14,436' MD 4,528' TVD	²⁵ Perforations 5,011'-14,382' MD 4,442'- 4,527' TVD Frac Sleeve @ 14,411'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12.25		9.625" 36# J55		350'	109
8.75		7" 26# J55		4,779'	575
6.125		4.5" 11.6# P110		TOL: 4,542' BOL: 14,450'	836
		2.875" 6.5# L80 Tubing		4,983'	

V. Well Test Data

³¹ Date New Oil 03/22/22	³² Gas Delivery Date 04/22/22	³³ Test Date 03/25/22	³⁴ Test Length 24	³⁵ Tbg. Pressure 243	³⁶ Csg. Pressure 981
³⁷ Choke Size 38/64	³⁸ Oil 760	³⁹ Water 690	⁴⁰ Gas 1126		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>		OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>	
Printed name: Shaw-Marie Ford		Title: <i>PETROLEUM SPECIALIST</i>	
Title: Regulatory Specialist		Approval Date: <i>6/29/2022</i>	
E-mail Address: sford@djrlle.com			
Date: 06/29/22	Phone: 505-716-3297		

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 748-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (505) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☒ AS-DRILLED
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38230	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 602H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6805'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	9	23N	9W		1257'	SOUTH	791'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	5	23N	9W		2019'	NORTH	2118'	EAST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC 9: SE/SE, NE/SE, NW/SE, SW/NE, SE/NW,
NE/NW & NW/NW (280 AC.); SEC 4: SW/SW &
NW/SW (80 AC.); SEC 5: SE/SE, NE/SE, NW/SE,
SE/NE & SW/NE (200 AC.) = 560 ACRES

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13856 R-13856A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 01/27/22
Signature Date

Shaw-Marie Ford
Printed Name

sford@djrlc.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 26, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	Nageezi P09 2309 602H
County & State	San Juan, NM
SDI Job No.	OP.031200
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 449 feet to a measured depth of 14,455 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

3-Nov-21

Date

Janie Collins

Contract Well Planner
Scientific Drilling International



DJR

**Nageezi Unit
P09 2309 Pad
#602H**

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
Project: Nageezi Unit
Site: P09 2309
Well: # 602H
Wellbore: Original Drilling



WELL DETAILS: # 602H

GL 6805 & RKB 26' @ 683ft (H&P 443) 6805			
+N/-S	+E/-W	Northing	Longitude
0	0	1905817.25	-107.78797000
Easting			
2736469.19			
Latitude			
36.23768100			
Longitude			
-107.78797000			
Well ID			
4			



Design: Original Drilling (# 602H/Original Drilling)	PROJECT DETAILS: Nageezi Unit
Created By: Janie Collins	Geodetic System: US State Plane 1983
Date: 12.46, November 03 2021	Datum: North American Datum 1983
	Ellipsoid: GRS 1980
	Zone: New Mexico Western Zone
	System Datum: Mean Sea Level
	Local North: True



DJR Operating

Nageezi Unit

P09 2309

602H - Slot 4

Original Drilling

Design: Original Drilling

Standard Survey Report

03 November, 2021



www.scientificdrilling.com





Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		P09 2309			
Site Position:		Northing:	1,905,783.38 usft	Latitude:	36.23758800
From:	Lat/Long	Easting:	2,736,419.66 usft	Longitude:	-107.78813800
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.03 °

Well	# 602H - Slot 4					
Well Position	+N/-S	0 ft	Northing:	1,905,817.25 usft	Latitude:	36.23768100
	+E/-W	0 ft	Easting:	2,736,469.19 usft	Longitude:	-107.78797000
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6805 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021_FILE	10/23/2021	8.65	62.72	49,205.20000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	317.76	

Survey Program	Date	11/2/2021			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
449	3703	Survey #1 - Surface MWD Survey (Origin	MWD+HDGM	OWSG MWD + HDGM	
3798	4741	Survey #2 - Curve MWD Survey (Original	MWD+HDGM	OWSG MWD + HDGM	
4799	14,455	Survey #3 - Lateral MWD Survey (Origina	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
449	1.02	225.90	449	-3	-3	0	0.23	0.23	0.00	
540	2.57	168.95	540	-5	-3	-2	2.40	1.70	-62.58	
632	3.60	155.38	632	-10	-1	-6	1.36	1.12	-14.75	
724	5.71	151.00	723	-17	2	-14	2.32	2.29	-4.76	
816	7.06	137.03	815	-25	8	-24	2.23	1.47	-15.18	
909	6.61	137.09	907	-33	16	-35	0.48	-0.48	0.06	
1002	7.96	143.76	1000	-42	23	-47	1.71	1.45	7.17	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1093	7.22	143.60	1090	-52	30	-59	0.81	-0.81	-0.18	
1185	8.68	135.66	1181	-61	38	-71	1.98	1.59	-8.63	
1275	8.85	134.55	1270	-71	48	-85	0.27	0.19	-1.23	
1367	7.74	130.25	1361	-80	58	-98	1.38	-1.21	-4.67	
1460	7.15	122.33	1453	-87	68	-110	1.27	-0.63	-8.52	
1549	8.41	137.32	1541	-95	77	-122	2.67	1.42	16.84	
1642	8.59	135.79	1633	-105	86	-135	0.31	0.19	-1.65	
1735	8.33	135.82	1725	-115	96	-149	0.28	-0.28	0.03	
1826	8.01	135.24	1815	-124	105	-162	0.36	-0.35	-0.64	
1918	7.47	130.56	1906	-132	114	-174	0.90	-0.59	-5.09	
2008	10.25	144.99	1995	-143	123	-188	3.93	3.09	16.03	
2103	10.51	148.02	2089	-157	132	-205	0.64	0.27	3.19	
2198	10.71	147.85	2182	-172	142	-222	0.21	0.21	-0.18	
2293	11.21	147.46	2275	-187	151	-240	0.53	0.53	-0.41	
2388	12.34	143.61	2368	-203	162	-259	1.45	1.19	-4.05	
2483	13.17	144.83	2461	-220	174	-280	0.92	0.87	1.28	
2578	10.37	134.02	2554	-235	187	-299	3.74	-2.95	-11.38	
2672	8.32	136.13	2647	-246	198	-315	2.21	-2.18	2.24	
2768	7.92	132.61	2742	-255	207	-328	0.66	-0.42	-3.67	
2862	7.22	134.49	2835	-264	216	-341	0.79	-0.74	2.00	
2957	8.25	132.43	2929	-272	226	-353	1.12	1.08	-2.17	
3052	7.67	132.28	3023	-281	235	-366	0.61	-0.61	-0.16	
3147	9.38	137.53	3117	-291	245	-380	1.98	1.80	5.53	
3242	8.50	139.50	3211	-302	255	-395	0.98	-0.93	2.07	
3337	8.54	140.14	3305	-313	264	-409	0.11	0.04	0.67	
3432	8.56	134.56	3399	-323	274	-423	0.87	0.02	-5.87	
3527	7.10	140.12	3493	-333	282	-436	1.73	-1.54	5.85	
3622	5.61	129.13	3588	-340	290	-447	2.02	-1.57	-11.57	
3703	5.70	133.10	3668	-346	296	-455	0.50	0.11	4.90	
3798	6.45	306.92	3763	-346	295	-454	12.77	0.79	182.97	
3894	17.02	317.05	3857	-332	281	-435	11.18	11.01	10.55	
3988	22.81	313.93	3945	-309	259	-403	6.26	6.16	-3.32	
4083	28.70	314.48	4031	-280	229	-362	6.21	6.20	0.58	
4179	35.59	318.55	4112	-243	194	-311	7.52	7.18	4.24	
4274	41.42	318.45	4186	-199	155	-251	6.14	6.14	-0.11	
4369	47.25	318.70	4254	-149	111	-185	6.14	6.14	0.26	
4464	50.92	319.63	4316	-95	64	-113	3.93	3.86	0.98	
4559	62.07	319.15	4369	-35	12	-34	11.74	11.74	-0.51	
4654	68.36	318.42	4409	30	-44	52	6.66	6.62	-0.77	
4741	82.22	317.85	4431	92	-100	136	15.94	15.93	-0.66	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4799	85.83	314.81	4437	134	-140	193	8.12	6.22	-5.24	
4893	88.72	314.10	4441	200	-207	287	3.17	3.07	-0.76	
4987	89.63	314.91	4442	266	-274	381	1.30	0.97	0.86	
5080	90.10	318.87	4443	334	-338	474	4.29	0.51	4.26	
5175	89.16	317.02	4443	404	-401	569	2.18	-0.99	-1.95	
5269	90.97	320.63	4443	475	-463	663	4.30	1.93	3.84	
5363	89.80	320.36	4443	547	-523	757	1.28	-1.24	-0.29	
5457	88.36	319.41	4444	619	-584	851	1.84	-1.53	-1.01	
5551	89.90	319.86	4445	691	-644	945	1.71	1.64	0.48	
5645	90.13	319.42	4445	763	-705	1039	0.53	0.24	-0.47	
5740	89.40	319.12	4446	834	-767	1134	0.83	-0.77	-0.32	
5834	89.53	319.93	4447	906	-828	1228	0.87	0.14	0.86	
5928	89.87	320.35	4447	978	-889	1322	0.57	0.36	0.45	
6023	88.89	319.71	4448	1051	-950	1416	1.23	-1.03	-0.67	
6117	89.66	320.53	4449	1123	-1010	1510	1.20	0.82	0.87	
6212	89.30	320.80	4450	1197	-1070	1605	0.47	-0.38	0.28	
6306	89.13	321.41	4452	1270	-1129	1699	0.67	-0.18	0.65	
6400	89.19	320.14	4453	1343	-1189	1793	1.35	0.06	-1.35	
6493	89.66	319.55	4454	1414	-1249	1886	0.81	0.51	-0.63	
6588	89.40	319.87	4455	1486	-1310	1981	0.43	-0.27	0.34	
6682	89.33	319.26	4456	1558	-1371	2075	0.65	-0.07	-0.65	
6775	89.23	318.67	4457	1628	-1432	2168	0.64	-0.11	-0.63	
6869	89.60	319.92	4458	1699	-1493	2262	1.39	0.39	1.33	
6964	89.09	319.17	4459	1771	-1555	2357	0.95	-0.54	-0.79	
7058	87.52	315.83	4462	1841	-1618	2451	3.92	-1.67	-3.55	
7152	89.50	312.34	4464	1906	-1686	2544	4.27	2.11	-3.71	
7246	91.68	312.50	4463	1969	-1755	2638	2.33	2.32	0.17	
7340	91.98	313.45	4460	2033	-1824	2732	1.06	0.32	1.01	
7434	91.11	315.73	4458	2099	-1891	2825	2.60	-0.93	2.43	
7528	89.60	314.85	4457	2166	-1957	2919	1.86	-1.61	-0.94	
7622	90.54	317.00	4457	2234	-2022	3013	2.50	1.00	2.29	
7716	88.39	315.35	4458	2301	-2087	3107	2.88	-2.29	-1.76	
7810	90.87	320.88	4458	2371	-2150	3201	6.45	2.64	5.88	
7905	89.70	319.32	4458	2444	-2211	3296	2.05	-1.23	-1.64	
7999	89.33	319.44	4459	2516	-2272	3390	0.41	-0.39	0.13	
8093	89.33	320.66	4460	2588	-2333	3484	1.30	0.00	1.30	
8187	89.23	320.12	4461	2660	-2393	3578	0.58	-0.11	-0.57	
8281	89.09	320.80	4462	2733	-2452	3672	0.74	-0.15	0.72	
8375	88.99	321.03	4464	2806	-2512	3765	0.27	-0.11	0.24	
8470	88.39	317.76	4466	2878	-2574	3860	3.50	-0.63	-3.44	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8564	88.46	317.60	4469	2947	-2637	3954	0.19	0.07	-0.17
8658	87.82	315.00	4472	3015	-2702	4048	2.85	-0.68	-2.77
8753	88.49	315.82	4475	3083	-2768	4143	1.11	0.71	0.86
8846	89.77	317.96	4476	3151	-2832	4236	2.68	1.38	2.30
8941	87.99	316.57	4478	3220	-2896	4331	2.38	-1.87	-1.46
9035	90.60	318.63	4479	3290	-2960	4425	3.54	2.78	2.19
9129	88.19	315.53	4480	3358	-3024	4519	4.18	-2.56	-3.30
9223	90.34	319.04	4481	3428	-3087	4613	4.38	2.29	3.73
9318	89.19	318.27	4482	3499	-3150	4708	1.46	-1.21	-0.81
9412	90.60	318.85	4482	3569	-3212	4802	1.62	1.50	0.62
9507	90.23	317.79	4481	3640	-3276	4897	1.18	-0.39	-1.12
9600	88.73	316.78	4482	3709	-3339	4990	1.94	-1.61	-1.09
9695	89.63	317.58	4484	3778	-3403	5085	1.27	0.95	0.84
9789	89.46	317.86	4484	3848	-3466	5179	0.35	-0.18	0.30
9883	89.60	318.45	4485	3918	-3529	5273	0.65	0.15	0.63
9978	89.80	319.42	4486	3989	-3592	5368	1.04	0.21	1.02
10,072	89.83	320.34	4486	4061	-3652	5462	0.98	0.03	0.98
10,166	89.19	321.10	4487	4134	-3712	5556	1.06	-0.68	0.81
10,261	89.09	321.37	4488	4208	-3771	5651	0.30	-0.11	0.28
10,353	88.39	319.93	4490	4279	-3829	5742	1.74	-0.76	-1.57
10,445	88.39	317.94	4493	4349	-3890	5834	2.16	0.00	-2.16
10,537	87.52	318.25	4496	4417	-3951	5926	1.00	-0.95	0.34
10,629	87.08	317.83	4500	4485	-4013	6018	0.66	-0.48	-0.46
10,721	88.76	317.24	4504	4553	-4075	6110	1.94	1.83	-0.64
10,812	90.03	316.83	4505	4620	-4137	6201	1.47	1.40	-0.45
10,904	90.13	317.39	4504	4687	-4199	6293	0.62	0.11	0.61
10,996	89.03	316.82	4505	4755	-4262	6385	1.35	-1.20	-0.62
11,088	88.89	316.68	4507	4822	-4325	6477	0.22	-0.15	-0.15
11,179	90.74	317.50	4507	4888	-4387	6568	2.22	2.03	0.90
11,271	89.29	316.87	4507	4956	-4450	6660	1.72	-1.58	-0.68
11,363	88.72	315.86	4509	5022	-4513	6752	1.26	-0.62	-1.10
11,455	89.06	317.01	4510	5089	-4576	6844	1.30	0.37	1.25
11,547	92.25	317.32	4509	5156	-4639	6936	3.48	3.47	0.34
11,639	91.24	316.04	4507	5223	-4702	7028	1.77	-1.10	-1.39
11,731	90.20	315.62	4505	5289	-4766	7120	1.22	-1.13	-0.46
11,824	90.03	315.48	4505	5356	-4831	7213	0.24	-0.18	-0.15
11,916	89.60	316.07	4506	5422	-4895	7305	0.79	-0.47	0.64
12,007	88.62	315.57	4507	5487	-4959	7396	1.21	-1.08	-0.55
12,099	89.16	316.55	4509	5553	-5023	7488	1.22	0.59	1.07
12,191	88.69	316.66	4510	5620	-5086	7580	0.52	-0.51	0.12



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
12,284	88.79	316.66	4513	5688	-5150	7672	0.11	0.11	0.00	
12,375	89.23	316.94	4514	5754	-5212	7763	0.57	0.48	0.31	
12,467	89.60	318.02	4515	5822	-5274	7855	1.24	0.40	1.17	
12,559	90.07	319.12	4515	5891	-5335	7947	1.30	0.51	1.20	
12,651	90.44	320.16	4515	5961	-5395	8039	1.20	0.40	1.13	
12,744	89.03	319.64	4515	6032	-5454	8132	1.62	-1.52	-0.56	
12,836	88.52	319.78	4517	6102	-5514	8224	0.57	-0.55	0.15	
12,928	88.79	319.37	4519	6172	-5574	8316	0.53	0.29	-0.45	
13,020	89.73	319.60	4521	6242	-5633	8408	1.05	1.02	0.25	
13,114	90.07	319.63	4521	6314	-5694	8502	0.36	0.36	0.03	
13,206	89.66	318.55	4521	6383	-5754	8594	1.26	-0.45	-1.17	
13,297	88.82	319.03	4522	6452	-5814	8685	1.06	-0.92	0.53	
13,390	91.28	322.01	4522	6523	-5874	8778	4.15	2.65	3.20	
13,482	90.17	320.07	4521	6595	-5931	8870	2.43	-1.21	-2.11	
13,574	89.16	317.02	4522	6664	-5992	8962	3.49	-1.10	-3.32	
13,666	88.46	316.95	4523	6731	-6055	9054	0.76	-0.76	-0.08	
13,758	88.89	315.75	4526	6798	-6119	9146	1.39	0.47	-1.30	
13,850	90.44	315.36	4526	6863	-6183	9238	1.74	1.68	-0.42	
13,943	89.50	312.51	4526	6928	-6250	9330	3.23	-1.01	-3.06	
14,035	89.60	312.81	4527	6990	-6318	9422	0.34	0.11	0.33	
14,128	89.43	312.39	4528	7053	-6386	9515	0.49	-0.18	-0.45	
14,220	90.13	313.48	4528	7116	-6453	9606	1.41	0.76	1.18	
14,312	90.54	314.86	4527	7180	-6519	9698	1.56	0.45	1.50	
14,402	89.09	313.54	4528	7243	-6584	9788	2.18	-1.61	-1.47	
14,455	89.09	313.54	4529	7279	-6622	9841	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
602H 85° Casing Rev 1	0.00	0.00	4436	85	-73	1,905,901.96	2,736,396.42	36.23791380	-107.78821663	
- actual wellpath misses target center by 18ft at 4719ft MD (4427 TVD, 76 N, -86 E)										
- Point										
602H Heel Rev 1	0.00	0.00	4451	265	-236	1,906,081.73	2,736,233.00	36.23840784	-107.78877050	
- actual wellpath misses target center by 28ft at 4959ft MD (4442 TVD, 246 N, -254 E)										
- Circle (radius 50)										
602H Toe Rev 1	0.00	0.00	4516	7220	-6555	1,913,034.27	2,729,910.66	36.25751310	-107.81020420	
- actual wellpath misses target center by 12ft at 14366ft MD (4527 TVD, 7217 N, -6558 E)										
- Circle (radius 100)										



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 602H - Slot 4
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 602H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
449	449	-3	-3	First Surface MWD Survey
3703	3668	-346	296	Last Surface MWD Survey
3798	3763	-346	295	First Curve MWD Survey
4741	4431	92	-100	Last Curve MWD Survey
4799	4437	134	-140	First Lateral MWD Survey
14,402	4528	7243	-6584	Last Lateral MWD Survey
14,455	4529	7279	-6622	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.237681 / -107.78797	County or Parish/State: SAN JUAN / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM8005	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538230	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2663925

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/25/2022

Date Operation Actually Began: 02/25/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 09:35

Actual Procedure: 1/16/22: PT 4.5" x 7" casing 2000 psi (5 min). Bleed down 7" to 1000 psi, pressure up 4.5" to 7050 psi & hold (15 min). Pressure up to 7500 psi & hold (15 min). All test good & recorded on chart. 2/25 to 3/6: Plug & Perf 40 stages. 3 spf with .35" diameter from 14382' to 5011' MD (4527' to 4442' TVD). Total of 1000 open holes. Frac 40 stages with 69,956 bbls of fluid. 12,349,632 lbs of proppant. 114,812,644 scf N2. Plugs set from 14163' to 5231'. Kill plug at 4800'. 3/8 to 3/13: MIRU AWS 812. NU BOP. PT pipe rams, flowback, blind rams high 4750 psi (10 min) low 300 psi (5 min). Annular high 2550 psi (10 min), low 300 psi (5 min). All tests good & recorded on chart. TIH. Drill out plugs. TOH. 3/22: PT BOP high 2000 psi, low 500 psi (30 min). Test good & recorded on chart. RIH with production string. Land 152 jts of 2.875" 6.5# L80 tubing. EOT: 4983'. 3 GLVs set at 4041' – 2934' – 1591'. TOH. PT 2.875" tubing hanger, production tree, high 5000 psi (30 min). Test good & recorded on chart. Turn well over to production. Rig AWS 812 released on 3/23/22

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.237681 / -107.78797	County or Parish/State: SAN JUAN / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM8005	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538230	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: MAR 25, 2022 09:35 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 03/29/2022
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

06/29/2022

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

[Request for OCD extension of time to file BLM approved Form 3160-4](#)

Section 1 - General

Well Completion Report Id: 85153	Submission Date: N/A until DB	
BLM Office: Farmington Field Office	User: SHAW-MARIE FORD	Title: Regulatory Specialist
Federal/Indian: INDIAN	Lease Number: NMNM8005	Lease Acres:
Agreement in place?: YES	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?:		
APD Operator: DJR OPERATING LLC		

Section 2 - Well

Field/Pool or Exploratory:	Pool Name: Nageezi Unit; Mancos	Field Name: BASIN MANCOS
Well Type: OIL WELL		
Spud Date: 09-22-2021		
Date Total Measured Depth Reached: 10-28-2021		
Drill & Abandon or Ready To Produce: READY TO		
Well Class: HORIZONTAL		

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	456	456	USEABLE WATER	
KIRTLAND	SHALE		-596	596	596	NONE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-902	902	903	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1164	1164	1166	USEABLE WATER	
LEWIS	SHALE		-1265	1265	1268	NONE	
CHACRA	SANDSTONE		-1886	1886	1891	NONE	
MENEFEE	COAL, SANDSTONE		-2598	2598	2605	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-3591	3591	3602	NONE	
MANCOS	SHALE		-3727	3727	3739	NONE	
MANCOS	SILTSTONE		-4047	4047	4066	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-4424	4424	4795	NATURAL GAS, OIL	

Completion and Completed

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
---------------	-----------------	-----------------	-------------	--------------	----------------------	-------------------------------	-------------------	----------------	---------------------	-----------	-------------------	----------------------	----------------------	------------------	-----------------	--------------------

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A		NEW		POW	03-22-2022	03-22-2022	GALLUP	5011	14382	Y	.35	1000	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Totle Fluid (bbbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	69956	12349632	Chemical Disclosure uploaded to FracFocus on 03/22/22. Amended to include Production Test data per the NMOCD on 06/28/22.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	03/25/2022	24	760	1126	690	1481	38/64	243		981

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.237681	-107.78797	6805	FEDERAL	NMNM8005			1257	FSL	791	FEL	23N	9W	9	SESE
KOP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.237681	-107.78797	6455	FEDERAL	NMNM8005			1257	FSL	791	FEL	23N	9W	9	SESE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.251434	-107.803262	2278	INDIAN	N0G14031920			981	FSL	1	FEL	23N	9W	5	SESE

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.255971	-107.808327	2278	INDIAN	NOG14031910				2643	FNL	1498	FEL	23N	9W	5	SWNE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.248733	-107.800183	2278	INDIAN	NOG14011831				1	FSL	911	FWL	23N	9W	4	SWSW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.238049	-107.788445	2363	FEDERAL	NMNM8005				1393	FSL	930	FEL	23N	9W	9	NESE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.243295	-107.794226	2278	INDIAN	NOG14021884				1975	FNL	2664	FWL	23N	9W	9	SENW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.257675	-107.810432	2278	INDIAN	NOG14031910				2055	FNL	2080	FEL	23N	9W	5	SWNE
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.257675	-107.810432	2277	INDIAN	NOG14031910	4528	14436		2019	FNL	2118	FEL	23N	9W	5	SWNE

Casing, Liner and Tubing

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	376	9.625	36	K-55		ST&C		0
00	INTERMEDIATE	8.75	0	4779	7.0	26	K-55		LT&C		0
00	LINER	6.125	4542	14450	4.5	11.6	P-110		BUTT		0

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		C	109	1.61	0					31.3
00	INTERMEDIATE		G	325	2.25	0	G	250	1.47	3239	195.7
00	LINER		G	836	1.56	4542					232.3

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		4983		6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC**Signed By:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Signed on:** 06/29/2022**Street Address:** 1 Road 3263**City:** Aztec**State:** NM**Zip:** 87410**Phone:** (505)632-3476**Email address:** sford@djrlc.com**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Extension:****Email address:****Attachments**

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 602H	US Well Number 3004538230
SHL SESE Sec 9 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM8005
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 513H, 514H, 601H, 602H	ID 10400060319

602H_Certified_EOW_DD_Survey_20220629102918.pdf

602H_As_Drilled_WBD_20220629102927.pdf

602H_As_Drilled_C102_20220629102928.pdf

**Nageezi Unit 602H****API: 30-045-38230**

SHL: 1257' FSL x 791' FEL ULSTR: P-09-23N-09W


Lat: 36.237681 Long: -107.78797

BHL: 2019' FNL x 2118' FEL ULSTR: G-05-23N-09W

Lat: 36.257675 Long: -107.810432 Elevation: 6805' GL

Spud Date: 9/22/2021

Completed Date: 3/22/2022

Current Wellbore

14455' MD
 4528' TVD
 PBTD: 14436' MD
 FracSleeve: 14411' MD

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 121477

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 121477
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 121477

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 121477
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/29/2022