Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: JICARILLA APACHE B Well Location: T24N / R5W / SEC 29 / County or Parish/State: RIO

NENE / ARRIBA / NM

Well Number: 18 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name: WELL JICARILLA APACHE

Lease Number: JIC11 Unit or CA Name: Unit or CA Number:

US Well Number: 3003926884 Well Status: Abandoned Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2673528

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/25/2022 Time Sundry Submitted: 01:52

Date Operation Actually Began: 05/12/2022

Actual Procedure: The subject well was Plugged & Abandoned on 05/12/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

Jicarilla_Apache_B_18_EOWR_BLM_Submittal_20220525135246.pdf

Page 1 of 2

eived by OCD: 5/26/2022 2:48:00 PM Well Name: UICARILLA APACHE B

Well Location: T24N / R5W / SEC 29 /

NENE /

County or Parish/State: RIPage 2 o

ARRIBA / NM

Well Number: 18

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name: JICARILLA APACHE

Lease Number: JIC11

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003926884

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD Signed on: MAY 25, 2022 01:52 PM

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

State: NM City: Aztec

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Phone: 5055647742

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 05/26/2022

Page 2 of 2

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache B 18
API # 30-039-26884
NE/NE, Unit A, Sec 29, T24N, R5W
Rio Arriba County, NM
Spud Date: 3-14-2002

Spud Date: 3-14-2002 Plug Date: 5-12-2022

<u>1-17-2021:</u>

MIRU rig and equipment. SITP = 1000, SICP = 1000, BH = 5. NDWH, NU BOP. Pull tubing. Release rig.

5-10-2022:

Move in and rig up rig and equipment. SITP N/A, SICP = 990, BH = 0. Kill well. TIH with bit and string mill to PBTD'. TOOH.

5-11-2022:

Set CR at 6666'. Load and roll hole, PT casing, good test.

P&A Plug 1 &2: Dakota perfs and Dakota formation top. Mix and pump 6 sx cement under CR into Dakota perfs. Sting out and place 14 sx above CR.

P&A Plug 3: Gallup formation top: Pull up to 5611', mix and pump balanced plug of 12 sx from 5611' to 5453'

5-12-2022:

P&A Plug 4: Mancos formation top: Pull up to 4882', mix and pump balanced plug of 24 sx from 4882' to 4562'.

P&A Plug 5: Mesa Verde formation top: Pull up to 3851', mix and pump balanced plug of 12 sx from 3851' to 3693'.

P&A Plug 6: Chacra formation top: Pull up to 3157', mix and pump balanced plug of 12 sx from 3157' to 2999'.

P&A Plug 7: Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo formation tops. Pull up to 2352', mix and pump balanced plug of 55 sx from 2352' to 1626'.

P&A Plug 8: Nacimiento formation top. Pull up to 1147', mix and pump balanced plug of 12 sx from 1147' to 989'.

P&A Plug 9: Surface casing shoe to surface. TIH to 422'. Mix and place plug of 32 sx from 422' to surface. TOOH.

Cut off WH. Check TOCs; casing at 46', annulus at surface. Install P&A marker. Top off 4 ½ casing and cellar with 24 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.2882367 N, Long; 107.3784959 W

DJR Operating, LLC
P&A Marker
Jicarilla Apache B 18
API # 30-039-26884
NE/NE, Unit A, Sec 29, T24N, R5W

Rio Arriba County, NM Spud Date: 3-14-2002 Plug Date: 5-12-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Jicarilla Agency

P.O. Box 167 Dulce, New Mexico 87528

IN REPLY REFER TO: Branch of Real Estate Services

November 15, 2019

Memorandum

To:

Robert Switzer, Environmental Protection Specialist

Bureau of Land Management, Farmington Field Office

From:

Kurt Sandoval, Realty Officer

Bureau of Indian Affairs, Jicarilla Agency

Subject:

BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

Realty Officer

cc:

Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report

DJR Operating, LLC

Jicarilla Apache B 18

API # 30-039-26884 NE/NE, Unit A, Sec 29, T24N, R5W Rio Arriba County, NM

GL 6714' KB 6726' Spud Date 3/14/2002

SURF CSG FORMATION TOPS Hole size 12.25" **Nacimiento** 1097' Csg Size: 8.625" Wt: 24# Ojo Alamo 1761' Grade: J-55 Kirtland 1940' **ID**: 8.097" Fruitland 2117' **Depth** 355' **Pictured Cliffs** 2302' Csg cap ft³: 0.3576 Lewis 2390' TOC: Surf 3107' Chacra Mesa Verde 3801' **Mancos** 4672' Gallup 5561' 6588' **Dakota PROD CSG** Hole size 7.875" Csg Size: 4.5" Wt: 11.6# Grade: J-55 ID: 4.000" 6862' Depth Csg cap ft³: 0.0872 0.2471 Csg/Csg Ann ft³: 0.2278 Csg/OH cap ft³: TOC: Stg 1 (Circ 60 bbls cmt DV Tool at 4830' to surface) TOC: Stg 2 (Circ 70 bbls cmt to surface) (Per Halliburton cement job log 3/29/2002) **Dakota Perfs 6696-6746' PBTD** 6803'

6860'

TD

5-12-2022: Cut off WH, install P&A marker. TOC in 4 1/2" at 46', in annulus at surface. Mix top off of 24 sx for 4 1/2" and cellar.

5-12-2022: Surface casing shoe: Plug 9: Mix and place plug of 32 sx from 422' to surface.

5-12-2022: Nacimiento: Plug 8: Mix and spot balanced plug of 12 sx from 1147' to 989'.

5-12-2022: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Plug 7: Mix and spot balanced plug of 55 sx from 2352' to 1626'.

5-12-2022: Chacra: Plug 6: Mix and spot balanced plug of 12 sx from 3157' to 2999'.

5-12-2022: Mesaverde: Plug 5: Mix and spot balanced plug of 12 sx from 3851' to 3693'.

5-12-2022: Mancos: Plug 4: Mix and spot balanced plug of 24 sx from 4882' to 4562'.

5-11-2022: Gallup: Plug 3: Mix and spot balanced plug of 12 sx from 5611' to 5453'.

5-11-2022: Dakota, Plug 2: Mix and place Plug 2 with 14 sx above CR from 6666' to 6488'.

5-11-2022: Plug 1, Dakota perfs: TIH with CR, set CR at 6666'. Load and roll hole. PT casing, good test. Mix and pump Plug 1 of 6 sx through CR.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 ft3
Regulatory Representative: Bill Diers, BLM, Monica Kuehling, NMOCD via phone
GPS Coordinates: 36.2882367N, 107.3784959W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 111295

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	111295
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
mkuehli	None None	6/23/2022