

Well Name: DOME FEDERAL 29-22-6	Well Location: T22N / R6W / SEC 29 / NESW / 36.10644 / -107.495087	County or Parish/State: SANDOVAL / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM6676	Unit or CA Name:	Unit or CA Number:
US Well Number: 300432040600S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2674267

Type of Submission: Subsequent Report

Date Sundry Submitted: 05/31/2022

Date Operation Actually Began: 04/29/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 03:32

Actual Procedure: Dugan Production plugged to abandon the well as per the following procedure from 04/29/2022 to 05/03/2022: 1) RT 4-1/2" casing scraper to 1765'. Tally tubing. RIH w/2-3/8" tubing and set CR @ 1739'. Chacra perforations @ 1790'-1880'. Load casing. 2) Pressure test casing to 600 psi. Casing did not test. Small leak. Run CBL from 1739' to surface. Good cement to surface. Notified and sent copies to BLM/NMOCD. 3) Spot Plug I above CR inside 4-1/2", 10.5# casing from 1739' w/42 sks (48.3 cu ft) Class G neat cement (1.15 cu ft/sk, 5 gal/sk mix water, 15.8#/gal). Displace w/4 bbls water. WOC 4 hrs. TIH w/tubing and tag TOC @ 1230'. Good tag. Plug I, inside 4-1/2" casing, Chacra-PC, 42 sks, 48.3 cu ft, 1230'-1739'. 4) LD tubing to 858'. Load hole. Pressure test casing to 600 psi for 30 mins. Casing tested good. Spot Plug II inside 4-1/2" casing from 858' to 640' w/ 20 sks (23 cu ft) Class G neat cement (1.15 cu ft/sk, 5 gal/sk mix water, 15.8/gal). Displace w/2 bbls water. Plug II, inside 4-1/2" casing, 20 sks, 23 cu ft, Fruitland, 640'-858'. 5) Spot Plug III inside 4-1/2" casing from 522' to surface w/45 sks (52 cu ft) Class G neat cement. No displacement. LD all tubing. WOC overnight. Cut wellhead. Tag TOC @ 51' inside 4-1/2" casing and 10' inside annulus. Top off and install dry hole marker w/20 sks (23 cu ft) Class G cement. Plug III, inside 4-1/2" casing, Surface-Ojo Alamo-Kirtland, 65 sks, 75 cu ft, 0'-522'. 6) Clean location. Well P&A'd 5/3/2022. Gail Clayton w/Farmington BLMFO witnessed job.

Well Name: DOME FEDERAL 29-22-6	Well Location: T22N / R6W / SEC 29 / NESW / 36.10644 / -107.495087	County or Parish/State: SANDOVAL / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM6676	Unit or CA Name:	Unit or CA Number:
US Well Number: 300432040600S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

Dome_Federal_29_22_6_2_post_PA_schematic_20220531152320.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL
Name: DUGAN PRODUCTION CORPORATION
Title: Authorized Representative
Street Address: PO Box 420
City: Farmington **State:** NM
Phone: (505) 325-1821
Email address: tyrafeil@duganproduction.com

Signed on: MAY 31, 2022 03:27 PM

Field

Representative Name: ALIPH REENA
Street Address: PO BOX 420
City: FARMINGTON **State:** NM
Phone: (505)325-1821
Email address: Aliph.Reena@duganproduction.com

Zip: 87499-0420

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK
BLM POC Phone: 5055647742
Disposition: Accepted
Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer
BLM POC Email Address: krennick@blm.gov
Disposition Date: 06/06/2022

Completed P & A Schematic

Dome Federal 29-22-6 # 2


API; 30-043-20406

Sec 29 T22N R6W

1610 FSL & 1840' FWL, Chacra

Lat; 36.1064339 Long: -107.495124

Lease No: NM6676



8-5/8" 23# casing @ 137'. Cemented with 100 sks. Hole size: 11"

Spot cement to surface w/ 65 sks Class G cement @ 0-522' (75 cu.ft)
[Plug III: Surface-Ojo Alamo-Kirtland, 0-522']

Spot inside plug w/ 20 sks Class G (23 cu.ft) @ 640'-858'
[Plug II: Fruitland, 640'-858']

Cemented w/ 300 sks. Circulated cement

Set CR @ 1739'. Spot inside plug w/ 42 sks Class G @ 1230'-1739'
(48.3 cu.ft) [Plug I: Pictured Cliffs-Chacra]

Chacra Perforated @ 1790'-1880'

4 1/2" 10.5 # casing @ 2000'. PBSD @ 1952'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 113951

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 113951
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	6/16/2022