

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - RT- 04/25/2022
⁴ API Number 30-015-45740	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 324872	⁸ Property Name: PURE GOLD MDP1 29-17 FEDERAL COM	⁹ Well Number: 174H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	29	23S	31E		430	SOUTH	2570	WEST	EDDY

¹¹ Bottom Hole Location FTP: 165' FSL 1707' FEL LTP: 2523' FSL 1794' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	17	23S	31E		2615	SOUTH	1798	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 09/01/2019	²² Ready Date 04/25/2022	²³ TD 24922'M 11409'V	²⁴ PBSD 24858'M 11409'V	²⁵ Perforations 11888-24829'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	499'	640		
12-1/4"	9-5/8"	4250'	1208		
8-3/4"	7-5/8"	10768'	620		
6-3/4"	5-1/2"	24902'	1141		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 04/24/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title: Petroleum Engineer

Approval Date: 08/02/22

RT Expires 08/25/22

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

District Office

1220 South St. Francis Dr.

Santa Fe, NM 87505

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-45740	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 324872	Property Name PURE GOLD MDP1 29-17 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 174H
		⁹ Elevation 3357'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	23S	31E		430	SOUTH	2570	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	17	23S	31E		2615	SOUTH	1798	EAST	EDDY
¹² Dedicated Acres 1600.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-21929						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 08/01/22 Signature _____ Date _____ JANA MENDIOLA Printed Name _____ janalyn_mendiola@oxy.com E-mail Address _____
18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. JULY 18, 2022 Date of Survey _____ Signature and Seal of Professional Surveyor: Certificate Number _____ LLOYD P. SHORT 21653		CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 708792.29' / Y: 474924.77' B - X: 708808.56' / Y: 472283.76' C - X: 708825.27' / Y: 469642.64' D - X: 708841.97' / Y: 467001.52' E - X: 708858.20' / Y: 464360.58' F - X: 708874.42' / Y: 461719.64' G - X: 708238.14' / Y: 461706.01' H - X: 703599.62' / Y: 461692.37' I - X: 703585.01' / Y: 464333.57' J - X: 703570.80' / Y: 466975.08' K - X: 703555.82' / Y: 469616.48' L - X: 703536.94' / Y: 472249.54' M - X: 703525.47' / Y: 474895.82' N - X: 706160.79' / Y: 474910.31' CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 687609.12' / Y: 474865.13' B - X: 687625.31' / Y: 472224.19' C - X: 687641.94' / Y: 469583.14' D - X: 687658.56' / Y: 466942.09' E - X: 687674.72' / Y: 464301.22' F - X: 687690.88' / Y: 461660.34' G - X: 685054.58' / Y: 461646.71' H - X: 662416.07' / Y: 461633.08' I - X: 662401.54' / Y: 464274.20' J - X: 662387.40' / Y: 466915.65' K - X: 662372.51' / Y: 469556.98' L - X: 662353.70' / Y: 472189.97' M - X: 662342.31' / Y: 474836.19' N - X: 664977.62' / Y: 474850.67' BOTTOM HOLE LOCATION 2615' FSL 1798' FEL, SECTION 17 24922' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 706994.06' / Y: 474889.57' LAT: 32.30440587N / LONG: 103.79716113W NAD 27, SPCS NM EAST X: 665810.89' / Y: 474829.93' LAT: 32.30426309N / LONG: 103.79667388W LAST TAKE POINT 2523' FSL 1794' FEL, SECTION 17 24829' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 706999.51' / Y: 474796.73' LAT: 32.30415060N / LONG: 103.79714501W NAD 27, SPCS NM EAST X: 665816.33' / Y: 474737.10' LAT: 32.30402782N / LONG: 103.79665778W FIRST TAKE POINT 165' FSL 1707' FEL, SECTION 29 11888' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 707166.08' / Y: 461875.93' LAT: 32.26863215N / LONG: 103.79681505W NAD 27, SPCS NM EAST X: 665982.53' / Y: 461816.63' LAT: 32.26850915N / LONG: 103.79632925W KICK OFF POINT 380' FNL 2010' FEL, SECTION 32 10877' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 706867.03' / Y: 461329.74' LAT: 32.26713492N / LONG: 103.79779138W NAD 27, SPCS NM EAST X: 665683.46' / Y: 461270.46' LAT: 32.26701192N / LONG: 103.79730561W SURFACE HOLE LOCATION 430' FSL 2570' FWL, SECTION 29 NAD 83, SPCS NM EAST X: 708167.26' / Y: 462135.71' LAT: 32.26935991N / LONG: 103.80004233W NAD 27, SPCS NM EAST X: 664983.71' / Y: 462076.40' LAT: 32.26923693N / LONG: 103.79955642W

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977749 Convergence Angle: 00°20'56.97"



Schlumberger

OXY



Borehole:	Well:	Field:	Structure:
Original Borehole	Pure Gold MDP1 29_17 Federal Com 174H	NM Eddy County (NAD 83)	Oxy Pure Gold MDP1 29_17 Federal Com Pad_Citadel 2
Gravity & Magnetic Parameters			
Model: IFR1	Dip: 59.974°	Date: 31-Dec-2021	Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet
MagDec: 6.83°	FS: 47740nT	Gravity FS: 998.452mgm (9.80665 Based)	Miscellaneous Pure Gold MDP1 29_17 Federal Com 174H
			Slot: 29_17 Federal Com 174H
			TVD Ref: RKB(3380.8ft above MSL)
			Plan: Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	
First Gyro Survey	101.50	0.10	144.74	101.50	-0.05	-0.06	0.04	0.13
Last Gyro Survey	484.50	0.27	179.08	484.49	-1.02	-1.09	1.17	1.00
First SLB Survey	520.00	0.10	184.15	519.99	-1.13	-1.21	1.17	0.48
Actual KOP	10877.10	6.81	106.87	10747.19	-759.13	-805.97	699.78	6.22
Wolfcamp Intersection	11504.92	61.68	32.85	11264.80	-555.02	-615.87	923.08	13.55
100' FSL Crossing	11823.00	84.49	1.06	11343.93	-259.40	-324.55	999.16	4.94
Enter Target Box	12507.00	89.45	354.95	11376.56	417.28	356.54	952.87	2.40
Exit Target Box	14881.00	89.64	355.37	11389.31	2774.85	2726.44	838.12	2.05
Enter Target Box	15550.00	89.65	4.13	11392.78	3441.57	3394.89	833.10	2.56
Exit Target Box	17497.00	90.24	3.55	11382.04	5384.65	5336.38	920.37	2.80
Enter Target Box	18017.00	89.10	349.88	11387.81	5901.94	5854.85	918.87	3.35
100' FNL Crossing	24847.00	90.42	356.85	11409.84	12706.21	12678.99	831.29	0.88
Final MWD	24894.00	90.39	356.44	11409.51	12752.85	12725.91	828.54	0.88
Proj to TD	24922.00	90.39	356.44	11409.32	12780.63	12753.86	826.80	0.00





Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922'MD Survey Geodetic Report (Def Survey)



Report Date: March 18, 2022 - 03:20 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Pure Gold MDP1 29_17 Federal Com Pad_Citadel 2 / Pure Gold MDP1 29_17 Federal Com 174H
Well: Pure Gold MDP1 29_17 Federal Com 174H
Borehole: Original Borehole
UWI / API#: Unknown / Unknown
Survey Name: Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922'MD
Survey Date: November 29, 2021
Tort / AHD / DDI / ERD Ratio: 413.639' / 15026.248 ft / 7.133' / 1.317
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 16' 9.69568" W 103° 48' 0.15239"
Location Grid N/E Y/X: N 462135.710 fUS, E 706167.260 fUS
CRS Grid Convergence Angle: 0.2847 °
Grid Scale Factor: 0.99994021
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 3.700 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3380.800 ft above MSL
Seabed / Ground Elevation: 3356.800 ft above MSL
Magnetic Declination: 6.830 °
Total Gravity Field Strength: 998.4522mg (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47740.00 nT
Magnetic Dip Angle: 59.974 °
Declination Date: December 31, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2800 °
Total Corr Mag North->Grid North: 6.5500 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (fUS)	Easting (fUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	462135.71	706167.26	N 32 16 9.70	W 103 48 0.15
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	462135.71	706167.26	N 32 16 9.70	W 103 48 0.15
First Gyro Survey	101.50	0.10	144.74	101.50	-0.05	-0.06	0.04	0.13	0.07	144.74	462135.65	706167.30	N 32 16 9.70	W 103 48 0.15
	128.50	0.20	121.70	128.50	-0.09	-0.10	0.09	0.43	0.14	136.94	462135.61	706167.35	N 32 16 9.69	W 103 48 0.15
	158.50	0.18	279.07	158.50	-0.11	-0.12	0.09	1.24	0.15	142.74	462135.59	706167.35	N 32 16 9.69	W 103 48 0.15
	184.50	0.17	107.08	184.50	-0.12	-0.12	0.09	1.34	0.15	144.90	462135.59	706167.35	N 32 16 9.69	W 103 48 0.15
	212.50	0.30	157.01	212.50	-0.19	-0.20	0.16	0.82	0.26	142.64	462135.51	706167.42	N 32 16 9.69	W 103 48 0.15
	242.50	0.41	164.91	242.50	-0.37	-0.38	0.21	0.40	0.44	150.57	462135.33	706167.47	N 32 16 9.69	W 103 48 0.15
	272.50	0.45	49.07	272.50	-0.38	-0.41	0.43	0.43	0.52	140.81	462135.30	706167.59	N 32 16 9.69	W 103 48 0.15
	304.50	0.40	163.95	304.50	-0.40	-0.43	0.46	2.24	0.63	133.34	462135.28	706167.72	N 32 16 9.69	W 103 48 0.15
	335.50	0.42	150.49	335.50	-0.60	-0.63	0.54	0.32	0.83	139.43	462135.08	706167.80	N 32 16 9.69	W 103 48 0.15
	367.50	0.41	83.30	367.50	-0.68	-0.72	0.71	1.44	1.02	135.34	462134.99	706167.97	N 32 16 9.69	W 103 48 0.14
Last Gyro Survey	398.50	0.40	156.37	398.50	-0.75	-0.81	0.87	1.56	1.19	132.99	462134.90	706168.13	N 32 16 9.69	W 103 48 0.14
	430.50	0.31	110.02	430.50	-0.87	-0.94	0.99	0.91	1.37	133.43	462134.77	706168.25	N 32 16 9.69	W 103 48 0.14
	461.50	0.25	126.92	461.50	-0.94	-1.01	1.13	0.33	1.51	131.88	462134.70	706168.39	N 32 16 9.69	W 103 48 0.14
	484.50	0.27	179.08	484.49	-1.02	-1.09	1.17	1.00	1.60	133.15	462134.62	706168.43	N 32 16 9.68	W 103 48 0.14
	520.00	0.10	184.15	519.99	-1.13	-1.21	1.17	0.48	1.68	136.02	462134.50	706168.43	N 32 16 9.68	W 103 48 0.14
	614.00	0.07	198.06	613.99	-1.27	-1.35	1.14	0.04	1.77	139.65	462134.36	706168.40	N 32 16 9.68	W 103 48 0.14
	707.00	0.15	49.61	706.99	-1.24	-1.32	1.22	0.23	1.80	137.31	462134.39	706168.48	N 32 16 9.68	W 103 48 0.14
	801.00	0.20	247.59	800.99	-1.23	-1.30	1.16	0.37	1.75	136.33	462134.41	706168.42	N 32 16 9.68	W 103 48 0.14
	895.00	0.13	101.33	894.99	-1.31	-1.39	1.11	0.34	1.78	141.25	462134.32	706168.37	N 32 16 9.68	W 103 48 0.14
	990.00	0.16	269.58	989.99	-1.34	-1.41	1.09	0.30	1.78	142.37	462134.30	706168.35	N 32 16 9.68	W 103 48 0.14
First SLB Survey	1085.00	0.13	235.24	1084.99	-1.41	-1.47	0.87	0.10	1.71	149.55	462134.24	706168.13	N 32 16 9.68	W 103 48 0.14
	1178.00	0.17	99.36	1177.99	-1.49	-1.55	0.91	0.30	1.80	149.53	462134.16	706168.17	N 32 16 9.68	W 103 48 0.14
	1271.00	0.14	23.57	1270.99	-1.40	-1.47	1.10	0.21	1.84	143.34	462134.24	706168.36	N 32 16 9.68	W 103 48 0.14
	1363.00	0.11	292.63	1362.99	-1.26	-1.34	1.06	0.20	1.70	141.57	462134.37	706168.32	N 32 16 9.68	W 103 48 0.14
	1453.00	0.05	329.32	1452.99	-1.20	-1.27	0.96	0.08	1.59	142.89	462134.44	706168.22	N 32 16 9.68	W 103 48 0.14
	1548.00	0.22	347.52	1547.99	-0.99	-1.05	0.90	0.18	1.39	139.55	462134.66	706168.16	N 32 16 9.69	W 103 48 0.14
	1642.00	0.25	288.56	1641.99	-0.77	-0.81	0.67	0.25	1.05	140.69	462134.90	706167.93	N 32 16 9.69	W 103 48 0.14
	1737.00	0.13	289.60	1736.99	-0.69	-0.71	0.37	0.13	0.80	152.65	462135.00	706167.63	N 32 16 9.69	W 103 48 0.15
	1832.00	0.13	166.73	1831.99	-0.76	-0.78	0.29	0.24	0.83	159.54	462134.93	706167.55	N 32 16 9.69	W 103 48 0.15
	1927.00	0.11	149.87	1926.99	-0.94	-0.96	0.36	0.04	1.03	159.44	462134.75	706167.62	N 32 16 9.69	W 103 48 0.15
2022.00	0.12	344.12	2021.99	-0.92	-0.95	0.38	0.24	1.02	158.13	462134.76	706167.64	N 32 16 9.69	W 103 48 0.15	
2117.00	0.10	271.08	2116.99	-0.83	-0.85	0.27	0.14	0.89	162.37	462134.86	706167.53	N 32 16 9.69	W 103 48 0.15	
2212.00	0.09	189.53	2211.99	-0.91	-0.92	0.17	0.13	0.94	169.26	462134.79	706167.43	N 32 16 9.69	W 103 48 0.15	
2306.00	0.11	87.79	2305.99	-0.97	-0.99	0.25	0.17	1.02	165.69	462134.72	706167.51	N 32 16 9.69	W 103 48 0.15	
2400.00	0.18	265.57	2399.99	-0.98	-1.00	0.20	0.31	1.02	168.92	462134.71	706167.46	N 32 16 9.69	W 103 48 0.15	
2495.00	0.18	11.80	2494.99	-0.86	-0.86	0.08	0.30	0.87	174.88	462134.85	706167.34	N 32 16 9.69	W 103 48 0.15	
2590.00	0.16	284.81	2589.99	-0.68	-0.68	-0.02	0.25	0.68	181.70	462135.03	706167.24	N 32 16 9.69	W 103 48 0.15	
2684.00	0.16	303.43	2683.99	-0.59	-0.58	-0.26	0.06	0.63	203.93	462135.13	706167.00	N 32 16 9.69	W 103 48 0.16	
2779.00	0.15	302.62	2778.99	-0.47	-0.44	-0.47	0.01	0.64	227.12	462135.27	706166.79	N 32 16 9.69	W 103 48 0.16	
2874.00	0.20	158.02	2873.99	-0.56	-0.53	-0.51	0.35	0.74	224.43	462135.18	706166.75	N 32 16 9.69	W 103 48 0.16	
2969.00	0.10	258.02	2968.99	-0.73	-0.70	-0.53	0.25	0.88	217.49	462135.01	706166.73	N 32 16 9.69	W 103 48 0.16	
3064.00	0.11	30.65	3063.99	-0.67	-0.63	-0.57	0.20	0.85	221.84	462135.08	706166.69	N 32 16 9.69	W 103 48 0.16	
3159.00	0.54	189.87	3158.99	-1.03	-1.00	-0.60	0.68	1.16	210.98	462134.71	706166.66	N 32 16 9.69	W 103 48 0.16	
3253.00	1.47	190.79	3252.97	-2.67	-2.62	-0.90	0.99	2.77	198.98	462133.09	706166.36	N 32 16 9.67	W 103 48 0.16	
3348.00	2.47	190.07	3347.92	-5.91	-5.83	-1.49	1.05	6.02	194.30	462129.88	706165.77	N 32 16 9.64	W 103 48 0.17	
3442.00	3.69	183.89	3441.78	-10.95	-10.84	-2.05	1.34	11.03	190.68	462124.87	706165.21	N 32 16 9.59	W 103 48 0.18	
3537.00	4.80	179.28	3536.52	-17.97	-17.87	-2.20	1.22	18.00	187.03	462117.84	706165.06	N 32 16 9.52	W 103 48 0.18	
3632.00	5.39	189.25	3631.14	-26.38	-26.25	-2.87	1.12	26.40	186.24	462109.47	706164.39	N 32 16 9.44	W 103 48 0.19	
3727.00	6.33	207.48	3725.65	-35.61	-35.30	-6.00	2.18	35.80	189.65	462100.41	706161.26	N 32 16 9.35	W 103 48 0.22	
3821.00	7.27	216.55	3818.99	-45.35	-44.67	-11.94	1.52	46.24	194.96	462091.04	706155.32	N 32 16 9.25	W 103 48 0.29	
3916.00	7.10	216.96	3913.25	-55.31	-54.19	-19.05	0.19	57.44	199.37	462081.52	706148.21	N 32 16 9.16	W 103 48 0.38	
4011.00	6.86	216.98	4007.54	-64.96	-63.42	-25.99	0.25	68.54	202.29	462072.30	706141.27	N 32 16 9.07	W 103 48 0.46	
4105.00	6.42	216.52	4100.91	-74.07	-72.13	-32.50	0.47	79.11	204.25	462063.59	706134.77	N 32 16 8.98	W 103 48 0.54	
4155.00	6.33	216.10	4150.60	-78.75	-76.60	-35.78	0.20	84.54	205.04	462059.12	706131.48	N 32 16 8.94	W 103 48 0.57	
4294.00	6.37	211.30	4288.75	-92.05	-89.38	-44.30	0.38	99.76	206.37	462046.34	706122.96	N 32 16 8.81	W 103 48 0.63	
4389.00	7.85	196.33	4383.03	-103.05	-100.11	-48.87	2.48	111.40	206.02	462035.61	706118.40	N 32 16 8.71	W 103 48 0.77	
4484.00	9.80	191.68	4476.90	-117.39	-114.28	-52.33	2.18	125.67	204.61	462021.46	706111.94	N 32 16 8.57	W 103 48 0.91	
4579.00	11.23	197.80	4570.30	-134.37	-130.98	-56.79	1.91	142.76	203.44	462004.74	706110.47	N 32 16 8.40	W 103 48 0.82	
4674.00	8.98	223.53	4663.87	-149.05	-145.17	-64.73	5.25	158.95	204.03	461990.55	706102.53	N 32 16 8.26	W 103 48 0.91	
4768.00	9.12	246.85	4756.73	-158.05	-153.42	-76.64	3.88	171.50	206.54	461982.30	706090.63	N 32 16 8.18	W 103 48 1.05	
4822.00	8.59	246.30	4810.09	-161.84	-156.73	-84.27	0.99	177.94	208.27	461978.99	706083.00	N 32 16 8.15	W 103 48 1.14	
4916.00	8.78	238.99	4903.01	-169.15	-163.24	-96.84	1.19	189.81	210.68	461972.48	706070.42	N 32 16 8.09	W 103 48 1.29	
5011.00	7.83	228.86	4997.02	-177.85	-171.24	-107.93	1.83	202.41	212.22	461964.48	706059.33	N 32 16 8.01	W 103 48 1.42	
5106.00	6.51	218.42	5091.28	-186.84	-179.72	-116.15	1.95	213.98	212.88	461956.01	706051.11	N 32 16 7.92	W 103 48 1.52	
5201.00	6.74	206.37	5185.65	-196.41	-188.93	-121.98	1.148							

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	8395.00	10.01	113.55	8315.48	-551.49	-571.60	293.18	1.24	642.40	152.85	461584.15	706460.42	N 32 16 4.03	W 103 47 56.77
	8464.00	10.03	113.59	8383.43	-555.57	-576.40	304.19	0.03	651.74	152.18	461559.35	706471.43	N 32 16 3.98	W 103 47 56.64
	8559.00	9.82	110.28	8477.01	-560.69	-582.52	319.37	0.64	664.32	151.27	461553.23	706486.61	N 32 16 3.92	W 103 47 56.47
	8653.00	10.61	102.91	8569.52	-564.37	-587.23	335.32	1.62	676.22	150.27	461548.52	706502.56	N 32 16 3.87	W 103 47 56.28
	8748.00	11.57	102.29	8662.75	-567.19	-591.21	353.15	1.02	688.66	149.15	461544.54	706520.39	N 32 16 3.83	W 103 47 56.07
	8843.00	12.19	106.97	8755.72	-570.91	-596.17	372.06	1.21	702.74	148.03	461539.58	706539.29	N 32 16 3.78	W 103 47 55.85
	8937.00	10.36	108.26	8847.46	-575.84	-602.36	391.35	0.86	718.44	146.98	461533.38	706558.79	N 32 16 3.72	W 103 47 55.63
	9032.00	14.01	110.72	8939.84	-581.88	-609.77	412.42	1.27	736.14	145.93	461525.98	706578.65	N 32 16 3.64	W 103 47 55.38
	9126.00	15.04	116.98	9030.84	-590.03	-619.33	433.93	2.00	756.22	144.98	461516.42	706601.16	N 32 16 3.55	W 103 47 55.13
	9221.00	15.91	127.74	9122.42	-602.20	-632.89	455.22	3.15	779.60	144.27	461502.86	706622.45	N 32 16 3.41	W 103 47 54.89
	9316.00	15.92	136.96	9213.79	-618.42	-650.39	474.41	2.66	805.03	143.89	461485.36	706641.64	N 32 16 3.24	W 103 47 54.67
	9411.00	15.15	136.58	9305.32	-635.79	-668.93	491.83	0.82	830.28	143.67	461466.82	706699.06	N 32 16 3.05	W 103 47 54.46
	9505.00	14.72	127.94	9396.16	-650.87	-685.19	509.70	2.41	853.98	143.36	461450.56	706765.93	N 32 16 2.89	W 103 47 54.26
	9600.00	15.32	121.65	9487.92	-663.55	-699.20	529.90	1.83	877.31	142.84	461436.55	706807.13	N 32 16 2.75	W 103 47 54.02
	9695.00	11.97	112.01	9580.23	-672.53	-709.48	549.73	4.25	897.53	142.23	461426.27	706716.95	N 32 16 2.65	W 103 47 53.79
	9790.00	10.50	108.66	9673.41	-677.86	-715.94	567.06	1.69	913.31	141.62	461419.81	706734.29	N 32 16 2.58	W 103 47 53.59
	9885.00	11.63	111.80	9766.65	-683.07	-722.27	584.15	1.35	928.93	141.03	461413.48	706751.38	N 32 16 2.52	W 103 47 53.39
	9979.00	12.41	118.44	9858.59	-690.24	-730.60	601.83	1.69	946.54	140.52	461405.16	706769.06	N 32 16 2.44	W 103 47 53.19
	10074.00	11.74	124.99	9951.49	-699.53	-741.00	618.73	1.60	965.36	140.14	461394.75	706785.95	N 32 16 2.33	W 103 47 52.99
	10169.00	10.60	129.75	10044.69	-709.69	-752.13	633.37	1.54	983.29	139.90	461383.62	706800.59	N 32 16 2.22	W 103 47 52.82
Actual KOP	10264.00	9.65	134.86	10138.21	-720.08	-763.34	645.73	1.38	999.83	139.77	461372.42	706812.95	N 32 16 2.11	W 103 47 52.68
	10358.00	8.68	136.09	10231.01	-730.04	-774.01	656.23	1.05	1014.75	139.71	461361.75	706823.45	N 32 16 2.00	W 103 47 52.55
	10453.00	6.85	123.55	10325.14	-737.70	-782.30	665.93	2.61	1027.35	139.59	461353.46	706833.15	N 32 16 1.92	W 103 47 52.44
	10548.00	6.14	122.56	10419.53	-742.97	-788.17	674.93	0.76	1037.66	139.43	461347.59	706842.15	N 32 16 1.86	W 103 47 52.34
	10643.00	5.22	125.54	10514.07	-747.70	-793.41	682.73	1.02	1046.72	139.29	461342.34	706849.95	N 32 16 1.81	W 103 47 52.25
	10738.00	4.88	130.92	10608.70	-752.43	-798.57	689.30	0.61	1054.92	139.20	461337.19	706855.79	N 32 16 1.76	W 103 47 52.17
	10832.00	5.22	129.23	10702.33	-757.33	-803.90	695.63	0.39	1063.09	139.13	461331.86	706862.85	N 32 16 1.71	W 103 47 52.10
	10877.10	6.81	106.87	10747.19	-759.13	-805.97	699.78	6.22	1067.37	139.03	461329.79	706867.00	N 32 16 1.69	W 103 47 52.05
	10927.00	9.27	93.12	10796.60	-759.77	-807.05	706.63	6.22	1072.69	138.80	461328.71	706873.85	N 32 16 1.68	W 103 47 51.97
	11022.00	13.79	71.07	10889.70	-755.33	-803.79	725.00	6.57	1082.45	137.95	461331.97	706892.21	N 32 16 1.71	W 103 47 51.78
	11117.00	17.66	62.13	10981.14	-743.42	-803.79	748.46	4.79	1090.70	136.67	461342.38	706915.67	N 32 16 1.81	W 103 47 51.48
	11211.00	30.65	50.47	11066.77	-719.43	-771.35	779.70	14.66	1096.77	134.69	461364.41	706946.91	N 32 16 2.02	W 103 47 51.12
	11306.00	41.97	47.46	11143.21	-679.77	-734.34	821.92	12.06	1102.18	131.78	461401.42	706989.13	N 32 16 2.39	W 103 47 50.62
	11401.00	51.96	41.93	11207.99	-627.29	-684.89	870.46	11.34	1107.60	128.20	461450.87	707037.67	N 32 16 2.88	W 103 47 50.05
	11496.00	60.91	33.91	11260.52	-561.82	-622.41	918.77	11.75	1109.75	124.12	461513.34	707085.98	N 32 16 3.49	W 103 47 49.49
	11504.92	61.68	32.85	11264.80	-555.02	-615.87	923.08	13.55	1109.67	123.71	461519.87	707090.28	N 32 16 3.56	W 103 47 49.44
	11590.00	69.38	23.41	11300.08	-484.60	-547.65	959.33	13.55	1104.64	119.72	461588.10	707126.53	N 32 16 4.23	W 103 47 49.09
	11685.00	79.72	11.17	11325.44	-395.85	-460.45	985.21	16.50	1088.41	115.03	461675.29	707153.41	N 32 16 5.09	W 103 47 48.69
	11780.00	83.41	2.90	11339.40	-302.14	-367.28	1007.88	9.44	1063.14	110.21	461768.45	707164.98	N 32 16 6.01	W 103 47 48.55
	11823.00	84.49	1.06	11343.93	-259.40	-324.55	999.16	4.94	1050.55	108.00	461811.18	707166.35	N 32 16 6.43	W 103 47 48.53
Wolfcamp Intersection	11875.00	85.80	358.84	11348.34	-207.70	-272.74	999.11	4.94	1035.67	105.27	461862.98	707166.31	N 32 16 6.95	W 103 47 48.50
	11910.00	86.03	358.32	11350.83	-172.93	-237.84	998.24	1.62	1026.19	103.40	461897.88	707165.44	N 32 16 7.29	W 103 47 48.54
	12005.00	86.51	357.23	11357.01	-78.64	-143.12	994.56	1.25	1004.81	98.19	461992.60	707161.76	N 32 16 8.23	W 103 47 48.58
	12100.00	86.40	357.13	11362.88	15.57	-48.41	989.90	0.16	991.08	92.80	462087.30	707157.10	N 32 16 9.17	W 103 47 48.63
	12195.00	86.36	354.97	11368.98	109.83	46.17	983.37	2.27	984.45	88.13	462181.87	707150.57	N 32 16 10.10	W 103 47 48.70
	12290.00	88.39	353.99	11373.23	203.20	140.62	974.24	0.37	984.33	81.79	462276.32	707141.44	N 32 16 11.04	W 103 47 48.80
	12384.00	89.28	354.48	11375.14	295.90	234.12	964.80	1.08	992.80	76.36	462369.82	707132.00	N 32 16 11.96	W 103 47 48.90
	12479.00	89.36	354.28	11376.27	389.64	328.66	955.50	0.23	1010.44	71.02	462464.35	707122.70	N 32 16 12.90	W 103 47 49.01
	12507.00	89.45	354.95	11376.56	477.28	356.54	952.87	2.40	1017.39	69.49	462492.22	707120.07	N 32 16 13.18	W 103 47 49.03
	12574.00	89.65	356.54	11377.09	483.63	423.35	947.89	2.40	1038.14	65.93	462559.03	707115.10	N 32 16 13.84	W 103 47 49.09
	12669.00	89.29	357.00	11377.97	515.15	492.54	942.54	0.61	1075.60	61.20	462653.67	707108.74	N 32 16 14.78	W 103 47 49.17
	12764.00	89.16	358.33	11379.26	672.40	615.10	938.67	1.41	1121.16	56.85	462748.77	707105.77	N 32 16 15.52	W 103 47 49.18
	12860.00	89.36	358.69	11380.50	768.00	709.06	936.18	0.43	1174.39	52.86	462844.73	707103.38	N 32 16 16.67	W 103 47 49.18
	12955.00	89.48	358.47	11381.46	862.61	804.03	933.82	0.26	1232.27	49.27	462939.69	707101.02	N 32 16 17.61	W 103 47 49.23
	13049.00	88.88	359.84	11382.80	956.30	898.00	932.44	1.59	1294.54	46.08	463033.66	707099.64	N 32 16 18.54	W 103 47 49.24
	13144.00	89.55	359.74	11384.10	1051.07	992.99	932.09	0.71	1361.92	43.19	463128.64	707099.29	N 32 16 19.48	W 103 47 49.24
	13239.00	89.80	0.48	11384.64	1145.89									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (NUS)	Easting (EUS)	Latitude (N S ° ' ")	Longitude (E W ° ' ")
	20055.00	90.15	359.00	11393.88	7925.06	7987.88	830.92	0.71	7931.53	6.01	470023.10	706998.13	N 32 17 27.70	W 103 47 50.02
	20150.00	90.07	359.05	11393.70	8019.74	7982.87	829.30	0.10	8025.83	5.93	470118.08	706996.51	N 32 17 28.64	W 103 47 50.03
	20245.00	90.38	359.16	11393.33	8114.44	8077.85	827.82	0.35	8120.16	5.85	470213.07	706995.03	N 32 17 29.58	W 103 47 50.04
	20339.00	89.63	359.74	11393.32	8208.18	8171.85	826.92	1.01	8213.58	5.78	470307.05	706994.12	N 32 17 30.51	W 103 47 50.05
	20434.00	89.39	0.30	11394.13	8302.98	8266.85	826.95	0.64	8308.10	5.71	470402.04	706994.16	N 32 17 31.45	W 103 47 50.04
	20529.00	89.29	359.89	11395.23	8397.78	8361.84	827.11	0.44	8402.65	5.65	470497.03	706994.32	N 32 17 32.39	W 103 47 50.03
	20624.00	89.15	359.86	11396.52	8492.56	8456.83	826.90	0.15	8497.16	5.58	470592.02	706994.11	N 32 17 33.33	W 103 47 50.03
	20719.00	91.28	0.86	11396.16	8587.40	8551.82	827.50	2.48	8591.76	5.53	470687.00	706994.71	N 32 17 34.27	W 103 47 50.02
	20813.00	88.88	0.06	11396.03	8681.24	8645.81	828.25	2.69	8685.39	5.47	470780.99	706995.46	N 32 17 35.20	W 103 47 50.00
	20908.00	89.75	0.11	11397.17	8776.04	8740.80	828.39	0.92	8779.97	5.41	470875.97	706995.60	N 32 17 36.14	W 103 47 50.00
	21003.00	90.88	0.63	11396.64	8870.88	8835.80	829.01	1.31	8874.60	5.36	470970.96	706996.21	N 32 17 37.08	W 103 47 49.98
	21098.00	90.65	0.32	11395.38	8965.72	8930.78	829.79	0.41	8969.25	5.31	471065.94	706997.00	N 32 17 38.02	W 103 47 49.97
	21193.00	90.56	0.73	11394.37	9060.57	9025.77	830.66	0.44	9063.92	5.26	471160.93	706997.87	N 32 17 38.96	W 103 47 49.95
	21287.00	88.65	0.05	11395.02	9154.40	9119.77	831.30	2.16	9157.58	5.21	471254.91	706998.51	N 32 17 39.89	W 103 47 49.94
	21382.00	89.67	0.42	11396.41	9249.22	9214.75	831.69	1.14	9252.21	5.16	471349.89	706998.90	N 32 17 40.83	W 103 47 49.93
	21477.00	89.47	0.32	11397.13	9344.05	9309.75	832.31	0.24	9346.88	5.11	471444.88	706999.51	N 32 17 41.77	W 103 47 49.92
	21572.00	89.51	0.50	11397.97	9438.89	9404.74	832.99	0.19	9441.56	5.06	471539.87	707000.19	N 32 17 42.71	W 103 47 49.90
	21667.00	88.64	359.76	11399.51	9533.70	9499.73	833.20	1.20	9536.20	5.01	471634.85	707000.41	N 32 17 43.65	W 103 47 49.90
	21761.00	89.53	0.69	11401.01	9627.51	9593.71	833.57	1.37	9629.86	4.97	471728.83	707000.78	N 32 17 44.58	W 103 47 49.89
	21856.00	90.59	0.94	11400.91	9722.39	9688.70	834.92	1.15	9724.61	4.93	471823.81	707002.13	N 32 17 45.52	W 103 47 49.86
	21951.00	90.19	0.52	11400.26	9817.26	9783.69	836.13	0.61	9819.36	4.88	471918.80	707003.34	N 32 17 46.46	W 103 47 49.85
	22046.00	88.47	0.06	11401.37	9912.08	9878.68	836.61	1.87	9914.04	4.84	472013.78	707003.82	N 32 17 47.40	W 103 47 49.83
	22141.00	88.96	0.62	11403.50	10006.89	9973.65	837.18	0.78	10008.73	4.80	472108.75	707004.38	N 32 17 48.34	W 103 47 49.80
	22236.00	90.12	1.13	11404.27	10101.77	10068.64	838.63	1.33	10103.50	4.76	472203.73	707005.84	N 32 17 49.28	W 103 47 49.80
	22331.00	90.82	1.11	11403.65	10196.67	10163.62	840.48	0.53	10198.31	4.73	472298.70	707007.69	N 32 17 50.22	W 103 47 49.77
	22425.00	90.10	1.19	11403.06	10290.58	10257.60	842.37	0.56	10292.13	4.69	472392.67	707008.58	N 32 17 51.15	W 103 47 49.74
	22520.00	90.23	0.11	11402.79	10385.44	10352.59	843.45	1.15	10386.89	4.66	472487.66	707010.66	N 32 17 52.09	W 103 47 49.73
	22615.00	88.63	357.08	11403.73	10480.04	10447.54	841.12	3.61	10481.35	4.60	472582.61	707006.33	N 32 17 53.03	W 103 47 49.75
	22710.00	90.02	358.98	11404.85	10574.57	10542.47	837.85	2.48	10575.71	4.54	472677.53	707005.06	N 32 17 53.97	W 103 47 49.78
	22805.00	89.22	359.45	11405.48	10669.27	10637.46	836.55	0.98	10670.30	4.50	472772.51	707003.76	N 32 17 54.91	W 103 47 49.79
	22899.00	90.86	0.53	11405.42	10763.07	10731.46	836.54	2.09	10764.01	4.46	472866.50	707003.75	N 32 17 55.84	W 103 47 49.79
	22994.00	91.78	0.70	11403.23	10857.91	10826.42	837.56	0.98	10858.77	4.42	472961.46	707004.76	N 32 17 56.78	W 103 47 49.77
	23089.00	92.04	0.07	11400.06	10952.69	10921.37	838.19	0.72	10953.49	4.39	473056.40	707005.40	N 32 17 57.72	W 103 47 49.75
	23184.00	90.63	359.32	11397.85	11047.43	11016.34	837.69	1.68	11048.14	4.35	473151.37	707004.90	N 32 17 58.66	W 103 47 49.76
	23278.00	88.86	359.09	11398.27	11141.14	11110.32	836.38	1.90	11141.76	4.31	473245.35	707003.59	N 32 17 59.59	W 103 47 49.77
	23373.00	88.84	359.70	11400.17	11235.85	11205.30	835.38	0.64	11236.40	4.26	473340.32	707002.59	N 32 18 0.53	W 103 47 49.76
	23468.00	89.12	359.40	11401.86	11330.59	11300.28	834.64	0.43	11331.06	4.22	473435.29	707001.84	N 32 18 1.47	W 103 47 49.77
	23562.00	90.07	0.26	11402.53	11424.37	11394.28	834.36	1.36	11424.78	4.19	473529.28	707001.57	N 32 18 2.40	W 103 47 49.77
	23657.00	88.69	0.06	11403.56	11519.18	11489.27	834.62	1.47	11519.54	4.15	473624.27	707001.83	N 32 18 3.34	W 103 47 49.76
	23752.00	88.79	359.87	11405.65	11613.96	11584.24	834.56	0.23	11614.27	4.12	473719.24	707001.77	N 32 18 4.28	W 103 47 49.75
	23847.00	88.69	359.80	11407.73	11708.72	11679.22	834.29	0.13	11708.98	4.09	473814.21	707001.50	N 32 18 5.22	W 103 47 49.76
	23942.00	88.93	0.15	11409.71	11803.49	11774.20	834.25	0.45	11803.72	4.05	473909.18	707001.46	N 32 18 6.16	W 103 47 49.75
	24037.00	89.31	359.69	11411.17	11898.28	11869.19	834.12	0.63	11898.46	4.02	474004.17	707001.32	N 32 18 7.10	W 103 47 49.75
	24131.00	90.03	0.24	11411.71	11992.07	11963.19	834.06	0.96	11992.23	3.99	474098.16	707001.27	N 32 18 8.03	W 103 47 49.74
	24226.00	88.75	359.92	11412.72	12086.88	12058.18	834.19	1.39	12087.00	3.96	474193.14	707001.40	N 32 18 8.97	W 103 47 49.74
	24321.00	91.15	1.79	11412.80	12181.75	12153.16	835.61	3.20	12181.85	3.93	474288.12	707002.82	N 32 18 9.91	W 103 47 49.71
	24415.00	89.39	359.61	11412.36	12275.61	12247.14	836.76	2.98	12275.69	3.91	474382.09	707003.97	N 32 18 10.84	W 103 47 49.69
	24510.00	91.11	0.81	11411.95	12370.43	12342.13	837.11	2.21	12370.49	3.88	474477.08	707004.31	N 32 18 11.78	W 103 47 49.68
	24605.00	89.98	0.09	11411.04	12465.27	12437.12	837.85	1.41	12465.31	3.85	474572.06	707005.06	N 32 18 12.72	W 103 47 49.67
	24700.00	90.26	358.94	11410.84	12560.01	12532.12	837.05	1.25	12560.04	3.82	474667.05	707004.26	N 32 18 13.66	W 103 47 49.67
	24795.00	90.46	357.31	11410.25	12654.56	12627.06	833.94	1.73	12654.57	3.78	474761.99	707001.15	N 32 18 14.60	W 103 47 49.70
	24847.00	90.42	356.85	11409.84	12706.21	12678.99	831.29	0.88	12706.22	3.75	474813.92	706998.50	N 32 18 15.11	W 103 47 49.73
	24894.00	90.39	356.44	11409.51	12752.85	12725.91	828.54	0.88	12752.85	3.73	474860.83	706995.75	N 32 18 15.58	W 103 47 49.76
	24922.00	90.39	356.44	11409.32	12780.63	12753.86	826.80	0.00	12780.63	3.71	474888.78	706994.01	N 32 18 15.85	W 103 47 49.78

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	24.000	1/98.425	26.400	26.400	G_YD_GC+DROP+OH-Depth Only	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	24.000	24.000	Act Stns	26.400	26.400	G_YD_GC+DROP+OH-Depth Only	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	24.000	484.500	Act Stns	26.400	26.400	G_YD_GC+DROP+OH	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	484.500	4294.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	4294.000	4822.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	4822.000	10832.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	10832.000	11117.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD
	1	11117.000	24922.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 174H Gyro+MWD 0' to 24922MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 101055

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 101055
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101055

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 101055
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	RT C-104 Expires on 08/25/22	8/2/2022