the market was a state of the

<u>Disckt.i</u> 1823 N French Dr., Hebbs, NM 83246 Phone: {575} 199-618) Fax (175) 191-6720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

		BRADENHEAD	TYPE DESCRIPTION OF THE SHOPE OF				
500:	Operator N	nue .	rest Ketaki		APINUM	aher	
Scou		onarm Kama		50-1	125-	32015	
WDDU Property Name				# 130			
200	Classic real parts	3 Surface Lo	cation	wina trafa it		1. 15	
UL Lot Section 3	Powrship Ranga 245 38 E	Feet from	n N/S Line	Peet From	E/W Line	LEA-	
		Well Sta	tus	77-0	Sold Print	1 60	
YES TA'D WELL NO	YES SHUT-IN	NO INJ INJECTO		PRODUCER		DATE	
			OUD OID	GA	0 6	-29-22	
		OBSERVED	DATA				
	(A)Surface	(B)Interm(I)	(CMnterm(2)	(D)Pro	d Cane	(E)Tubing	
Pressure	0	1	/	/			
Flow Characteristics		/				1600	
Puff	Y	Y/N/	YIN		N IV	CO2	
Steady Flory	Y 🔞	YIY	YIN		YN	WIR	
Surges	100	Y/N	Y/ N		N	GAS Djed Bild	
Down to nothing	OIN	y/ N	N/N		N	Enjoched for Waterflood in	
Gas or Oil Water	YCV	Y/N	/ Y / Ņ		VO	170 Ses.	
17 a ter	Y(N)	Y/N	Y/:N	Assessment of the second	(N)		
Remarks – Please state for	each string (A,B,C,D,E) per	tinent information regarding	bleed down or continuo	us build up If applic	25.		
Signature:				OIL CONSERVATION DIVISION			
Printed name:				Entered into RBDMS			
Title;				Elicies into he	H MAKE		
Title:					IDMS		
				Re-test	IDMS		
Title: G-mail Address: Date:	Phone.	1 1			IDMS		

INSTRUCTIONS ON BACK OF THIS FORM

M

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string.

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation

4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.

2 Note types of fluids expelled.

3. Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 125546

CONDITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125546
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022