

Well Name: SAN JUAN 29-7 UNIT	Well Location: T29N / R7W / SEC 35 / SWSW / 36.677887 / -107.544952	County or Parish/State: RIO ARRIBA / NM
Well Number: 70E	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078425	Unit or CA Name: SAN JUAN 29-7 UNIT--DK	Unit or CA Number: NMNM78417B
US Well Number: 3003923626	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Notice of Intent

Sundry ID: 2685741

Type of Submission: Notice of Intent	Type of Action: Recompletion
Date Sundry Submitted: 08/04/2022	Time Sundry Submitted: 11:41
Date proposed operation will begin: 08/15/2022	

Procedure Description: Hilcorp Energy Company requests permission to recompleate the subject well in the Mesaverde and downhole commingle with the existing Dakota. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 8/3/22 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_29_7_Unit_70E_NOI_20220804114107.pdf

Well Name: SAN JUAN 29-7 UNIT

Well Location: T29N / R7W / SEC 35 / SWSW / 36.677887 / -107.544952

County or Parish/State: RIO ARRIBA / NM

Well Number: 70E

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF078425

Unit or CA Name: SAN JUAN 29-7 UNIT--DK

Unit or CA Number: NMNM78417B

US Well Number: 3003923626

Well Status: Producing Gas Well

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KANDIS ROLAND

Signed on: AUG 04, 2022 11:41 AM

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech

Street Address: 382 Road 3100

City: Farmington State: NM

Phone: (505) 599-3400

Email address: kroland@hilcorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Approved

Disposition Date: 08/05/2022

Signature: Kenneth Rennick

San Juan 29-7 Unit 70E

M – 35 – 29N – 07W 1040 FSL 1100 FWL

API#: 3003923626

Mesa Verde Recompletion Procedure

07/22/2022

Procedure:

1. MIRU service rig and associated equipment.
2. Test BOP's
3. TOO H w/ 2-3/8" tubing currently set with EOT at 7,699'.
4. Set a CIBP to isolate perforations @ +/- 7,505'.
5. Load the hole. MIT wellbore to 500 PSI
6. Set a composite bridge plug at 5800'
7. Pressure test casing to maximum fracture pressure.
8. ND BOP's. NU frac stack and test same to maximum fracture pressure.
9. RDMO service rig.
10. MIRU frac spread.
11. Perforate and frac the Mesa Verde from 4,963' to 5,800'. RDMO frac spread.
12. MIRU service rig.
13. Test BOP's.
14. PU mill and RIH to clean out to Dakota isolation plug.
15. When water and sand rates are acceptable, flow test the Mesa Verde.
16. Drill out Dakota isolation plug and TOO H.
17. TIH and land production tubing. Obtain a commingled Dakota flow rate.
18. ND BOP's, NU production tree.
19. RDMO service rig & turn well over to production.

Well Name: SAN JUAN 29-7 UNIT #70E


APITOWN	Surface Legal Location	Field Name	License No.	State/Province	Well Configuration Type
3003923626	035-029N-007W-D	BASIN DAKOTA (PRORATED GAS)		NEW MEXICO	VERTICAL
Original R/R RT Elevation (ft)	R/R Ground Distance (ft)	Original Spud Date	Rig Release Date	PERD (AI) (FUR)	Total Depth AI (FUR)
6,589.00	13.00	1/20/1985 00:00	5/22/2000 10:30	Original Hole - 7,771.0	

Most Recent Job

Job Category	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
FACILITIES	TUBING REPAIR	TUBING REPAIR	5/15/2000	5/22/2000

TD: 7,785.0

Original Hole [VERTICAL]



Schematic - Proposed

Well Name: SAN JUAN 29-7 UNIT #70E

API #	Surface Legal Location	Field Name	License No.	State/Province	Well Configuration Type
3003923626	035-029N-007W-D	BASIN SAKOTA (PRODUCED GAS)		NEW MEXICO	VERTICAL
Original NE/RP Elevation (ft)	NE-Ground Distance (ft)	Original Spud Date	Rig Release Date	PD10 (API) (ft)(ft)	Total Depth (API) (ft)(ft)
5,589.0	13.00	1/20/1985 00:00	5/22/2000 10:30	Original Hole - 7,771.0	

Most Recent Job

Job Category	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
FACILITIES	TUBING REPAIR	TUBING REPAIR	5/15/2000	5/22/2000

TD: 7,785.0

Original Hole [VERTICAL]

Vertical schematic (actual)

MD (ftKB)

Vertical schematic (actual)

Casing Joints 9 5/8in; 13.00-318.18; 305.18; 1-1; 9 5/8; 8.92

Casing Shoe, 9 5/8in; 318.18-319.18; 1.00; 1-2; 9 5/8; 8.92

Casing Joints 7in; 13.00-2,557.95; 2,544.95; 2-1; 7; 6.46

OJO ALAMO (OJO ALAMO (Final))

KIRTLAND (KIRTLAND (Final))

2,650.0-2,650.0ftKB on 1/25/1985 00:00 (SQUEEZE PERFS); 2,650.00; 1985-01-25

Casing Joints 7in; 2,557.95-3,628.04; 1,070.09; 2-2; 7; 6.37

Casing Joints 7in; 3,628.04-3,712.39; 84.35; 2-4; 7; 6.37

Casing Shoe, 7in; 3,712.39-3,713.49; 1.10; 2-5; 7; 6.37

Casing Joints 4 1/2in; 13.02-7,461.44; 7,448.42; 3-1; 4 1/2; 4.05

2 3/8in, Tubing; 12.99-7,668.02; 7,655.03; 2-1; 2 3/8; 2.00

CHACRA (CHACRA (Final))

MESA VERDE (MESA VERDE (Final))

MENEFEE (MENEFEE (Final))

POINT LOOKOUT (POINT LOOKOUT (Final))

MANCOS (MANCOS (Final))

GALLUP (GALLUP (Final))

Marker Joint, 4 1/2in; 7,461.44-7,478.12; 16.68; 3-2; 4 1/2; 4.00

Casing Joints, 4 1/2in; 7,478.12-7,767.39; 289.27; 3-3; 4 1/2; 4.00

7,554.0-7,769.0ftKB on 3/2/1985 00:00 (PERF - DAKOTA); 7,554.00-7,769.00; 1985-03-02

2 3/8in, Seating Nipple; 7,668.02-7,669.12; 1.10; 2-2; 2 3/8

2 3/8in, Tail Joint; 7,669.12-7,698.19; 29.07; 2-3; 2 3/8

2 3/8in, Expendable Check; 7,698.19-7,698.89; 0.70; 2-4; 2 3/8

2 3/8in, Sawtooth Collar; 7,698.89-7,699.19; 0.30; 2-5; 2 3/8

Float Collar, 4 1/2in; 7,767.39-7,768.79; 1.40; 3-4; 4 1/2; 4.05

Casing Joints, 4 1/2in; 7,768.79-7,774.89; 6.10; 3-5; 4 1/2; 4.05

Casing Shoe, 4 1/2in; 7,774.89-7,776.22; 1.33; 3-6; 4 1/2; 4.07

GREENHORN (GREENHORN (Final))

GRANEROS (GRANEROS (Final))

DAKOTA (DAKOTA (Final))

District I1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720**District II**811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720**District III**1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170**District IV**1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462Form C-102
August 1, 2011

Permit 322457

State of New Mexico
Energy, Minerals and Natural
Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-23626	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318713	5. Property Name SAN JUAN 29 7 UNIT	6. Well No. 070E
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6606


10. Surface Location

UL - Lot M	Section 35	Township 29N	Range 07W	Lot Idn	Feet From 1040	N/S Line S	Feet From 1100	E/W Line W	County RIO ARRIBA
---------------	---------------	-----------------	--------------	---------	-------------------	---------------	-------------------	---------------	-------------------------

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 320.00 W/2	13. Joint or Infill			14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p style="text-align: center;">OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: Kandis Roland Title: Regulatory Tech Date: 8/2/22</p> <hr/> <p style="text-align: center;">SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Fred B Kerr Jr. Date of Survey: 10/19/1984 Certificate Number: 3950</p>
--	--

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit Electronically
Via E-permitting

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company **OGRID:** 372171 **Date:** 8/2/2022

II. Type: ☒ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: _____

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipat ed Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
San Juan 29-7 Unit 70E	3003923626	M-35-29N-7W	1040' FSL & 1100' FWL	2	450	2

IV. Central Delivery Point Name: Chaco-Blanco Processing Plant [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
<u>San Juan 29-7 Unit 70E</u>	<u>3003923626</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>Not Yet Scheduled</u>

VI. Separation Equipment: ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan
EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☒ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. ☐ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications

Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

If Operator checks this box, Operator will select one of the following:

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: *Kandis Roland*

Printed Name: Kandis Roland

Title: Operations/Regulatory Tech Sr.

E-mail Address: kroland@hilcorp.com

Date: 8/2/2022

Phone: 713-757-5246

OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)

Approved By:

Title:

Approval Date:

Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recompleting project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recompleting to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recompleting operations.

VII. Operational Practices:

1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
3. Subsection (C) Venting and flaring during completion or recompleting
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy
Recomplete Reclamation Plan
San Juan 29-7 Unit 70E
API: 30-039-23626
T29N-R7W-Sec.35-M
LAT: 36.67788 LONG: -107.54493
Footage: 1040' FSL & 1100' FWL
Rio Arriba County, NM

1. PRE- RECLAMATION SITE INSPECTION

A pre-reclamation site inspection was completed with Roger Herrera from the BLM and Eufracio Trujillo, Hilcorp Energy SJ South Construction Foreman, on August 3, 2022.

2. LOCATION RECLAMATION PROCEDURE

1. Reclamation work will begin in the fall.
2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
3. Brush hog location and fence off area for disturbance.
4. Level off pad to accommodate for equipment.
5. Blade roads into location.
6. Fix damage to roads, TUA surfaces that are disturbed, fix drainage, and clean out culverts.
7. Put in water diversion bars where they are now.
8. Reclaim all disturbed area being used for recompletion activities.
9. Reestablish teardrop on location.
10. Reclaim areas damaged by moving crews in.

3. SEEDING PROCEDURE

1. A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the well pad(s) and lease road.
2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
3. Timing of the seeding will be when the ground is not frozen or saturated.

4. WEED MANAGEMENT

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 132298

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 132298
	Action Type: [C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	8/11/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	8/11/2022