District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

State of New Mexico

Oil Conservation Division

☐AMENDED REPORT

1220 South St. Francis Dr. Santa Fe, NM 87505

5065 W	perating (Company r Road #62	•	O DRILL, RE-E		33042	23 OGRID N	imber
Houston, TX 77056				30-025-30403				
* Prop	erty Code 0456			3. Property	Name		1	Well No.
				7. Surface I				
UL - Lot H	Section 25	Township 20S	Range 38E	Lot Idn Feet 19	from N/S Line N	Feet From 660	E/W Line	County Lea
				* Proposed Botto	om Hole Location			
UL - Lot	Section	Township	Range	Lot Idn Feet	from N/S Line	Feet From	E/W Line	County
				9. Pool Info	rmation			
WC-02	25 G-02	S203825	J;PADDOC	CK Pool Name Wildcat				Pool Code 98365
				Additional Well				
11. Wo	ork Type		^{12.} Well Type M	13. Cable	Rotary R	14. Lease Type	15.	Ground Level Elevation 3564
16. N	fultiple N		17. Proposed Depth	^{18.} Form	nation	19. Contractor		
epth to Gro	und water		Dista	nnce from nearest fresh water	r well	Distance to nearest surface water		
				Proposed Casing an	1			
Туре	Hole	e Size	21. Casing Size	Proposed Casing an Casing Weight/ft	Setting Depth	Sacks of	`Cement	Estimated TOC
	Hole 1		21.	Proposed Casing an	1			Estimated TOC Surface Surface
Type K-55	Hole 1	e Size	Casing Size 8 5/8	Proposed Casing an Casing Weight/ft 24#	Setting Depth 1668	Sacks of		Surface
Type K-55	Hole 1	e Size	21. Casing Size 8 5/8 5 1/2	Proposed Casing an Casing Weight/ft 24#	Setting Depth 1668 7500	Sacks of 750		Surface
Туре К-55	Hole 1	e Size	21. Casing Size 8 5/8 5 1/2 Casin	Proposed Casing an Casing Weight/ft 24# 17#	Setting Depth 1668 7500 Additional Comm	Sacks of 750 23 ents		Surface
Type K-55	Hole 1	e Size	21. Casing Size 8 5/8 5 1/2 Casing 22.	Proposed Casing an Casing Weight/ft 24# 17# ng/Cement Program:	Setting Depth 1668 7500 Additional Comm	Sacks of 750 23 ents	50	Surface
Type K-55	Hole 1	e Size	21. Casing Size 8 5/8 5 1/2 Casing 22.	Proposed Casing an Casing Weight/ft 24# 17# ng/Cement Program: Proposed Blowout P	Setting Depth 1668 7500 Additional Comm Test 1 50	Sacks of 750 23. ents Pressure	50	Surface Surface
Type K-55 J-55	Type Manual	e Size 2 1/4 7 7/8	21. Casing Size 8 5/8 5 1/2 Casin	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000	Setting Depth 1668 7500 Additional Comm revention Program Test 1	Sacks of 750 23. ents Pressure	50	Surface Surface Manufacturer
Type K-55 J-55 I hereby cost of my kr	Type Manual ecrtify that the nowledge are	e Size 2 1/4 7 7/8 ne information d belief.	Casing Size 8 5/8 5 1/2 Casing Size 8 5/8 5 1/2	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000 true and complete to the	Setting Depth 1668 7500 Additional Comm Test 1 50	Sacks of 750 23. ents Pressure	50	Surface Surface Manufacturer Townsend
Type K-55 J-55 J-55 I hereby cest of my kruther cei	Type Manual certify that the nowledge arrify that I I B) NMAC [e Size 2 1/4 7 7/8 ne information d belief. have complie	Casing Size 8 5/8 5 1/2 Casin 22. In given above is to add with 19.15.14.	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000	Setting Depth 1668 7500 Additional Comm Test 1 50	Sacks of 750 23 ents Pressure 00	50	Surface Surface Manufacturer Townsend
Type K-55 J-55 I hereby cest of my kefurther cei	Type Manual Type Manual Type Manual Tify that II B) NMAC [e Size 2 1/4 7 7/8 ne information d belief. have complied, if applica	Casing Size 8 5/8 5 1/2 Casing 22. In given above is 1 and with 19.15.14. In the case of	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000 true and complete to the	Setting Depth 1668 7500 Additional Comm Test 1 50	Sacks of 750 23 ents Pressure 00	50	Surface Surface Manufacturer Townsend
Type K-55 J-55 I hereby control of the rest of my control of the results of the	Type Manual Type Manual	ne information d belief. have complication if application is a second and a second and a second application is a second and a second a second and a second and a second and a second and a second a	Casing Size 8 5/8 5 1/2 Casing 22. In given above is too with 19.15.14. Casing 23.	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000 true and complete to the 9 (A) NMAC and/or	Setting Depth 1668 7500 Additional Comm Test I 50 Approved By: P Kautz Title:	ents Pressure 00	50	Surface Surface Manufacturer Townsend ISION
Type K-55 J-55 J-55 I hereby cest of my kr further ces 9.15.14.9 (lignature: //	Type Manual Type Manual Type Manual Tify that II B) NMAC [B) Day Ultant/O	e Size 2 1/4 7 7/8 7 7/8 ne information di belief. have complied, if applica vid Thoma	Casing Size 8 5/8 5 1/2 Casing 6 1/2 Casin	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000 true and complete to the 9 (A) NMAC and/or	Setting Depth 1668 7500 Additional Comm Test 1 50 Approved By: P Kautz Title:	ents Pressure 00 IL CONSERVA	50	Surface Surface Manufacturer Townsend ISION
Type K-55 J-55 J-55 I hereby cest of my kefurther cer 9.15.14.9 (lignature: (Type Manual Type Manual Type Manual Tify that II B) NMAC [B) Day Ultant/O	ne information de belief. have complicated if applicated thomas de	Casing Size 8 5/8 5 1/2 Casing 22. In given above is too with 19.15.14. Casing 23.	Proposed Casing an Casing Weight/ft 24# 17# 17# Proposed Blowout P Working Pressure 3000 true and complete to the 9 (A) NMAC and/or ive	Setting Depth 1668 7500 Additional Comm Test I 50 Approved By: P Kautz Title:	ents Pressure 00 IL CONSERVA	TION DIV	Surface Surface Manufacturer Townsend ISION

Received by OCD: 7/11/2022 8:02:47 AM

1625 N. French Dr., Hobbs, NM 88240 Phore: (575) 393-6161 Fac: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aziec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

Form Page 2 of 12

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

			WELL LO	CATION	AND ACRE	AGE DEDICA	TION PLAT		
	Pi Number 25-30403					;PADDOCK			
Property C		⁵ Property Name DK				44,	Vell Number 2		
⁷ OGRID N 330423		14,		Ext	* Operator Name * Elevation Extex Operating Company 3564				
					" Surface Lo	ocation			
UL or lot no.	Section 25	Township 20S	Range 38E	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County Lea
			" Boti	om Hole	Location If I	Different From	Surface		The state of the s
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
22 Dedicated Acres	12 Joint o	r In&II	¹⁴ Consolidation Co	ade 15 Orde	T No.				
No allowable v division.	vill be ass	signed to	this completion	on until all	interests have be	een consolidated or	r a non-standard	unit has been ap	proved by the
							I hereby certify the		IFICATION d herein is true and comple hat this organization either

onors a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling 1980 Brank Thomas 660 **B. David Thomas** Printed Name davidthomastech@gmail.com "SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Extex C	Operating Con	npany	_OGRID:	330423	Date:	06 / 23 / 2022
II. Type: 🛛 Original	☐ Amendment o	due to □ 19.15.27.9.	.D(6)(a) NMA	C □ 19.15.27.9.D(6)(b) NMAC □	Other.
If Other, please describ	e:					
III. Well(s): Provide the be recompleted from a					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated	Anticipated	Anticipated
DK #1		A-25-20S-38E	660 FNL 660 FE	-	Gas MCF/D	Produced Water
DK #2	30-025-30136 30-025-30403	H-25-20S-38E	1980 FNL 660 F			50 BBL/D
DK #3	30-025-30520	B-25-20S-38E	660 FNL 1980 F		50 50	- 30
DK #4	30-025-33577	G-25-20S-38E	1980 FNL 1980		50	50 50
V. Anticipated Schedu proposed to be recompl					rell or set of wells	s proposed to be drilled or
Well Name	API	Spud Date	TD Reached	Completion	Initial I	Flow First Production
DK #1	30-025-30136		Date	Commencement		Date Date
DK #2	30-025-30403			09/01/2022 	09/15/202 08/15/202	
DK #3	30-025-30520			07/15/2022	08/01/202	00, 20, 2022
DK #4	30-025-33577			09/15/2022	10/01/202	
VII. Operational Prac Subsection A through F	etices: Attack of 19.15.27.8 N nt Practices:	n a complete descrip	otion of the ac	tions Operator wil	I take to comply	nt to optimize gas capture. with the requirements of tices to minimize venting

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 v	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well	(s).

_								
\Box	A 44 1 4	\sim 4	, 1 ,		1 4	•	4 41 '	sed line pressure
	A Hach I	Inergior	C MIAN TO	manage	nraduction	in rechange	TO THE INCRES	sea line nressiire

XIV. Confidentiality: \square Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	ion provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the spec	ific information
for which confidentiality is asserted and the basis for such assertion.	

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: B. David Thomas
Title: Consultant/Operator's Representative
E-mail Address: davidthomastech@gmail.com
Date:
Phone: 432-664-3590
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

NATURAL GAS MANAGEMENT PLAN - ATTACHMENTS

DK 1234 FACILITY – LEA COUNTY, NM

VI. Separation Equipment:

The DK 1234 production facility is an established production facility. The current daily production through the facility is approximately 9 bopd + 47 mcfgpd + 47 bwpd. The facility is sized to handle 800 bopd + 1000 mcfgpd + 500 bwpd. During and upon completion of the planned recompletion work the maximum anticipated production at any given time is estimated to be 100 bopd + 200 mcfgpd + 200 bwpd. The current sizing of the facility is such that the anticipated maximum production can be handled without any adjustments. If the actual maximum production exceeds the capability of the current facility it will be modified to handle such increase.

VII. Operational Practices:

19.15.27.8 (A) Venting and Flaring of Natural Gas

Extex Operating Company understands the requirements of NMAC 19.15.27.8 which states that the venting and flaring of natural gas during drilling, completion or production that constitutes waste as defined in 19.15.2 are prohibited.

19.15.27.8 (B) Venting and Flaring During Drilling Operations

Extex Operating Company shall capture or combust natural gas if technically feasible during drilling operations using best industry practices.

During drilling operations a flare stack with a 100 percent capacity for expected volumes will be set on location of the DK 1234 facility at least 100' from the nearest surface hole location, well head, and storage tanks.

In the event of an emergency Extex Operating Company will vent natural gas in order to avoid substantial impact and shall report vented or flared gas to the NM OCD.

19.15.27.8 (C) Venting and Flaring During Completion or Recompletion

As Extex Operating Company has an adequately designed production facility in place, if during recompletion operations, the need to produce oil and gas arises it will direct such oil and gas through the completion equipment at the tank battery. Any gas vented during transition of routing the gas to the production facility will be measured or estimated regardless of the reason or authorization for venting. During the life of the well(s) producing to the DK 1234 facility an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment

is operating properly and there are no leaks or releases as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (D) Venting and Flaring During Production Operations

At any point in the life of the well(s) (production or inactive) an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC. Monitoring of manual liquid unloading for wells on site or in close proximity, taking reasonable actions to stabilize rate and pressure as soon as practical, and take reasonable actions to minimize venting to the maximum extent practicable. Extex Operating Company will measure or estimate volumes of natural gas that is vented, flared or beneficially used during drilling, completion, and production operations, regardless of the reason for such venting or flaring.

19.15.27.8 (E) Performance Standards

All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste. An AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (F) Measurement or Estimation of Vented and Flared Natural Gas

The volume of natural gas vented or flared from process piping or a flowline piped from the equipment associated with a well and the DK 1234 facility will be measured or estimated. Measurement equipment is designed to allow diversion of natural gas around the equipment for the sole purpose of inspecting and servicing the measurement equipment, as noted in NMAC 19.15.27.8 Subsection G.

VIII. Best Management Practices:

Extex Operating Company utilizes best management practices to minimize venting during active and planned maintenance. All gas is sold during normal producing operations. The only time gas will be vented or flared will be during planned maintenance or for emergence reasons. During any required instance of gas venting or flaring the volume of gas will be measured or estimated.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: The Signature:
Printed Name: B. David Thomas
Title: Consultant/Operator's Representative
E-mail Address: davidthomastech@gmail.com
Date: 7-11-2022
Phone: 432-664-3590
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

Received by OCD: A7/11/2022 8:02:47 AM State of New Mexico	Form C-103
Office District I – (575) 393-6161 Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	WELL API NO. 30-025-30403
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178 OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	STATE FEE X
<u>District IV</u> – (505) 476-3460 Santa Fe, NM 8/505 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No. 330456
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name DK
1. Type of Well: Oil Well X Gas Well Other	8. Well Number 2
Name of Operator Extex Operating Company	9. OGRID Number 330423
 Address of Operator 5065 Westheimer Road #625, Houston, TX 77056 	10. Pool name or Wildcat Wildcat
4. Well Location Unit Letter H : 1980 feet from the N line and	660 feet from the E line
Section 25 Feet from the line and Section 25 Township 20S Range 38E	Teet from theine
11. Elevation (Show whether DR, RKB, RT, GR, etc.	Lou
3564 GR	
12. Check Appropriate Box to Indicate Nature of Notice,	Report or Other Data
	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WOR	
	RILLING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMEN	IT JOB
CLOSED-LOOP SYSTEM	
OTHER: Recomplete to Paddock zone OTHER:	
 Describe proposed or completed operations. (Clearly state all pertinent details, ar of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Co 	and give pertinent dates, including estimated date
proposed completion or recompletion.	mptetons. Thusi wenoore diagram of
Extex Operating will be recompleting the DK #2 to the Paddock zone. Exte	ex Operating's planned
procedure to recomplete the well is as follows:	on operating a planticu
- Rig up pulling unit.	
- Set RBP @ ~5,970'.	
 Perf Paddock fr/~5,580'-5,941'. Treat zone w/acid & Description 	
- Return well to production in Paddock zone.	
- Submit paperwork to Downhole Commingle Paddock w/other zones cur	rently open in well.
Spud Date: Rig Release Date:	E
~	
I hereby certify that the information above is true and complete to the best of my knowled	ge and belief.
CRIA AL	
SIGNATURE Bland thomas TITLE Consultant/Operator's	
Type or print name B. David Thomas E-mail address: davidthomaste	ch@gmail.com PHONE: 432-664-3590
	D A TOTAL
APPROVED BY:TITLE Conditions of Approval (if any):	DATE

DK #2 (API# 30-025-30403) Formation tops

Yates	3168
7 Rivers	3230
Queen	3558
Grayburg	3880
San Andres	4310
Blinebry	6036
Tubb	6602
Drinkard	6848
Abo	7140

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 123977

CONDITIONS

Operator:	OGRID:	
Extex Operating Company	330423	
5065 Westheimer Road	Action Number:	
Houston, TX 77056	123977	
	Action Type:	
	[C-101] Drilling Non-Federal/Indian (APD)	

CONDITIONS

Created By		Condition Date
pkautz	None	8/23/2022