

Well Name: BURCH KEELY UNIT	Well Location: T17S / R29E / SEC 23 / SWNE /	County or Parish/State: EDDY / NM
Well Number: 69	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC028784B	Unit or CA Name: BURCH KEELY UNIT	Unit or CA Number: NMNM88525X
US Well Number: 3001503054	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc9/7/2022

Subsequent Report

Sundry ID: 2689244

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/25/2022	Time Sundry Submitted: 03:06
Date Operation Actually Began: 06/15/2022	

Actual Procedure: 6/15/22: MIRU. 6/16/22: Change equipment to pull tbg, ND WH & NU flange then install Bop, RU floor & unset pkr, POOH w/ 75jts & pkr, RU WL then RIH w/ 5 ½ GR to 2500' & POOH, notify co-man & he suggest to RIH w/ 4 ½ GR, RIH w/ GR to 3000' then POOH & SDFN. 6/17/22: Notify BLM & they suggest to RIH w/ 5 ½ drill bit to try to get to 3165', start gathering equipment & SDFN. 6/20/22: Pick up swivel, spot it & SDFN. 6/21/22: RIH w/ drill bit & 94jts then set down at 3000', RU swivel & stripping head, RU pump & break circulation then start washing down the hole, PU 4 more jts w/ swivel then got down to 3185', circulate the hole bottoms up & RD swivel, POOH w/ tbg & bit, RU WL then RIH to set CIBP at 3165' & RD WL, RIH to top of the plug then RU pump & circulate the well w/ 115bbls 10# mud, test csg & held at 500psi, PLUG #1 – mix & pump 25sxs Class C cmt from eot at 3165' to toc at 2913' then displ w/ 11.1bbls mud, POOH 20stds to derrick & SDFN. 6/22/22: RIH & tag PLUG #1 at 2939', pull tbg to derrick & RU WL, RIH to perforate at 2605' then POOH & RD WL, RIH w/ pkr to check injection rate- pressure up to 500psi & held, notify BLM & they suggest to drop 50' below perms for plug, POOH to remove pkr & RBIH open ended, PLUG #2 – mix & pump 25sxs Class C cmt from eot at 2655' to toc at 2403' then displ w/ 9.2bbls mud, woc then RIH & tag PLUG #2 at 2437', pull tbg to derrick, RU WL & RIH to perforate at 1038' then RD WL, RIH w/ pkr to check injection rate-1bpm at 50psi, PLUG #3 – mix & pump 50sxs Class C cmt from eot at 1038' squeeze leaving toc at 786' then displ w/ 10bbls mud, SDFN. 6/23/22: Unset pkr then RIH to tag PLUG #3 at 760', RU WL then RIH to perforate at 470' & RD WL, RIH w/ pkr to check injection rate-1.5bpm at 0psi, PLUG #4 – mix & pump 45sxs Class C cmt from eot at 470' squeeze leaving toc at 370' then displ w/ 9.7bbls mud, woc & release pkr then POOH to remove pkr, RBIH open ended & tag PLUG #4 at 402', POOH & notify BLM- wait for orders, they suggest to spot 25sxs, PLUG #5 – mix & pump 25sxs Class C cmt from eot at 402' to toc at 252' then displ w/ .9bbls mud, pull all tbg to derrick per BLM & SDFN-will tag in the morning. 6/24/22: RIH & tag PLUG #5 at 226' then POOH, RU WL

Well Name: BURCH KEELY UNIT	Well Location: T17S / R29E / SEC 23 / SWNE /	County or Parish/State: EDDY / NM
Well Number: 69	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC028784B	Unit or CA Name: BURCH KEELY UNIT	Unit or CA Number: NMNM88525X
US Well Number: 3001503054	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

then RIH to perforate at 100' & RD WL, RIH to check injection rate- pumped 20bbls & no return on 8 5/8 surface valve, change hose to 8 5/8 surface valve then pump 10bbls FW & got a little return through 7" csg valve, change hose to 2 3/8 tbg then pumped 10 more bbls of FW & get some return on 8 5/8 valve, PLUG #6 – mix & pump 100sxs Class C cmt from eot at 100 to surface- fill both 8 5/8 & 7" csg, RD equipment & will check to make sure cmt is at surface Monday, SDFN. 6/27/22: Check cmt-only dropped 4' & BLM ok'd depth, RDSU then dig & cut off WH, weld plate marker & cover hole then SDFN.

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN	Signed on: AUG 25, 2022 03:06 PM
Name: SPUR ENERGY PARTNERS LLC	
Title: Regulatory Directory	
Street Address: 9655 KATY FREEWAY, SUITE 500	
City: Houston	State: TX
Phone: (832) 930-8613	
Email address: SCHAPMAN@SPUREPLLC.COM	

Field


Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 08/30/2022
Signature: James A. Amos	

Burch Keely Unit #69Eddy County, NM
API# 30-015-03054

P&A DATE: 6/27/22



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 139499

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 139499
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/7/2022