

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

08/30/2022

Well Name: POKER LAKE UNIT	Well Location: T24S / R31E / SEC 28 / NESW /	County or Parish/State: EDDY / NM
Well Number: 413H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM031382	Unit or CA Name:	Unit or CA Number: NMNM71016AJ
US Well Number: 3001539794	Well Status: Abandoned	Operator: XTO PERMIAN OPERATING LLC

Accepted for record – NMOCD gc9/7/2022

Subsequent Report

Sundry ID: 2689693**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 08/30/2022**Time Sundry Submitted:** 07:14**Date Operation Actually Began:** 08/23/2022

Actual Procedure: 08/23/22: Tst BOPE – test gd. Test tbg – gd 08/24/22: POOH with tbg, tag PBTD @ 4936', Perf @ 4410', est inj rate. 08/25/22: Spot 75 sx class C cmt f/ 4450' – 4000', WOC. TTOC @ 3974', Perf @ 1039', Est inj rate @ 2.0 BPM 500 psi. 08/26/22: Sqz 45 sx class C cmt @ 1039' – 885', WOC. TTOC @ 828'. Perf @ 632', Est inj rate @ 2.0 BPM 300 psi. Sqz 45 sx class C cmt f/ 632'-482', WOC. 08/27/22: TTOC @ 374', Perf @ 100' EIR @ 2.0 BPM, 100 psi, sqz 30 sx class C cmt dwn 7" and up 9 5/8" csg to surf witnessed by Roberta Thompson BLM rep, well PA'd, pending cut-off WH & install DHM.

SR Attachments

Actual Procedure

PLU_413H_Subsequent_WBD_20220830071421.pdf

Well Name: POKER LAKE UNIT

Well Location: T24S / R31E / SEC 28 /
NESW /County or Parish/State: EDDY /
NM

Well Number: 413H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM031382

Unit or CA Name:

Unit or CA Number:
NMNM71016AJ

US Well Number: 3001539794

Well Status: Abandoned

Operator: XTO PERMIAN
OPERATING LLC**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CASSIE EVANS

Signed on: AUG 30, 2022 07:14 AM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 Holiday Hill Road, Bldg 5

City: Midland

State: TX

Phone: (432) 218-3671

Email address: CASSIE.EVANS@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Phone: 5752345927

Disposition: Accepted

Signature: James A. Amos

BLM POC Title: Acting Assistant Field Manager

BLM POC Email Address: jamos@blm.gov

Disposition Date: 08/30/2022



Schematic - Current Vertical

Well Name: POKER LAKE UNIT 413H

API/UWI 3001539794	SAP Cost Center ID 1139841001	Permit Number	State/Province New Mexico	County Eddy
Surface Location T24S-R31E-S28	Spud Date 5/27/2012 04:00	Original KB Elevation (ft) 3,487.00	Ground Elevation (ft) 3,465.00	KB-Ground Distance (ft) 22.00

MD (ftKB)	TVD (ftKB)	Incl (°)	Vertical schematic (actual)
140.1	140.1	0.3	Category:Cement; Des:Cement Plug - Other; Depth MD:22.0-60.0 ftKB
946.2	945.5	2.4	Des:Conductor; Sz:24; Depth MD:22.0-140.0; Depth TVD:22.0-140.0
2,299.9	2,299.0	0.3	Category:Cement; Des:Conductor Cement; Depth MD:22.0-140.0 ftKB
4,335.0	4,334.1	0.2	Category:Cement; Des:Cement Plug - Other; Depth MD:482.0-632.0 ftKB
5,020.0	5,019.1	0.2	Category:Cement; Des:Surface Casing Cement; Depth MD:22.0-989.0 ftKB
6,471.1	6,470.2	0.1	Des:Surface; Sz:17 1/2; Depth MD:140.0-990.0; Depth TVD:140.0-989.3
7,199.1	7,198.2	0.9	Category:Cement; Des:Cement Plug - Other; Depth MD:885.0-1,039.0 ftKB
8,178.1	8,032.2	60.0	Category:Cement; Des:Intermediate Casing Cement; Depth MD:22.0-4,335.0 ftKB
8,271.0	8,070.1	70.4	Des:Intermediate; Sz:12 1/4; Depth MD:990.0-4,335.0; Depth TVD:989.3-4,334.1
8,373.0	8,096.0	81.2	Category:Cement; Des:Intermediate 2 Casing Cement; Depth MD:2,300.0-5,020.0 ftKB
8,469.2	8,105.2	86.4	Category:Cement; Des:Cement Plug - Other; Depth MD:4,000.0-4,385.0 ftKB
8,635.5	8,109.0	88.8	Category:Cement; Des:Cement Plug - Other; Depth MD:4,964.0-5,000.0 ftKB
8,927.8	8,115.1	90.7	Cemented Bridge Plug; 4,964.0-5,000.0 ftKB
9,117.1	8,109.9	92.0	Des:Intermediate; Sz:8 3/4; Depth MD:4,335.0-8,307.0; Depth TVD:4,334.1-8,080.9
9,264.1	8,108.6	89.4	Category:Cement; Des:Intermediate 2 Casing Cement; Depth MD:5,020.0-8,306.0 ftKB
9,589.9	8,111.6	89.8	Fresh Water; 8,373.0-8,374.0; 8/1/2012
9,779.2	8,111.1	89.9	Fresh Water; 8,631.0-8,632.0; 7/31/2012
9,931.1	8,112.1	89.5	Fresh Water; 8,929.0-8,930.0; 7/31/2012
10,124.7	8,110.7	90.0	Fresh Water; 9,263.0-9,264.0; 7/31/2012
10,312.0	8,108.6	91.9	Fresh Water; 9,598.0-9,599.0; 7/31/2012
10,641.1	8,100.1	90.7	Fresh Water; 9,931.0-9,932.0; 7/31/2012
10,787.4	8,100.2	88.2	Fresh Water; 10,308.0-10,309.0; 7/31/2012
10,932.1	8,101.6	90.6	Fresh Water; 10,642.0-10,643.0; 7/31/2012
11,262.1	8,109.2	87.4	Fresh Water; 10,930.0-10,931.0; 7/31/2012
11,404.5	8,115.3	88.0	Fresh Water; 11,264.0-11,265.0; 7/31/2012
11,597.1	8,119.8	88.6	Fresh Water; 11,596.0-11,597.0; 7/31/2012
11,922.2	8,124.2	89.6	Des:Production; Sz:6 1/8; Depth MD:8,307.0-15,524.0; Depth TVD:8,080.9-8,162.8
12,067.3	8,124.0	90.4	Fresh Water; 11,931.0-11,932.0; 7/31/2012
12,266.1	8,121.2	91.3	Fresh Water; 12,266.0-12,267.0; 7/31/2012
12,415.0	8,117.8	91.1	Fresh Water; 12,600.0-12,601.0; 7/31/2012
12,604.0	8,118.3	88.6	Fresh Water; 12,892.0-12,893.0; 7/31/2012
12,891.1	8,126.8	85.8	Fresh Water; 12,892.0-12,893.0; 7/31/2012
13,082.7	8,139.2	87.5	Fresh Water; 13,227.0-13,228.0; 7/31/2012
13,229.0	8,142.4	89.2	Fresh Water; 13,227.0-13,228.0; 7/31/2012
13,559.7	8,153.9	87.6	Fresh Water; 13,561.0-13,562.0; 7/31/2012
13,748.7	8,158.7	89.7	Fresh Water; 13,897.0-13,898.0; 7/31/2012
13,898.0	8,160.2	89.4	Fresh Water; 14,227.0-14,228.0; 7/31/2012
14,219.2	8,165.7	88.7	Fresh Water; 14,227.0-14,228.0; 7/31/2012
14,412.7	8,169.9	89.0	Fresh Water; 14,561.0-14,562.0; 7/30/2012
14,562.0	8,172.3	88.8	Fresh Water; 14,561.0-14,562.0; 7/30/2012
14,883.2	8,176.1	89.7	Fresh Water; 14,891.0-14,892.0; 7/30/2012
15,028.2	8,176.8	89.7	Fresh Water; 15,225.0-15,226.0; 7/30/2012
15,225.1	8,176.6	90.9	Fresh Water; 15,426.0-15,427.0; 7/30/2012
15,374.0	8,172.0	92.7	PBTD; 15,524.0 ftKB; 7/5/2012
15,431.8	8,169.1	93.4	Des:TD - Original Hole; Depth MD:15,524.0; Depth TVD:8,162.8

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 139406

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 139406
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/7/2022