

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/31/2022
⁴ API Number 30 - 015-48879	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8243	⁶ Pool Code 98220
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 33H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	10	24S	29E		220	SOUTH	1795	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 111' FSL 1656' FWL LTP- 214' FNL 1624' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L3	3	24S	29E		47	NORTH	1625	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 06/04/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 12/19/21	²² Ready Date 05/31/2022	²³ TD 20662'M 10258'V	²⁴ PBTD 20615'M 10257'V	²⁵ Perforations 10152-20495'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	528'		515	
9-7/8"	7-5/8"	9513'		2488	
6-3/4"	5-1/2"	20642'		871	
	2-3/8" tbg	9979'		na	

V. Well Test Data

³¹ Date New Oil 06/04/2022	³² Gas Delivery Date 06/04/2022	³³ Test Date 06/30/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1490
³⁷ Choke Size 38/128	³⁸ Oil 2051	³⁹ Water 3575	⁴⁰ Gas 4148		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA


Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 08/29/2022 Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by:



Title: Petroleum Engineer

Approval Date: 09/16/22

COA: File 3160-4 Completion Report within 10 days to NMOCDD after BLM approval.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-48879	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 329988	⁵ Property Name TAILS CC 10_3 FED COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC	⁶ Well Number 33H ⁹ Elevation 2942'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	10	24S	29E	N	220	SOUTH	1795	WEST	EDDY

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C L-3	3	24S	29E	3	47	NORTH	1625	WEST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
1278.62			NSL-8243

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.999778625 Convergence Angle: 00°11'10.650012"

Schlumberger

OXY



Borehole:	Well:	Field:	Structure:
Tails CC 10_3 Federal Com 33H	Tails CC 10_3 Federal Com 33H	NM Eddy County (NAD 83)	Oxy Tails CC 10_3 Federal Com Pad

Gravity & Magnetic Parameters

Model: IFR1 Dip: 59.953° Date: 24-Feb-2022
 MagDec: 6.81° FS: 47613.2nT Gravity FS: 998.471mg (9.80665 Based)

Surface Location



NAD83 New Mexico State Plane, Eastern Zone, US Feet
 Lat: N 32 13 31.70 Northing: 445944.8RUS Grid Conv: 0.191°
 Lon: W 103 58 30.45 Easting: 652105.9RUS Scale Fact: 0.99992314

Miscellaneous

Slot: Tails CC 10_3 Federal Com 33H TVD Ref: RKB(2967.2ft above MSL)
 Plan: Oxy Tails CC 10_3 Federal Com 33H Gyro-MWD 0' to 20662MD

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	63.73	0.58	174.19	63.73	-0.20	-0.20	0.02	1.50
Last Gyro Survey	516.47	0.31	341.19	516.46	0.37	0.35	-1.22	0.01
First SLB Survey	544.00	0.72	15.07	543.99	0.61	0.59	-1.20	1.79
Actual KOP	9639.20	5.96	227.68	9615.58	-300.25	-302.09	-96.22	12.88
100' FSL Crossing	10133.00	38.85	357.82	10060.11	-118.11	-120.70	-137.85	6.11
Wolfcamp A Intersection	10231.68	47.79	1.70	10132.20	-50.91	-53.50	-138.18	10.31
100' FNL Crossing	20608.00	90.23	359.89	10257.83	10287.51	10285.24	-217.69	0.76
Final MWD	20637.00	90.18	359.68	10257.73	10316.50	10314.24	-217.80	0.76
Proj to TD	20662.00	90.18	359.68	10257.65	10341.50	10339.24	-217.94	0.00





Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662'MD Survey Geodetic Report (Def Survey)



Report Date: April 14, 2022 - 03:02 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Tails CC 10_3 Federal Com Pad / Tails CC 10_3 Federal Com 33H
Well: Tails CC 10_3 Federal Com 33H
Borehole: Tails CC 10_3 Federal Com 33H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662'MD
Survey Date: January 24, 2022
Tort / AHD / DDI / ERD Ratio: 241.526 ° / 10994.118 ft / 6.728 / 1.070
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 13' 31.69573", W 103° 58' 30.44572"
Location Grid N/E Y/X: N 445944.800 ftUS, E 652105.900 ftUS
CRS Grid Convergence Angle: 0.1910 °
Grid Scale Factor: 0.99992314
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 358.933 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2967.200 ft above MSL
Seabed / Ground Elevation: 2942.200 ft above MSL
Magnetic Declination: 6.810 °
Total Gravity Field Strength: 998.4706mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47613.200 nT
Magnetic Dip Angle: 59.953 °
Declination Date: February 24, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1900 °
Total Corr Mag North->Grid North: 6.6200 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	445944.80	652105.90	N 32 13 31.70	W 103 58 30.45
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	445944.80	652105.90	N 32 13 31.70	W 103 58 30.45
First Gyro Survey	63.73	0.58	174.19	63.73	-0.20	-0.20	0.02	1.50	445944.61	652105.92	N 32 13 31.69	W 103 58 30.45
	155.57	0.20	255.98	155.57	-0.69	-0.70	-0.09	0.64	445944.10	652105.81	N 32 13 31.69	W 103 58 30.45
	243.02	0.29	287.64	243.02	-0.66	-0.67	-0.45	0.18	445944.13	652105.45	N 32 13 31.69	W 103 58 30.45
Last Gyro Survey	334.51	0.26	309.62	334.51	-0.45	-0.46	-0.83	0.12	445944.34	652105.07	N 32 13 31.69	W 103 58 30.46
	428.84	0.30	341.24	428.83	-0.07	-0.09	-1.07	0.17	445944.71	652104.83	N 32 13 31.69	W 103 58 30.46
	516.47	0.31	341.19	516.46	0.37	0.35	-1.22	0.01	445945.15	652104.68	N 32 13 31.70	W 103 58 30.46
First SLB Survey	544.00	0.72	15.07	543.99	0.61	0.59	-1.20	1.79	445945.39	652104.70	N 32 13 31.70	W 103 58 30.46
	633.00	0.14	281.18	632.99	1.17	1.15	-1.16	0.83	445945.95	652104.74	N 32 13 31.71	W 103 58 30.46
	723.00	0.12	80.34	722.99	1.21	1.18	-1.18	0.28	445945.98	652104.72	N 32 13 31.71	W 103 58 30.46
	822.00	0.10	319.27	821.99	1.29	1.27	-1.13	0.19	445946.07	652104.77	N 32 13 31.71	W 103 58 30.46
	916.00	0.11	56.71	915.99	1.40	1.38	-1.11	0.17	445946.18	652104.79	N 32 13 31.71	W 103 58 30.46
	1010.00	0.10	234.33	1009.99	1.40	1.38	-1.10	0.22	445946.18	652104.80	N 32 13 31.71	W 103 58 30.46
	1105.00	0.11	243.57	1104.99	1.31	1.29	-1.25	0.02	445946.09	652104.65	N 32 13 31.71	W 103 58 30.46
	1199.00	0.11	267.65	1198.99	1.27	1.25	-1.42	0.05	445946.05	652104.48	N 32 13 31.71	W 103 58 30.46
	1294.00	0.08	23.89	1293.99	1.33	1.30	-1.49	0.17	445946.10	652104.41	N 32 13 31.71	W 103 58 30.46
	1386.00	0.06	151.89	1385.99	1.35	1.32	-1.44	0.14	445946.12	652104.46	N 32 13 31.71	W 103 58 30.46
	1481.00	0.11	239.08	1480.99	1.26	1.23	-1.49	0.13	445946.03	652104.41	N 32 13 31.71	W 103 58 30.46
	1575.00	0.13	102.87	1574.99	1.19	1.16	-1.47	0.24	445945.96	652104.43	N 32 13 31.71	W 103 58 30.46
	1670.00	0.11	111.32	1669.99	1.13	1.10	-1.28	0.03	445945.90	652104.62	N 32 13 31.71	W 103 58 30.46
	1765.00	0.10	308.43	1764.99	1.14	1.12	-1.26	0.22	445945.92	652104.64	N 32 13 31.71	W 103 58 30.46
	1859.00	0.10	77.26	1858.99	1.21	1.19	-1.24	0.19	445945.99	652104.66	N 32 13 31.71	W 103 58 30.46
	1954.00	0.09	36.23	1953.99	1.29	1.27	-1.11	0.07	445946.07	652104.79	N 32 13 31.71	W 103 58 30.46
	2048.00	0.11	14.36	2047.99	1.43	1.42	-1.05	0.05	445946.22	652104.85	N 32 13 31.71	W 103 58 30.46
	2143.00	0.11	240.67	2142.99	1.48	1.46	-1.11	0.21	445946.26	652104.79	N 32 13 31.71	W 103 58 30.46
	2238.00	0.11	24.02	2237.99	1.52	1.50	-1.15	0.22	445946.30	652104.75	N 32 13 31.71	W 103 58 30.46
	2333.00	0.11	52.16	2332.99	1.66	1.64	-1.04	0.06	445946.44	652104.86	N 32 13 31.71	W 103 58 30.46
	2427.00	0.08	57.98	2426.99	1.74	1.73	-0.91	0.03	445946.53	652104.99	N 32 13 31.71	W 103 58 30.46
	2522.00	0.11	136.19	2521.99	1.71	1.70	-0.79	0.13	445946.50	652105.11	N 32 13 31.71	W 103 58 30.45
	2617.00	0.10	281.87	2616.99	1.66	1.65	-0.81	0.21	445946.45	652105.09	N 32 13 31.71	W 103 58 30.46
	2712.00	0.10	346.96	2711.99	1.76	1.75	-0.91	0.11	445946.55	652104.99	N 32 13 31.71	W 103 58 30.46
	2806.00	0.12	316.65	2805.99	1.92	1.90	-1.00	0.06	445946.70	652104.90	N 32 13 31.71	W 103 58 30.46
	2901.00	0.12	80.58	2900.99	2.00	1.99	-0.97	0.22	445946.79	652104.93	N 32 13 31.72	W 103 58 30.46
	2996.00	0.07	316.14	2995.99	2.06	2.04	-0.91	0.18	445946.84	652104.99	N 32 13 31.72	W 103 58 30.46
	3090.00	0.09	188.88	3089.99	2.03	2.01	-0.96	0.15	445946.81	652104.94	N 32 13 31.72	W 103 58 30.46
	3185.00	0.08	183.93	3184.99	1.89	1.87	-0.98	0.01	445946.67	652104.92	N 32 13 31.71	W 103 58 30.46
	3280.00	0.09	324.49	3279.99	1.89	1.87	-1.02	0.17	445946.67	652104.88	N 32 13 31.71	W 103 58 30.46
	3375.00	0.09	51.40	3374.99	1.99	1.97	-1.01	0.13	445946.77	652104.89	N 32 13 31.72	W 103 58 30.46
	3469.00	0.10	34.23	3468.99	2.10	2.09	-0.90	0.03	445946.89	652105.00	N 32 13 31.72	W 103 58 30.46
	3564.00	0.12	206.70	3563.99	2.08	2.07	-0.90	0.23	445946.87	652105.00	N 32 13 31.72	W 103 58 30.46
	3659.00	0.11	269.06	3658.99	2.00	1.98	-1.04	0.13	445946.78	652104.86	N 32 13 31.72	W 103 58 30.46
	3753.00	0.11	17.16	3752.99	2.08	2.06	-1.10	0.19	445946.86	652104.80	N 32 13 31.72	W 103 58 30.46
	3848.00	0.08	4.68	3847.99	2.23	2.22	-1.07	0.04	445947.02	652104.83	N 32 13 31.72	W 103 58 30.46
	3942.00	0.10	87.01	3941.99	2.30	2.29	-0.98	0.13	445947.08	652104.92	N 32 13 31.72	W 103 58 30.46
	4037.00	0.10	274.86	4036.99	2.31	2.30	-0.98	0.21	445947.10	652104.92	N 32 13 31.72	W 103 58 30.46
	4132.00	0.10	24.86	4131.99	2.40	2.38	-1.03	0.17	445947.18	652104.87	N 32 13 31.72	W 103 58 30.46
	4226.00	0.09	3.23	4225.99	2.54	2.53	-0.99	0.04	445947.33	652104.91	N 32 13 31.72	W 103 58 30.46
	4321.00	0.11	309.32	4320.99	2.68	2.66	-1.06	0.10	445947.46	652104.84	N 32 13 31.72	W 103 58 30.46
	4415.00	0.08	345.65	4414.99	2.80	2.78	-1.14	0.07	445947.58	652104.76	N 32 13 31.72	W 103 58 30.46
	4510.00	0.09	100.78	4509.99	2.85	2.83	-1.09	0.15	445947.63	652104.81	N 32 13 31.72	W 103 58 30.46
	4605.00	0.09	297.46	4604.99	2.87	2.85	-1.08	0.19	445947.65	652104.82	N 32 13 31.72	W 103 58 30.46
	4699.00	0.11	304.86	4698.99	2.96	2.94	-1.22	0.03	445947.74	652104.68	N 32 13 31.72	W 103 58 30.46
	4794.00	0.09	28.03	4793.99	3.08	3.05	-1.26	0.14	445947.85	652104.64	N 32 13 31.73	W 103 58 30.46
	4889.00	0.10	122.63	4888.99	3.10	3.08	-1.15	0.15	445947.88	652104.75	N 32 13 31.73	W 103 58 30.46
	4984.00	0.11	71.45	4983.99	3.08	3.06	-1.00	0.10	445947.86	652104.90	N 32 13 31.73	W 103 58 30.46
	5079.00	0.10	280.74	5078.99	3.12	3.10	-0.99	0.21	445947.90	652104.91	N 32 13 31.73	W 103 58 30.46
	5173.00	0.11	255.28	5172.99	3.12	3.10	-1.16	0.05	445947.90	652104.74	N 32 13 31.73	W 103 58 30.46
	5268.00	0.09	274.19	5267.98	3.10	3.08	-1.32	0.04	445947.88	652104.58	N 32 13 31.73	W 103 58 30.46
	5362.00	0.10	351.60	5361.98	3.19	3.17	-1.41	0.13	445947.97	652104.49	N 32 13 31.73	W 103 58 30.46
	5457.00	0.09	147.09	5456.98	3.21	3.18	-1.38	0.20	445947.98	652104.52	N 32 13 31.73	W 103 58 30.46
	5552.00	0.10	297.95	5551.98	3.19	3.16	-1.41	0.19	445947.96	652104.49	N 32 13 31.73	W 103 58 30.46
	5646.00	0.11	279.64	5645.98	3.24	3.21	-1.58	0.04	445948.01	652104.33	N 32 13 31.73	W 103 58 30.46
	5741.00	0.09	265.63	5740.98	3.26	3.22	-1.74	0.03	445948.02	652104.16	N 32 13 31.73	W 103 58 30.47
	5836.00	0.11	323.97	5835.98	3.33	3.29	-1.87	0.10	445948.09	652104.03	N 32 13 31.73	W 103 58 30.47
	5931.00	0.08	8.49	5930.98	3.47	3.43	-1.91	0.08	445948.23	652103.99	N 32 13 31.73	W 103 58 30.47
	6025.00	0.09	185.93	6024.98	3.46	3.42	-1.91	0.18	445948.22	652103.99	N 32 13 31.73	W 103 58 30.47
	6120.00	0.09	24.61	6119.98	3.45	3.42	-1.89	0.19	445948.22	652104.01	N 32 13 31.73	W 103 58 30.47
	6214.00	0.09	136.80	6213.98	3.46	3.43	-1.80	0.16	445948.23	652104.10	N 32 13 31.73	W 103 58 30.47
	6309.00	0.10	254.11	6308.98	3.39	3.35	-1.83	0.17	445948.15	652104.07	N 32 13 31.73	W 103 58 30.47
	6404.00	0.07	226.93	6403.98	3.33	3.29	-1.96	0.05	445948.09	652103.94	N 32 13 31.73	W 103 58 30.47
	6499.00	0.08	356.06	6498.98	3.35	3.32	-2.00	0.14	445948.12	652103.90	N 32 13 31.73	W 103 58 30.47
	6593.00	0.11	249.33	6592.98	3.39	3.35	-2.09	0.16	445948.15	652103.81	N 32 13 31.73	W 103 58 30.47
	6688.00	0.10	97.21	6687.98	3.35	3.31	-2.09	0.21	445948.11	652103.81	N 32 13 31.73	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	7346.00	5.26	206.85	7345.49	-6.82	-7.02	-10.64	1.31	445937.78	652095.26	N 32 13 31.63	W 103 58 30.57
	7440.00	4.65	193.18	7439.15	-14.32	-14.57	-13.45	1.41	445930.23	652092.45	N 32 13 31.55	W 103 58 30.60
	7535.00	4.84	190.99	7533.82	-21.97	-22.26	-15.10	0.28	445922.54	652090.80	N 32 13 31.48	W 103 58 30.62
	7630.00	4.70	185.49	7628.49	-29.76	-30.07	-16.23	0.50	445914.74	652089.67	N 32 13 31.40	W 103 58 30.64
	7725.00	4.88	183.47	7723.16	-37.65	-37.97	-16.85	0.26	445906.83	652089.05	N 32 13 31.32	W 103 58 30.64
	7819.00	4.91	184.42	7816.82	-45.64	-45.98	-17.40	0.09	445898.83	652088.50	N 32 13 31.24	W 103 58 30.65
	7914.00	5.63	188.38	7911.42	-54.29	-54.64	-18.39	0.85	445890.17	652087.51	N 32 13 31.16	W 103 58 30.66
	8009.00	4.91	189.71	8006.01	-62.88	-63.26	-19.76	0.77	445881.55	652086.14	N 32 13 31.07	W 103 58 30.68
	8103.00	7.21	178.10	8099.48	-72.73	-73.12	-20.24	2.76	445871.69	652085.66	N 32 13 30.97	W 103 58 30.68
	8198.00	6.79	185.11	8193.78	-84.27	-84.67	-20.54	1.00	445860.14	652085.36	N 32 13 30.86	W 103 58 30.69
	8292.00	7.57	186.03	8287.04	-95.94	-96.36	-21.69	0.84	445848.44	652084.21	N 32 13 30.74	W 103 58 30.70
	8386.00	7.36	199.42	8380.25	-107.73	-108.20	-24.34	1.86	445836.61	652081.56	N 32 13 30.63	W 103 58 30.73
	8481.00	8.83	202.17	8474.30	-120.13	-120.69	-29.12	1.60	445824.12	652076.78	N 32 13 30.50	W 103 58 30.79
	8575.00	9.56	199.45	8567.09	-134.07	-134.73	-34.44	0.90	445810.08	652071.46	N 32 13 30.36	W 103 58 30.85
	8670.00	8.63	193.78	8660.90	-148.35	-149.10	-38.76	1.36	445795.72	652067.14	N 32 13 30.22	W 103 58 30.90
	8765.00	10.06	193.60	8754.64	-163.26	-164.08	-42.41	1.51	445780.73	652063.49	N 32 13 30.07	W 103 58 30.95
	8859.00	10.14	195.65	8847.18	-179.13	-180.03	-46.58	0.39	445764.78	652059.33	N 32 13 29.92	W 103 58 30.99
	8954.00	10.14	200.43	8940.70	-194.92	-195.92	-51.75	0.89	445748.90	652054.15	N 32 13 29.76	W 103 58 31.06
	9049.00	9.35	197.40	9034.33	-210.02	-211.12	-56.98	0.99	445733.70	652048.93	N 32 13 29.61	W 103 58 31.12
	9144.00	7.61	177.08	9128.31	-223.63	-224.77	-58.97	3.62	445720.05	652046.94	N 32 13 29.47	W 103 58 31.14
	9238.00	9.96	191.17	9221.21	-237.80	-238.97	-60.22	3.37	445705.85	652045.68	N 32 13 29.33	W 103 58 31.16
	9333.00	11.18	203.69	9314.61	-254.20	-255.46	-65.52	2.73	445689.36	652040.39	N 32 13 29.17	W 103 58 31.22
	9428.00	10.46	212.40	9407.92	-269.76	-271.18	-73.84	1.88	445673.64	652032.07	N 32 13 29.01	W 103 58 31.32
	9501.00	10.29	220.04	9479.73	-280.20	-281.77	-81.58	1.90	445663.06	652024.32	N 32 13 28.91	W 103 58 31.41
	9586.00	12.37	211.33	9568.08	-293.61	-295.36	-91.20	3.16	445649.47	652014.70	N 32 13 28.78	W 103 58 31.52
Actual KOP	9639.20	5.96	227.68	9615.58	-300.25	-302.09	-96.22	12.88	445642.73	652009.69	N 32 13 28.71	W 103 58 31.58
	9680.00	3.01	289.49	9656.27	-301.27	-303.16	-98.79	12.88	445641.66	652007.11	N 32 13 28.70	W 103 58 31.61
	9775.00	14.65	337.37	9750.05	-289.17	-291.19	-105.80	13.50	445653.63	652000.11	N 32 13 28.82	W 103 58 31.69
	9869.00	25.77	342.68	9838.13	-258.40	-260.62	-116.49	11.98	445684.20	651989.42	N 32 13 29.12	W 103 58 31.81
	9964.00	32.02	347.59	9921.28	-213.83	-216.25	-128.06	7.03	445728.56	651977.85	N 32 13 29.56	W 103 58 31.94
	10059.00	34.48	355.82	10000.76	-162.25	-164.80	-135.44	5.40	445780.01	651970.47	N 32 13 30.07	W 103 58 32.03
100' FSL Crossing	10133.00	38.85	357.82	10060.11	-118.11	-120.70	-137.85	6.11	445824.11	651968.06	N 32 13 30.51	W 103 58 32.06
	10153.00	40.03	358.29	10075.55	-105.41	-108.00	-138.28	6.11	445836.81	651967.63	N 32 13 30.63	W 103 58 32.06
Wolfcamp A Intersection	10231.68	47.79	1.70	10132.20	-50.91	-53.50	-138.18	10.31	445891.31	651967.73	N 32 13 31.17	W 103 58 32.06
	10247.00	49.31	2.26	10142.34	-39.45	-42.02	-137.78	10.31	445902.78	651968.13	N 32 13 31.28	W 103 58 32.05
	10342.00	63.57	357.07	10194.75	39.47	36.89	-138.54	15.68	445981.69	651967.37	N 32 13 32.07	W 103 58 32.06
	10437.00	67.03	356.94	10234.44	125.71	123.07	-143.05	3.64	446067.86	651962.86	N 32 13 32.92	W 103 58 32.11
	10531.00	80.43	0.37	10260.72	215.73	213.06	-145.07	14.68	446157.85	651960.84	N 32 13 33.81	W 103 58 32.13
	10626.00	88.87	0.71	10269.57	310.19	307.56	-144.18	8.89	446161.74	651961.74	N 32 13 34.74	W 103 58 32.11
	10720.00	90.58	0.35	10270.05	404.15	401.55	-143.31	1.83	446346.32	651962.61	N 32 13 35.67	W 103 58 32.10
	10817.00	90.38	1.21	10269.26	501.10	498.54	-141.99	0.90	446443.30	651963.93	N 32 13 36.63	W 103 58 32.08
	10911.00	88.92	0.14	10269.84	595.05	592.53	-140.88	1.93	446537.28	651965.03	N 32 13 37.56	W 103 58 32.06
	11006.00	89.24	357.68	10271.36	690.03	687.49	-142.68	2.61	446632.23	651963.23	N 32 13 38.50	W 103 58 32.08
	11100.00	91.43	357.44	10270.81	783.99	781.40	-146.69	2.34	446726.13	651959.23	N 32 13 39.43	W 103 58 32.12
	11194.00	89.22	357.51	10270.28	877.95	875.30	-150.83	2.35	446820.03	651955.08	N 32 13 40.36	W 103 58 32.17
	11289.00	88.68	356.57	10272.02	972.88	970.15	-155.73	1.14	446914.88	651950.18	N 32 13 41.30	W 103 58 32.22
	11384.00	89.23	359.64	10273.75	1067.85	1065.07	-158.87	3.28	447009.79	651947.04	N 32 13 42.24	W 103 58 32.25
	11479.00	89.56	3.37	10274.76	1162.73	1160.02	-156.38	3.94	447104.73	651949.53	N 32 13 43.18	W 103 58 32.22
	11573.00	90.21	2.89	10274.94	1256.48	1253.88	-151.25	0.86	447198.58	651954.67	N 32 13 44.11	W 103 58 32.16
	11668.00	90.84	1.02	10274.07	1351.34	1348.81	-148.00	2.08	447293.51	651957.91	N 32 13 45.05	W 103 58 32.12
	11763.00	90.95	358.94	10272.59	1446.30	1443.80	-148.04	2.19	447388.48	651957.87	N 32 13 45.99	W 103 58 32.11
	11857.00	90.59	359.51	10271.33	1540.29	1537.78	-149.31	0.72	447482.46	651956.60	N 32 13 46.92	W 103 58 32.12
	11952.00	90.39	0.22	10270.51	1635.28	1632.77	-149.53	0.78	447577.45	651956.38	N 32 13 47.86	W 103 58 32.12
	12047.00	90.45	0.15	10269.82	1730.25	1727.77	-149.23	0.10	447672.44	651956.69	N 32 13 48.80	W 103 58 32.12
	12141.00	90.36	0.80	10269.15	1824.21	1821.77	-148.45	0.70	447766.42	651957.46	N 32 13 49.73	W 103 58 32.10
	12236.00	90.28	0.49	10268.62	1919.17	1916.76	-147.38	0.34	447861.41	651958.53	N 32 13 50.67	W 103 58 32.09
	12331.00	90.69	359.87	10267.82	2014.14	2011.75	-147.08	0.78	447956.39	651958.83	N 32 13 51.61	W 103 58 32.08
	12426.00	91.15	0.21	10266.29	2109.11	2106.74	-147.01	0.60	448051.37	651958.90	N 32 13 52.55	W 103 58 32.08
	12520.00	90.94	359.48	10264.58	2203.08	2200.72	-147.27	0.81	448145.35	651958.64	N 32 13 53.48	W 103 58 32.07
	12615.00	90.56	359.80	10263.34	2298.07	2295.71	-147.86	0.52	448240.33	651958.05	N 32 13 54.42	W 103 58 32.08
	12709.00	90.66	359.84	10262.33	2392.05	2389.71	-148.16	0.11	448334.32	651957.75	N 32 13 55.35	W 103 58 32.08
	12804.00	90.86	0.08	10261.07	2487.03	2484.70	-148.23	0.33	448429.30	651957.69	N 32 13 56.29	W 103 58 32.07
	12899.00	90.86	0.63	10259.65	2581.99	2579.69	-147.64	0.58	448524.28	651958.27	N 32 13 57.23	W 103 58 32.06
	12993.00	90.10	0.37	10258.86	2675.95	2673.68	-146.82	0.85	448618.27	651959.09	N 32 13 58.16	W 103 58 32.05
	13088.00	90.17	0.84	10258.64	2770.91	2768.67	-145.81	0.50	448713.25	651960.10	N 32 13 59.10	W 103 58 32.04
	13183.00	90.05	1.03	10258.45	2865.85	2863.66	-144.26	0.24	448808.23	651961.65	N 32 14 0.04	W 103 58 32.01
	13277.00	90.22	1.60	10258.23	2959.77	2957.63	-142.11	0.63	448902.20	651963.81	N 32 14 0.97	W 103 58 31.99
	13372.00	90.08	2.15	10257.98	3054.64	3052.58	-139.00	0.60	448997.14	651966.91	N 32 14 1.91	W 103 58 31.95
	13467.00	90.00	2.40	10257.92	3149.48	3147.51	-135.23	0.28	449092.06	651970.68	N 32 14 2.85	W 103 58 31.90
	13562.00	89.81	2.33	10258.08	3244.31	3242.43	-131.31	0.21	449186.97	651974.60	N 32 14 3.78	W 103 58 31.85
	13656.00	90.27	1.33	10258.01	3338.19	3336.38	-128.30	1.17	449280.91	651977.61	N 32 14 4.71	W 103 58 31.81
	13751.00	89.54	359.56	10258.17	3433.15	3431.37	-127.57	2.02	449375.90	651978.34	N 32 14 5.65	W 103 58 31.80
	13845.00	90.17	358.43	10258.41	3525.15	3523.35	-129.22	1.38	449469.88	651976.69	N 32 14 6.58	W 103 58 31.81
	13940.00	89.77	358.40	10258.46	3622.14	3620.32	-131.84	0.42	449564.83	651974.07	N 32 14 7.52	W 103 58 31.84
	14034.00	91.01	356.51	10257.82	3716.10	3714.22	-136.02	2.40	449658.72	651969.89	N 32 14 8.45	W 103 58 31.89
	14129.00	90.37	357.16	10256.67	3811.03	3809.06	-14					

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	17535.00	89.93	0.68	10263.60	7215.55	7212.81	-214.34	0.87	453157.04	651891.57	N 32 14 43.07	W 103 58 32.66
	17630.00	90.14	1.37	10263.55	7310.49	7307.79	-212.64	0.76	453252.02	651893.27	N 32 14 44.01	W 103 58 32.64
	17725.00	91.12	1.79	10262.50	7405.38	7402.75	-210.02	1.12	453346.97	651895.89	N 32 14 44.95	W 103 58 32.60
	17819.00	91.19	1.02	10260.61	7499.27	7496.70	-207.72	0.82	453440.91	651898.20	N 32 14 45.88	W 103 58 32.57
	17914.00	90.52	0.40	10259.19	7594.21	7591.68	-206.54	0.96	453535.88	651899.37	N 32 14 46.82	W 103 58 32.56
	18008.00	90.97	0.88	10257.97	7688.16	7685.67	-205.49	0.70	453629.86	651900.42	N 32 14 47.75	W 103 58 32.54
	18103.00	90.93	0.49	10256.39	7783.10	7780.65	-204.36	0.41	453724.83	651901.56	N 32 14 48.69	W 103 58 32.52
	18197.00	90.72	359.88	10255.04	7877.07	7874.64	-204.05	0.69	453818.82	651901.86	N 32 14 49.62	W 103 58 32.52
	18292.00	88.94	359.12	10255.32	7972.06	7969.63	-204.88	2.04	453913.80	651901.03	N 32 14 50.56	W 103 58 32.52
	18387.00	88.04	358.75	10257.82	8067.03	8064.58	-206.65	1.02	454008.74	651899.27	N 32 14 51.50	W 103 58 32.54
	18482.00	88.11	359.64	10261.01	8161.97	8159.51	-207.98	0.94	454103.67	651897.93	N 32 14 52.44	W 103 58 32.55
	18577.00	88.01	358.85	10264.23	8256.92	8254.45	-209.23	0.84	454198.60	651896.68	N 32 14 53.38	W 103 58 32.56
	18671.00	88.71	359.72	10266.92	8350.87	8348.40	-210.41	1.19	454292.55	651895.51	N 32 14 54.31	W 103 58 32.57
	18766.00	89.65	0.45	10268.28	8445.84	8443.39	-210.26	1.25	454387.53	651895.65	N 32 14 55.25	W 103 58 32.57
	18861.00	90.32	0.97	10268.31	8540.80	8538.38	-209.09	0.89	454482.51	651896.83	N 32 14 56.19	W 103 58 32.55
	18956.00	90.68	0.47	10267.48	8635.75	8633.37	-207.89	0.65	454577.49	651898.02	N 32 14 57.13	W 103 58 32.53
	19050.00	90.40	359.77	10266.59	8729.72	8727.37	-207.70	0.80	454671.48	651898.22	N 32 14 58.06	W 103 58 32.53
	19145.00	90.42	359.19	10265.91	8824.71	8822.36	-208.56	0.61	454766.46	651897.36	N 32 14 59.00	W 103 58 32.53
	19239.00	90.13	359.72	10265.46	8918.71	8916.35	-209.45	0.64	454860.45	651896.46	N 32 14 59.93	W 103 58 32.54
	19334.00	90.15	359.69	10265.23	9013.70	9011.35	-209.94	0.04	454955.44	651895.97	N 32 15 0.87	W 103 58 32.54
	19428.00	90.28	357.87	10264.87	9107.70	9105.33	-211.94	1.94	455049.41	651893.97	N 32 15 1.80	W 103 58 32.56
	19523.00	90.47	358.80	10264.25	9202.69	9200.28	-214.70	1.00	455144.36	651891.21	N 32 15 2.74	W 103 58 32.59
	19618.00	90.28	359.60	10263.63	9297.68	9295.27	-216.03	0.87	455239.34	651889.89	N 32 15 3.68	W 103 58 32.60
	19713.00	90.15	359.54	10263.27	9392.68	9390.27	-216.74	0.15	455334.33	651889.17	N 32 15 4.62	W 103 58 32.60
	19807.00	90.25	359.82	10262.95	9486.67	9484.27	-217.27	0.32	455428.32	651888.65	N 32 15 5.55	W 103 58 32.61
	19902.00	90.21	359.78	10262.57	9581.66	9579.27	-217.60	0.06	455523.31	651888.32	N 32 15 6.49	W 103 58 32.61
	19996.00	90.41	359.50	10262.06	9675.65	9673.26	-218.19	0.37	455617.30	651887.73	N 32 15 7.42	W 103 58 32.61
	20091.00	90.45	359.44	10261.34	9770.64	9768.25	-219.07	0.08	455712.28	651886.85	N 32 15 8.36	W 103 58 32.62
	20186.00	90.59	0.10	10260.48	9865.63	9863.25	-219.45	0.71	455807.27	651886.47	N 32 15 9.30	W 103 58 32.62
	20280.00	90.33	0.11	10259.73	9959.60	9957.25	-219.28	0.28	455901.26	651886.64	N 32 15 10.23	W 103 58 32.61
	20375.00	90.37	0.31	10259.15	10054.58	10052.24	-218.93	0.21	455996.25	651886.99	N 32 15 11.17	W 103 58 32.60
	20469.00	90.33	0.46	10258.57	10148.55	10146.24	-218.30	0.17	456090.24	651887.62	N 32 15 12.10	W 103 58 32.59
	20564.00	90.31	0.22	10258.04	10243.52	10241.24	-217.73	0.25	456185.23	651888.18	N 32 15 13.04	W 103 58 32.58
100' FNL Crossing	20608.00	90.23	359.89	10257.83	10287.51	10285.24	-217.69	0.76	456229.23	651888.23	N 32 15 13.48	W 103 58 32.58
Final MWD	20637.00	90.18	359.68	10257.73	10316.50	10314.24	-217.80	0.76	456258.22	651888.12	N 32 15 13.76	W 103 58 32.58
Proj to TD	20662.00	90.18	359.68	10257.65	10341.50	10339.24	-217.94	0.00	456283.22	651887.98	N 32 15 14.01	W 103 58 32.58

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Tails CC 10_3 Federal Com 33H / Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662MD
	1	25.000	25.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Tails CC 10_3 Federal Com 33H / Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662MD
	1	25.000	516.470	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Tails CC 10_3 Federal Com 33H / Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662MD
	1	516.470	20662.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Tails CC 10_3 Federal Com 33H / Oxy Tails CC 10_3 Federal Com 33H Gyro+MWD 0' to 20662MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SESW / 32.22547 / -103.975124	County or Parish/State: EDDY / NM
Well Number: 33H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548879	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2689266

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 08/25/2022	Time Sundry Submitted: 03:42
Date Operation Actually Began: 05/07/2022	

Actual Procedure: RUPU 05/07/22, RIH & clean out to PBTD @ 20615', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 20495-10152' Total 1462 holes. Frac in 43 stages w/ 246356BBL Produced Water + 246356BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25332389# sand, RD Liberty 05/23/22. Well ready to produce 05/31/22. 08/11/22 RIH with 2-3/8" L80 tbg & gas lift set @ 9979', RD 08/12/22. Formation Tops for this completion are as follows: RUSTLER 206'M 206'V SALADO 479'M 479'V CASTILE 1431'M 1431'V DELAWARE 2970'M 2970'V BELL CANYON 2998'M 2998'V CHERRY CANYON 3833'M 3833'V BRUSHY CANYON 5116'M 5116'V BONE SPRING 6725'M 6725'V 1ST BONE SPRING 7728'M 7726'V 2ND BONE SPRING 8550'M 8543'V 3RD BONE SPRING 9638'M 9614'V WOLFCAMP 10011'M 9961'V

Received by OCD: 8/29/2022 10:01:32 PM

Page 9 of 14

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SESW / 32.22547 / -103.975124	County or Parish/State: EDDY / NM
Well Number: 33H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548879	Well Status: Drilling Well	Operator: OXY USA INCORPORATED


Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: AUG 25, 2022 03:41 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-48879			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							3. State Oil & Gas Lease No.			
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	10	24S	29E		220	SOUTH	1795	WEST	EDDY
BH:	L3	3	24S	29E		47	NORTH	1625	WEST	EDDY
13. Date Spudded 12/19/21	14. Date T.D. Reached 04/13/2022		15. Date Rig Released 04/16/2022		16. Date Completed (Ready to Produce) 05/31/2022			17. Elevations (DF and RKB, RT, GR, etc.) 2942' GL		
18. Total Measured Depth of Well 20662'M 10258'V			19. Plug Back Measured Depth 20615'M 10257'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10152-20495' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		528'		14.75"		515sx-surf circ		
7.625" HCL80		26.4		9513'		9.875"		2488sx-surf		
5.5" P110CY		20		20642'		6.75"		871sx-TOC@9013'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2.375"		9979'	
26. Perforation record (interval, size, and number) 10152-20495' Total 1462 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						DEPTH INTERVAL				
						AMOUNT AND KIND MATERIAL USED				
						10152-20495'				
						246356BBL Produced Water + 246356BBL Brackish Water w/ 25332389# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
06/04/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
06/30/2022	24 hrs.	38/128	Test Period	2051	4148	3575	2022			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	1490		2051	4148	3575					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>08/29/2022</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 206'	T. Bell Canyon 2998'	T. Ojo Alamo	T. Penn A"
T. Salado 479'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1431'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2970'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3833'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5116'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6725'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7728'	T. Entrada	
T. Wolfcamp 10011'	T. 2 nd Bone Springs 8550'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 9638'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Tails CC 10-3 Federal Com 33H
API No. 30-015-48879



2-3/8" tbg w/ gas lift @ 9979'

Perfs @ 10152-20495'

TD- 20662'M 10258'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 139198

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 139198
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 139198

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 139198
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	9/16/2022