

Form 3160-5  
(June 2019)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB No. 1004-0137  
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.**5. Lease Serial No.  
NMSF078764  
6. If Indian, Allottee or Tribe Name**SUBMIT IN TRIPLICATE - Other instructions on page 2**

## 1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

## 2. Name of Operator

LOGOS OPERATING, LLC

3a. Address 2010 AFTON PLACE  
FARMINGTON, NM 874013b. Phone No. (include area code)  
(505) 278-8720

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC 30 T31N R05W NESW UNIT K 2300 FSL 946 FWL

7. If Unit of CA/Agreement, Name and/or No.  
NMNM78407E8. Well Name and No.  
ROSA UNIT 662H9. API Well No.  
30-039-3141710. Field and Pool or Exploratory Area  
BASIN MANCOS11. Country or Parish, State  
RIO ARRIBA COUNTY, NM

## 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off Well	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other - Intermediate Casing	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

5/19/22 Walk rig over from Rosa Unit 658H.

5/20/22 NU BOP. PT surface csg to 1500psi. Test good.

5/21-26/22 Drill 12.25" intermediate hole f/406' t/5187'. Circulate.

5/27/22 Wash &amp; ream f/1297' t/2049', Circ. TIH, Wash ream f/5016' t/5181'. Drill 12.25" hole f/5187' t/5460'.

5/28/22 Cont drilling f/5460' to TD @ 6285'.

5/29/22 TOOH & LD directional tools & bit. TIH w/149jts 9-5/8" N-80 43.5# csg land @ 6270' w/FC @ 6188'. DV tools @ 4682' & 3128'. RD csg crew. Circ. RU cementers. Stage1 CMT lead w/272sxs(111bbbs, 626cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/337sxs(69bbbs, 388cf) Premium G @ 15.8ppg, 1.15yld. Drop plug, displace w/490bbbs FW & mud. Open tool. Circ no cmt to surface. TOC estimated @ 5199'. Bump plug @ 22:23. PT to 10,000psi. ND BOP & walked rig to Rosa Unit 664H.

5/30/2022 Stage2 CMT lead w/203sxs(83bbbs, 467cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/285sxs(88bbbs, 493cf) 65/35 @ 13.2ppg, 1.73yld. Drop plug, displace w/346bbbs water & mud. Open tool. Circ 25bbbs to surface. Bump plug @ 10:18. Stage3 CMT lead w/615sxs(252bbbs, 145cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/279sxs(86bbbs, 483cf) 65/35 @ 13.2ppg, 1.73yld. Drop plug, displace w/234bbbs FW. Bump plug @ 21:15hr. Close DV tool. No cmt to surface. TOC estimated @ 232'. RD cmt crew Request to run CBL on 9-5/8" INT casing cement will be on a separate sundry.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Etta Trujillo

Title Regulatory Specialist

Signature



Date 06/17/2022

**THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Well Name: ROSA UNIT	Well Location: T31N / R5W / SEC 30 / NESW / 36.869668 / -107.404553	County or Parish/State: RIO ARRIBA / NM
Well Number: 662H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF0078764	Unit or CA Name:	Unit or CA Number: NMNM078707E
US Well Number: 300393141700X1	Well Status: Drilling Well	Operator: LOGOS OPERATING LLC

Subsequent Report

Sundry ID: 2677534

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/17/2022

Date Operation Actually Began: 05/19/2022

Type of Action: Other

Time Sundry Submitted: 09:35

**Actual Procedure:** 5/19/22 Walk rig over from Rosa Unit 658H. 5/20/22 NU BOP. PT surface csg to 1500psi. Test good. 5/21-26/22 Drill 12.25" intermediate hole f/406' t/5187'. Circulate. 5/27/22 Wash & ream f/1297' t/2049', Circ. TIH, Wash ream f/5016' t/5181'. Drill 12.25" hole f/5187' t/5460'. 5/28/22 Cont drilling f/5460' to TD @ 6285'. 5/29/22 TOOH & LD directional tools & bit. TIH w/149jts 9-5/8" N-80 43.5# csg land @ 6270' w/FC @ 6188'. DV tools @ 4682' & 3128'. RD csg crew. Circ. RU cementers. Stage1 CMT lead w/272sxs(111bbbs, 626cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/337sxs(69bbbs, 388cf) Premium G @ 15.8ppg, 1.15yld. Drop plug, displace w/490bbbs FW & mud. Open tool. Circ no cmt to surface. TOC estimated @ 5199'. Bump plug @ 22:23. PT to 10,000psi. ND BOP & walked rig to Rosa Unit 664H. 5/30/2022 Stage2 CMT lead w/203sxs(83bbbs, 467cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/285sxs(88bbbs, 493cf) 65/35 @ 13.2ppg, 1.73yld. Drop plug, displace w/346bbbs water & mud. Open tool. Circ 25bbbs to surface. Bump plug @ 10:18. Stage3 CMT lead w/615sxs(252bbbs, 145cf) 65/35 Lead @ 12.0ppg, 2.30yld, and Tail w/279sxs(86bbbs, 483cf) 65/35 @ 13.2ppg, 1.73yld. Drop plug, displace w/234bbbs FW. Bump plug @21:15hr. Close DV tool. No cmt to surface. TOC estimated @ 232'. RD cmt crew Request to run CBL on 9-5/8" INT casing cement will be on a separate sundry.

Received by OCD: 6/22/2022 8:46:13 AM

Page 3 of 4

Well Name: ROSA UNIT	Well Location: T31N / R5W / SEC 30 / NESW / 36.869668 / -107.404553	County or Parish/State: RIO ARRIBA / NM
Well Number: 662H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF0078764	Unit or CA Name:	Unit or CA Number: NMNM078707E
US Well Number: 300393141700X1	Well Status: Drilling Well	Operator: LOGOS OPERATING LLC

SR Attachments

Actual Procedure

3160\_5\_Rosa\_Unit\_662H\_INT\_Subsequent\_Report\_20220530\_20220617093518.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ETTA TRUJILLO	Signed on: JUN 17, 2022 09:35 AM
Name: LOGOS OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 2010 AFTON PLACE	
City: Farmington	State: NM
Phone: (505) 324-4154	
Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 06/17/2022
Signature: Kenneth Rennick	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 119410

CONDITIONS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 119410
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	9/19/2022