

Well Name: FROST	Well Location: T27N / R10W / SEC 25 / SWSW / 36.541489 / -107.851227	County or Parish/State: SAN JUAN / NM
Well Number: 502	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM03198	Unit or CA Name: FROST	Unit or CA Number: NMNM86306
US Well Number: 3004528423	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2678673

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/24/2022

Date Operation Actually Began: 06/17/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:03

Actual Procedure: Subject well was plug and abandoned on 6/22/22. Please see attached operational reports.

SR Attachments

Actual Procedure

Current\_Schematic\_20220624130304.pdf

Frost\_502\_P\_A\_SR\_20220624130302.pdf

Well Name: FROST	Well Location: T27N / R10W / SEC 25 / SWSW / 36.541489 / -107.851227	County or Parish/State: SAN JUAN / NM
Well Number: 502	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM03198	Unit or CA Name: FROST	Unit or CA Number: NMNM86306
US Well Number: 3004528423	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KANDIS ROLAND	Signed on: JUN 24, 2022 01:03 PM
Name: HILCORP ENERGY COMPANY	
Title: Operation Regulatory Tech	
Street Address: 382 Road 3100	
City: Farmington	State: NM
Phone: (505) 599-3400	
Email address: kroland@hilcorp.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 06/24/2022
Signature: Kenneth Rennick	

Frost 502  
30-045-28423  
P&A SR

**6/17/22** –MIRU. SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. **Verbal approval by Monica Kuehling & Kenny Rennick to not run a CBL since cement was circulated to surface during the initial completion.** ND WH, NU BOP. PT BOP, Good test. Pull tbg hanger. Tbg moved 1' string, tbg parted. LD 45 jts. Top of Fish @ 1413'. SDFN.

**6/20/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. TIH w/ with fishing tools. Latch on to fish @ 1423'. TOOH with no fish. TIH wash down to fish, pressure up 500#. Bleed off pressure. No movement. WU wireline. RIH w/ jet cutter. Could not get past 1423'. RD wireline. Pump 250 gal acid down backside. SDFN.

**6/21/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. Work tbg. TOOH no fish. PU wash pipe. TIH, wash over 210' of fish. TOOH. Circ well clean. LD tbg. TOOH. TIH w/ outside cutter to 1410'. PU power swivel. SIW. SDFN.

**6/22/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. Cut tbg @ 16.19'. LD 3 jts tbg. TOOH, LD 193' fish. Top of Fish @ 1619'. Attempt to establish pump rate, pressured up 700 psi. **Verbal approval from Monica Kuehling, NMOCD & Darrell Priddy, BLM to leave fish in hole and pump inside plug 1200' to 1619'.** TIH and LD fishing tools. RIH w/ tbg to 1618'.

**Plug 1 (Fruitland, Kirtland, Ojo 1200' – 1619') Mix and pump: 32 sx Class G Neat, 15.8 PPG, 1.15 Yield.** TOOH w/ tbg. WOC. TIH tag TOC @ 1289'. LD tbg.

**Plug 2 (264' – Surface) Mix and pump: 22 sxs Class G Neat, 15.8 PPG, 1.15 Yield to surface.** LD tbg. WOC. ND BOP. Cut off WH. Install dry hole marker. **Mix 36 sx Class G Neat 1.5 Yield, 15.8 PPG Density.** Top of cellar to surface with cmt. RDMO.


**The subject well was plugged and abandoned on 6/22/2022**



## Current Schematic

Well Name: FROST #502

API / UWI 3004528423	Surface Legal Location 025-027N-010W-M	Field Name BASIN FRUITLAND COAL (GAS)	Route 0607	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,541.00	Original KB/RT Elevation (ft) 6,553.00	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 120990

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 120990
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 6/22/22	9/23/2022