Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: TEXAKOMA FEDERAL 7 Well Location: T30N / R12W / SEC 7 / County or Parish/State: SAN

Well Number: 2 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM047 Unit or CA Name: Unit or CA Number:

US Well Number: 3004530527 Well Status: Abandoned Operator: HILCORP ENERGY

COMPANY

Subsequent Report

Sundry ID: 2666847

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/13/2022 Time Sundry Submitted: 12:31

Date Operation Actually Began: 04/06/2022

Actual Procedure: The following well has been P&A'd as of 4/8/2022. See attached for plugging operations

SR Attachments

Actual Procedure

30045305270000_Texakoma_Federal_7_2_P_A_SR_20220413123106.pdf

Page 1 of 2

well Name: TEXAKOMA FEDERAL 7 Well Location: T30N / R12W / SEC 7 / County or Parish/State: SAN

NENW / 36.832291 / -108.141694

Well Number: 2 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM047 Unit or CA Name: Unit or CA Number:

US Well Number: 3004530527 Well Status: Abandoned Operator: HILCORP ENERGY

COMPANY

JUAN / NM

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: AMANDA WALKER Signed on: APR 13, 2022 12:31 PM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted **Disposition Date:** 04/14/2022

Signature: Kenneth Rennick

Page 2 of 2

Texakoma Federal 7 2 30-045-30527 LEASE: NMNM047 P&A SR

4/6/2022: MIRU. CK WELL PRESSURES (SITP- 0 PSI SICP- 200 PSI SIBHP- 0 PSI). POOH LD PMP & RODS. ND WH. NU BOPE. POOH WHILE SCANNING TBG. PU & TIH W/WORK STRING. SDFN.

4/7/2022: CK WELL PRESSURES (SITP- N/A SICP- 0 PSI SIBHP- 0 PSI). TIH W/WORKSTRING TO 2111'. PMP CSG CAPACITY & EST CIRC. ABLE TO PROCEED W/BALANCED PLUG IN PERFS. MIX & PMP PLUG #1 F/2111' TO 1957' W/ 18 SKS CLASS G NEAT CMT. PMPD 3.6 BBL SLURRY @ 1.15 YIELD & 15.5 PPG. DURING PLUGGING OPS CIRC WAS LOST. UNDER DISPLACED PLUG W/ 4 BBLS & CUT PUMPS. TBG ON VACUUM AS PLANNED AFTER DISPLACEMENT WAS PUMPED. POOH W/ENTIRE TBG STRING. WOC 4 HRS. TIH W/PLUGGING SUB & TAG TOC @ 2010'. REC'D OKAY TO PROCEED W/NEXT PLUG. POOH. PU CSG SCRAPER & ROUND TIH TO 1740'. PU CMT RETAINER. TIH & SET RETAINER @ 1704'. PT TBG, TST GOOD. PT CSG, TST GOOD. MIX & PMP PLUG #2 F/ 1704' TO 1360' W/ 40 SKS CLASS G NEAT CMT. PMP'D 8.19 BBL SLURRY AT 1.15 YIELD & 15.8 PPG. DISPLACE CMT PLUG W/ 4.5 BBLS. L/D 34 TBG JTS. STAND BACK 10 STANDS. L/D SETTING TOOL. TIH W/ 10 STANDS TO 637'. MIX & PMP PLUG #3 & #4 COMBINED F/ 637' TO SURFACE W/ 80 SKS CLASS G NEAT CMT 16.38 BBL SLURRY @ 1.15 YIELD & 16.3 PPG. CIRC GOOD RETURNS TO SURFACE. L/D 20 TBG JTS PULLING ALL THE WAY OOH. TOP OFF CSG W/ LEFTOVER CMT IN TUB. SDFN.

4/8/2022: CK WELL PRESSURES ((SITP- N/A SICP- 0 PSI SIBHP- 0 PSI). CMT SOLID 2' FROM SURF IN CSG. DIG OUT WH. RU WELDER. CUT OFF WH. CMT DWN 92' IN ANNULUS. WELD ON DRY HOLE MARKER. MIX & TOP OFF CELLAR W/62 SKS CLASS G NEAT CMT 1.15 YIELD & TOTALING 12.69 BBL SLURRY. RDRR @ 09:00 HRS.

**GAIL CLAYTON W/BLM ON LOCATION TO WITNESS PLUGGING OPERATIONS. ALL PLUGS PMP'D WERE APPROVED BY OCD & BLM REP ON LOCATION.

ADJUSTED COA FROM OCD AS FOLLOWS: There is a gap in perforations on the fruitland giving room to do a plug at the pc. Please run plug on PC 50 feet below top and 100 feet (that is 50 feet above top of pc with 100% excess making 100 feet) above top of pc. Running a plug of 150 feet. Open ended is fine just make sure tubing is 50 feet below top of pc. You may lose the cement in the perforations. Tagging is required – please let me know what the tag is. As long as there is a good pressure test you are approved to combine Ojo Kirtland Surface shoe to surface – 636 to surface. (also as long as bradenhead 1 to 0.)




Schematic - Current

Well Name: TEXAKOMA FEDERAL 7 #2

API / UWI 3004530527 Surface Legal Location T30N-R12W-S07 Flora Vista Fruitland Sand License No. State/Province New Mexico Vertical

Original KB/RT Elevation (ft) 5,925.00 Signal Spud Date 5/16/2001 00:00 Signal Rig Release Date 5/21/2001 00:00 PBTD (All) (ftKB) Original Hole - 2,164.0 Total Depth All (TVD) (ftKB)



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 99063

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	99063
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Well plugged 4/8/22	9/23/2022