UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an				NMLC067775			
Do not use thi abandoned wel	s form for proposals to II. Use form 3160-3 (API	drill or to re- D) for such p	enter an roposals.		6. If Indian, Allottee or	r Tribe	Name
SUBMIT IN T	TRIPLICATE - Other inst	tructions on	page 2		7. If Unit or CA/Agree	ment, N	Name and/or No.
Type of Well ☐ Gas Well ☐ Oth	er				8. Well Name and No. U.S.M. 01		
Name of Operator ROVER OPERATING LLC	Contact: E-Mail: zdyer@rov	ZACH DYER erpetro.com			9. API Well No. 30-025-24327-0	0-S1	
3a. Address 17304 PRESTON ROAD, SUI DALLAS, TX 75240	TE 300	3b. Phone No Ph: 214-23	. (include area code) 4-9115		10. Field and Pool or E SAWYER	Explorat	tory Area
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)			11. County or Parish, S	State	
Sec 27 T9S R37E NWNE 660 33.510649 N Lat, 103.138556					LEA COUNTY, I	NM	
12. CHECK THE AP	PROPRIATE BOX(ES)	TO INDICA	ΓΕ NATURE OI	F NOTICE,	REPORT, OR OTH	IER D	ATA
TYPE OF SUBMISSION			TYPE OF	ACTION			
☐ Notice of Intent	☐ Acidize	□ Deep	pen	☐ Product	ion (Start/Resume)		Vater Shut-Off
Subsequent Report	☐ Alter Casing	-	raulic Fracturing	☐ Reclam	ation		Vell Integrity
	☐ Casing Repair		Construction	☐ Recomp			Other
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	⊠ Plug □ Plug	and Abandon	☐ Tempor☐ Water I	arily Abandon		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi O2/07/20 MIRU plugging equip 02/10/20 RIH w/ gauge ring, taw/ 70 BBLs MLF. Pressure tes Tagged plug @ 4535'. Tried to 02/13/20 Perf'd csg @ 4263'. If 4313-3935'. WOC. Tagged plug 25 sx class C cmt @ 2647-302 O2/14/20 Tagged plug @ 2665 class C cmt @ 2470-2092' per	operations. If the operation re- condomment Notices must be file and inspection. In the properties of the condomnent of the agged CIBP @ 4800'. RIF- sted csg, held 0 PSI. Spot operation of the condomnent of the pressured up on perfs to ag @ 3950'. Perf'd csg @ 25'. WOC. In the operation re- condomnent of the condom	well head, N well head, N well head, N well staggetted 25 sx class PSI. 600 PSI. Spo 2975'. Press	e completion or recorequirements, including UBOP. ed CIBP @ 4800 ass C cmt @ 4800 atted 25 sx class of the complete on perfs to 700 PS	mpletion in a ring reclamation '. Circulated D-4502'. WC C cmt @ to 700 PSI.	new interval, a Form 3160 n, have been completed a d hole DC> Spotted	0-4 mus	st be filed once
14. I hereby certify that the foregoing is Comr Name(Printed/Typed) ZACH DYI	#Electronic Submission For ROVEF mitted to AFMSS for proces	ROPERATING	LLC, sent to the DRAH MCKINNEY	Hobbs	20 (13JA0199S)		
Signature (Electronic S	Submission)		Date 10/21/20	020			
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By ACCEPT	ED		DEBORAH _{Title} LEGAL INS	I MCKINNE STRUMENT			Date 10/22/2020
Conditions of approval, if any, are attached certify that the applicant holds legal or equ which would entitle the applicant to condu	itable title to those rights in the		Office Hobbs				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s				willfully to ma	ake to any department or	agency	of the United

(Instructions on page 2)
** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #534827 that would not fit on the form

32. Additional remarks, continued

cmt @ 2470-2092'. WOC.

02/17/20 Tagged plug @ 2150'. Isolated holes in csg @ 1314-1346'. Sqz'd 45 sx class C cmt @ 1346' & displaced to 1260'. WOC. No tag. Re-Squeezed 45 sx class C cmt @ 1346' & displaced to 1260'. WOC.

02/18/20 Pressured up on plug to 600 PSI. Tagged plug @ 1170'. Perf'd csg @ 480'. ND BOP, NU well head. Sqz'd 40 sx class C cmt @ 480-380'. WOC. Tagged plug @ 340'. Perf'd csg @ 60'. Sqz'd 35 sx class C cmt @ 60' & circulated to surface. Rigged down & moved off.

02/19/20 Moved in backhoe and welder, cut off well head, and Kevin Busell w/h BLM verified cmt to surface. Welded on "Below Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Revisions to Operator-Submitted EC Data for Sundry Notice #534827

Operator Submitted

BLM Revised (AFMSS)

ABD Sundry Type:

SR

ABD SR

Lease: NMLC067775 NMLC067775

Agreement:

Operator:

ROVER PETROLEUM LLC.

17304 PRESTON RD. SUITE 300 DALLAS, TX 75252 Ph: 214-234-9115

ROVER OPERATING LLC

17304 PRESTON ROAD, SUITE 300 DALLAS, TX 75240 Ph: 214.234.9115

Admin Contact:

ZACH DYER

PETROLEUM ENGINEER E-Mail: zdyer@roverpetro.com Cell: 307-315-2418 Ph: 214-234-9115

ZACH DYER

PETROLEUM ENGINEER E-Mail: zdyer@roverpetro.com Cell: 307-315-2418 Ph: 214-234-9115

Tech Contact:

ZACH DYER

PETROLEUM ENGINEER E-Mail: zdyer@roverpetro.com Cell: 307-315-2418 Ph: 214-234-9115

ZACH DYER

PETROLEUM ENGINEER

E-Mail: zdyer@roverpetro.com Cell: 307-315-2418 Ph: 214-234-9115

Location:

State: County: NM LEA

Field/Pool: SA NM LEA

SAWYER

Well/Facility:

U S M 1 Sec 27 T09S R37E NWNE 660FNL 1980FEL

U.S.M. 01 Sec 27 T9S R37E NWNE 660FNL 1980FEL

33.510649 N Lat, 103.138556 W Lon

USM #1 Sub P&A Plugging Report

02/07/20 MIRU plugging equipment. Dug out cellar, ND well head, NU BOP. 02/10/20 RIH w/ guage ring, tagged CIBP @ 4800'. RIH w/ tbg, tagged CIBP @ 4800'. Circulated hole w/ 70 BBLs MLF. Pressure tested csg, held 0 PSI. Spotted 25 sx class C cmt @ 4800-4502'. WOC> Tagged plug @ 4535'. Tried to pressure test csg, held 0 PSI. 02/13/20 Perf'd csg @ 4263'. Pressured up on perfs to 600 PSI. Spotted 25 sx class C cmt @ 4313-3935'. WOC. Tagged plug @ 3950'. Perf'd csg @ 2975'. Pressured up on perfs to 700 PSI. Spotted 25 sx class C cmt @ 2647-3025'. WOC. 02/14/20 Tagged plug @ 2665'. Perf'd csg @ 2420'. Pressured up on perfs to 700 PSI. Spotted 25 sx class C cmt @ 2470-2092' per Kevin Busell w/ BLM's request. WOC. No Tag. Re-spotted 25 sx class C cmt @ 2470-2092'. WOC. 02/17/20 Tagged plug @ 2150'. Isolated holes in csg @ 1314-1346'. Sqz'd 45 sx class C cmt @ 1346' & displaced to 1260'. WOC. No tag. Re-Squeezed 45 sx class C cmt @ 1346' & displaced to 1260'. WOC. No tag. Re-Squeezed 45 sx class C cmt @ 1346' & displaced to 1260'. WOC. 02/18/20 Pressured up on plug to 600 PSI. Tagged plug @ 1170'. Perf'd csg @ 480'. ND BOP, NU well head. Sqz'd 40 sx class C cmt @ 480-380'. WOC. Tagged plug @ 340'. Perf'd csg @ 60'. Sqz'd 35 sx class C cmt @ 60' & circulated to surface. Rigged down & moved off. 02/19/20 Moved in backhoe and welder, cut off well head, and Kevin Busell w/h BLM verified cmt to surface. Welded on "Below Ground Dry Hole Marker". Backfilled cellar,cut off deadmen, cleaned location, and moved off.

•	•		_	Operato	r Rove	50	
		1/ "			c/No. US		_
	Hole Size	12/4			20025724		
	,				AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	Sec. 27	
						Lea CTY	
	<u>325</u> 5%s (Zement		,			
		_		R-111-P			
	TOC At _S	surf			ry Poliosh	Willem country of approximate polythological Edit enterprise for companying	
				Cass/K	arst	europolitik (* 1948 (h. 1920). Autopolitik (* 1948 (h. 1920).	eu.
	878 Casin	3 Set at 430		S LPC Ha	birati		
	Hole Size			Top Salt		en al Properti - en al el ser en entre en entre en entre en	bilize
				Base S.	AND THE PROPERTY OF	د العالم الع العالم العالم	
		, ;		_			
-	<u>250</u> Sxs	Cement	,	FORM A		386	
	A. 42	20 C + To		Dansen	Beds L1 -	380	~
		80 Est Toc		A star was an american and an american		320	
	Pert @	60' SOZ CM		or was a surple of the	Su reasonne persona constitue e constitue	925	
متعتب	to Surf	60' SOZ CM'	2 (receivement recommendation and Remains		3685 3685	
				3 marine Que B	وسليب بمهرسه وموروي ويامين وياسيان بمعدرا والخاط كالمتعادي والمادي	395 G	_
5)	Act (Shoe	380, WOC TOS		SA		42/3	_
	CMI TO	300,000,103		the 2 containing of materials and the solution of the solution	g proportion of the section of the s		-
\cap	11/5/	11/00 2420 5	'o 2	Experience of the contract of	one of the Contract of the second	(PTI), PB 4486-444-4930-TD MATERIA PARESTA PAR	_
9/	rept (1/5a)	11)@ 2420,5 300, WOC TO		Artisant Polis Book 27 (1917), is a ready with an electrical province engineering	والمنطقة المنطقة المنط	оборбинен (1 метрин	_
	CM! (C	and the state of t		. The common framework is a printing a man and an all the second and the common and the second a	у терерију (тогородију у пред на Алин фолософија (), Алек (Монеф ф) (), Алек (Монеф ф)	New Photos	
_	A + /		nhudosjatky:	DVT			
3)	Perf (TOP)	Vales /B/salt					
	@ 2975,5	Tea.		PERFO	RATIONS		
	ers, all	\@3.	1//10	$\frac{497}{}$	4	5022	_
_	N P 1			·····································	control to the formation of		_
))	Pert (Tops	san Andres) e z cont to 411 @ 4885, Spa	- 2	والمتعارفة والمسافرة والمتعارفة و	extraction and the second	mary jumps have the sufficient with the sufficient supply to the supply the s	
	WOC TOO	Z ent to 41		and the state of t	and the Control of th	weens and the second of the se	_
)	RIH Tag BP	@ 4885, SAO		Street till Emilion of phonone market his broader of the foreign and the second market			_
	25 CV 11	VT 4 08 - 171	35-1/1-1	January (1971) - Just Parl Heller Harrist Control of the State of the	r Winkestarf (Pharmacaumen authorisacher)	Talautanakan malahud tan malaman dalah incari palaman palaman dalah palaman dalah palaman dalah salah salah sa Salaman	
	WOC Tag.	, K J-55		9P 4885			
	W/2 1	g Set at 509	一個下				
_	The Casia	9 201001 - 009			A A		
_	10 At 50	96_ PETD	وزبر دو حينات القاولت الله عب		s A. Ame		
				575-2	234-590	r-4	

575-361-2648

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 78686

COMMENTS

Operator:	OGRID:
ROVER OPERATING, LLC	371484
17304 Preston Road	Action Number:
Dallas, TX 75252	78686
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	9/27/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 78686

CONDITIONS

Operator:	OGRID:
ROVER OPERATING, LLC	371484
17304 Preston Road Dallas, TX 75252	Action Number: 78686
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	9/26/2022