

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-11759
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator LEGACY RESERVES OPERATING LP		6. State Oil & Gas Lease No.
3. Address of Operator 15 SMITH ROAD, SUITE 3000, MIDLAND, TX 79705		7. Lease Name or Unit Agreement Name SOUTH JUSTIS UNIT
4. Well Location Unit Letter <u>F</u> : <u>1980</u> feet from the <u>NORTH</u> line and <u>1980</u> feet from the <u>WEST</u> line Section <u>25</u> Township <u>25S</u> Range <u>37E</u> NMPM County <u>LEA</u>		8. Well Number <u>F 24</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3086' GR		9. OGRID Number 240974
		10. Pool name or Wildcat JUSTIS;BLINEBRY-TUBB-DRINKARD

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☒	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

We are requesting the subject well be placed in TA status for four years. This well is located in the South Justis Waterflood Unit and we request temporary abandonment to allow for review of waterflood pattern and potential injector conversion.

1. TOO H with rods and tubing.
2. Set CIBP @ 4,928' with 35' of cement.
3. Tag cement top.
4. Circulate well and load casing with inert fluid.
5. Notify NMOCD for MIT.

**Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart**

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE MELANIE REYES TITLE Regulatory Tech DATE 09/29/2022
Type or print name MELANIE REYES E-mail address: mreyes@legacyreserves.com PHONE: 432-221-6358
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/6/22
Conditions of Approval (if any):

Current

Wellbore Schematic

Printed: 9/1/2022

Page 1

South Justis Unit # F24

BOLO ID: 300054.51.02

API # 3002511759

South Justis Unit # F24, 9/1/2022

1980 FNL & 1980 FWL	GL Elev:	3,058.00	KOP:	
Section 25, Township 25S, Range 37E	EOC:			
County, State: Lea, NM	Fill Depth:	5,900		
Aux ID: 16900	PBTD:	5,926.00		
'KB' correction: 12; All Depths Corr To:	TD:	7,000.00		
	BOP:			

Hole Size

Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	497.00	8/13/1958
12.2500	497.00	3,263.00	8/24/1958
8.7500	3,263.00	7,150.00	

Surface Casing

Date Ran: 1/4/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing	124	13.3750			497.00	12.00	509.00

Intermediate Casing

Date Ran: 1/4/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing	82	9.6250			3,263.00	12.00	3,275.00

Production Casing

Date Ran: 1/4/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing	173	7.0000			6,926.00	12.00	6,938.00

Cement

Top At	Btm At	I D	O D	TOC Per	# - Type	# Sx	Class	Wt.
0.00	497.00	13.375	17.500	Circ	10	400		
950.00	3,263.00	9.625	12.250	TS	20	1500		
3,488.00	6,926.00	7.000	8.750	TS	30	500		

Zone and Perfs

BLINEBRY

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
4,978.00	5,926.00	Blinbry-Tubb/Drinkard	A				
6,926.00	7,000.00	Fusselman					

Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
5,926.00	6,030.00	Cement	7.000	Yes	
6,030.00	6,050.00	CIBP	7.000	Yes	

Tubing


Date Ran: 5/30/2018

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Tubing	153	2.8750			4,906.00	12.00	4,918.00
Tubing Anchor	1	7.0000			3.00	4,918.00	4,921.00
Tubing	21	2.8750			678.00	4,921.00	5,599.00
Tubing	2	2.8750			64.00	5,599.00	5,663.00
Seat Nipple	1	2.8750			1.00	5,663.00	5,664.00
Perf Nipple	1	2.8750			4.00	5,664.00	5,668.00
Mud Anchor	1	2.3750			32.00	5,668.00	5,700.00

Rods

Date Ran: 5/30/2018

Description	#	Diameter	Rod Box	Grade	Length	Top At	Btm At
Polish Rod	1	1.2500					
Polish Rod Liner	1	1.5000					0.00
Pony Rods	3	1.0000			12.00	0.00	12.00
Rods	9	1.0000			225.00	12.00	237.00
Rods	36	0.8750			900.00	237.00	1,137.00
Rods	64	1.0000		FG	2,400.00	1,137.00	3,537.00
Rods	40	0.8750			1,000.00	3,537.00	4,537.00
Rods	36	0.7500			900.00	4,537.00	5,437.00



◇ = Fluid Level with Gas

◆ = Net Fluid Level

Wellbore Schematic

Printed: 9/1/2022

Page 2


South Justis Unit # F24			BOLO ID: 300054.51.02			API # 3002511759		
Sinker Bars	6	1.5000			150.00	5,437.00	5,587.00	
Stabilizer	1	1.0000			4.00	5,587.00	5,591.00	
Pump	1	1.5000			24.00	5,591.00	5,615.00	
2.5-1.5-24-4								
Gas Anchor	1	1.2500			6.00	5,615.00	5,621.00	

Proposed

Wellbore Schematic

Printed: 9/1/2022

Page 1



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 147500

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 147500
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT test	10/6/2022