

Well Name: PURE GOLD MDP1 29-17 FED COM	Well Location: T23S / R31E / SEC 29 / SESE / 32.2698692 / -103.794464	County or Parish/State: EDDY / NM
Well Number: 175H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0281482A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001545780	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2652389

Type of Submission: Subsequent Report	Type of Action: Other
Date Sundry Submitted: 01/13/2022	Time Sundry Submitted: 08:20
Date Operation Actually Began: 01/10/2022	

Actual Procedure: OXY USA Inc. received BLM verbal approval to plugback and sidetrack the subject well. Pease see the attached details on the current well status, plan forward to sidetrack and wellbore diagram for reference.

SR Attachments

Actual Procedure

1_10_2022_BLMVerbalApplEmail_PureGold175H_Sidetrack_20220113081812.pdf

Well Number: 175H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0281482A

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001545780

Well Status: Drilling Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES

Signed on: JAN 13, 2022 08:19 AM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON

State: TX

Phone: (713) 497-2492

Email address: LESLIE_REEVES@OXY.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752342234

BLM POC Email Address: cwalls@blm.gov

Disposition: Accepted

Disposition Date: 10/07/2022

Signature: Chris Walls

Reeves, Leslie T

From: Vo, Long T <lvo@blm.gov>
Sent: Monday, January 10, 2022 4:14 PM
To: Collins, Calen R
Cc: Maxwell, Price A; Reeves, Leslie T; Granier, Garrett E
Subject: Re: [EXTERNAL] Pure Gold MPD1 29_17 Fed Com 175H - sidetrack

Follow Up Flag: Follow up
Flag Status: Flagged

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

Calen,

You have verbal to move forward as planned. Please submit a subsequent sundry within 5 days of the verbal approval. Please plan to bring cement to surface on the next casing. If cement does reach surface please contact the appropriate BLM office.

Long Vo

Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: Collins, Calen R <Calen_Collins@oxy.com>
Sent: Monday, January 10, 2022 3:15:06 PM
To: Vo, Long T <lvo@blm.gov>
Cc: Maxwell, Price A <Price_Maxwell@oxy.com>; Reeves, Leslie T <Leslie_Reeves@oxy.com>; Granier, Garrett E <Garrett_Granier@oxy.com>
Subject: [EXTERNAL] Pure Gold MPD1 29_17 Fed Com 175H - sidetrack

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Long,

As discussed, H&P 479 left tools in the hole while drilling 8-3/4" intermediate section on the Pure Gold MPD1 29_17 Fed Com 175H. We will have to sidetrack the original wellbore around the fish to complete the section as per plan.

Current status:


- 9-5/8" casing set at 4292'

- Original hole drilled to 7365'
- Top of fish at 7299'
- TAM open hole packer set at 6300'

Plan forward:

- Pump 600' cement plug on top of packer from 6300'-5700'
- Sidetrack wellbore in the 5700' – 5800' range
- Continue drilling 8-3/4" intermediate hole as per plan

Please see attached wellbore schematic that summarizes current state and plan forward. Please let me know if you need anything else from me.

Wellhead: 13-5/8" 45 MNDS 10x10x15		HOLE SIZE	Casing	Set Depth	MUD WT. (ppg)	FLUID TYPE	ADDITIONAL INFO
		26"					20" Conductor Pre-installed
		17.5"	13-3/8"	506	8.4 - 8.6	Spud Mud	Surface Casing: 13.375" 54.5# J-55 BTC ID/Drift: 12.615" / 12.459" Conn OD: 14.375" Burst: 2730 psi Collapse: 1130 psi Axial: 853body, 909conn <i>Pre-set by Transcend</i> Cement to Surface
		12.25"	9-5/8"	4292	9.5-10.5	Brine	Salt Casing: 9.625" 40# L-80 HC BTC ID/Drift: 8.835" / 8.75" Conn OD: 10.625" Burst: 5750 psi Collapse: 3870 psi Axial: 916body, 947conn
		8.75"			9.4	Produced water	7365' original hole TD - began trip for RSS failure
600' Cement plug to 5700							Sidetrack KOP: 5,800' @ 190 MTF
PACKER @ 6,300'							Cement Plug: 6300-5700'
TOF = 7299'							Packer @ 6,300'
7365'							<i>top of Brushy at 6326'</i>

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 149790

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 149790
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
kpickford	Adhere to previous NMOCD Conditions of Approval	10/13/2022