

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 8/19/22
⁴ API Number 30-015-48929	⁵ Pool Name PADUCA; BONE SPRING (O)	⁶ Pool Code 96641
⁷ Property Code 300635	⁸ Property Name Cotton Draw Unit	⁹ Well Number 540H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	25S	31E		552	South	914	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	1	25S	31E		92	North	402	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 8/19/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters



¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
329657	Cotton Draw Midstream, L.L.C. 333 W. Sheridan Ave. Oklahoma City, OK 731702	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 3/15/22	²² Ready Date 8/19/22	²³ TD 19196	²⁴ PBDT 19,186 MD/8,825 TVD	²⁵ Perforations 9015 - 19174	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	709	600 sx CLC; Circ 243 sx		
12-1/4"	9-5/8"	11982	945 sx CLC ; Circ 6 sx		
8-1/2"	5-1/2"	19186	2270 sx CIH; Circ 0 sx		
	Tubing: 2-7/8"	8570			

V. Well Test Data

³¹ Date New Oil 8/29/22	³² Gas Delivery Date 8/29/22	³³ Test Date 8/29/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 1653 psi	³⁶ Csg. Pressure 132 psi
³⁷ Choke Size N/A	³⁸ Oil 1140 bbl	³⁹ Water 1491 bbl	⁴⁰ Gas 2995 mcf	⁴¹ Test Method flowing	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Shayda Omoumi		Approved by: 	
Title: Regulatory Compliance Professional		Title: Petroleum Engineer	
E-mail Address: shayda.omoumi@dvn.com		Approval Date: 10/20/22	
Date: 9/14/2022	Phone: 405-552-3513		

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-48929	Pool Code 96641	Pool Name PADUCA;BONE SPRING (O)
Property Code 300635	Property Name COTTON DRAW UNIT	Well Number 540H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3414.0'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	25-S	31-E		552	SOUTH	914	WEST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
LOT 4	1	25-S	31-E		92	NORTH	402	WEST	EDDY
Dedicated Acres 320.35	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

COTTON DRAW UNIT 540H
ELEV: 3414.0'
LAT:32.139079
LON:103.737155
N:414843.44
E:725867.46
KICK OFF POINT
351' FWL 12' FNL SEC. 13
LAT:32.137522
LON:103.738972
N:414273.97
E:725308.35
FIRST TAKE POINT
360' FWL 327' FSL SEC. 12
LAT:32.138454
LON:103.738942
N:414613.02
E:725315.64
LAST TAKE POINT
403' FWL 114' FNL SEC. 1
LAT:32.166341
LON:103.738783
N:424758.20
E:725309.08
BOTTOM OF HOLE
LAT:32.166402
LON:103.738787
N:424780.15
E:725307.55

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION
I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
 8/8/2022
Signature Date
Shayda Omoumi
Printed Name
shayda.omoumi@dvn.com
E-mail Address

SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
05/2022
Date of Survey
Signature & Seal of Professional Surveyor

08/03/2022
Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Eddy County, NM (NAD83)

Cotton Draw Unit

Cotton Draw Unit 540H

ST01

Design: ST01

Survey Report - Geographic

11 May, 2022

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Cotton Draw Unit			
Site Position:		Northing:	435,369.65 usft	Latitude:	32.1955958
From:	Map	Easting:	719,574.94 usft	Longitude:	-103.7571294
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.31 °

Well	Cotton Draw Unit 540H					
Well Position	+N/-S	0.00 usft	Northing:	414,843.44 usft	Latitude:	32.1390794
	+E/-W	0.00 usft	Easting:	725,867.46 usft	Longitude:	-103.7371555
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,414.00 usft

Wellbore	ST01				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	2/10/2022	6.45	59.72	47,565.30000000

Design	ST01				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	8,112.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	356.77	

Survey Program	Date	5/11/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
176.00	8,112.00	Survey #1 (Pilot Hole)	MWD+HRGM	OWSG MWD + HRGM	
8,300.00	19,196.00	Survey #1 (ST01)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	414,843.44	725,867.46	32.1390794	-103.7371555
176.00	0.30	73.90	176.00	0.13	0.44	414,843.57	725,867.90	32.1390797	-103.7371541
267.00	0.20	24.50	267.00	0.34	0.74	414,843.78	725,868.19	32.1390803	-103.7371531
357.00	0.30	27.20	357.00	0.69	0.91	414,844.13	725,868.37	32.1390812	-103.7371525
448.00	0.30	346.90	448.00	1.13	0.97	414,844.57	725,868.42	32.1390825	-103.7371524
539.00	0.40	292.30	538.99	1.49	0.62	414,844.93	725,868.07	32.1390834	-103.7371535
638.00	0.40	296.80	637.99	1.77	-0.01	414,845.21	725,867.45	32.1390842	-103.7371555
777.00	0.70	261.00	776.99	1.86	-1.28	414,845.30	725,866.17	32.1390845	-103.7371596
868.00	0.70	259.90	867.98	1.68	-2.38	414,845.12	725,865.08	32.1390840	-103.7371631
959.00	0.60	250.20	958.97	1.42	-3.37	414,844.86	725,864.08	32.1390833	-103.7371664
1,050.00	0.60	241.00	1,049.97	1.02	-4.24	414,844.46	725,863.22	32.1390822	-103.7371692

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,140.00	1.60	230.80	1,139.95	0.00	-5.63	414,843.44	725,861.83	32.1390795	-103.7371737
1,232.00	3.50	218.90	1,231.86	-3.00	-8.38	414,840.44	725,859.07	32.1390713	-103.7371826
1,323.00	4.60	217.20	1,322.63	-8.06	-12.34	414,835.38	725,855.12	32.1390574	-103.7371955
1,415.00	5.80	215.00	1,414.25	-14.81	-17.23	414,828.63	725,850.22	32.1390389	-103.7372114
1,510.00	7.50	214.00	1,508.60	-23.88	-23.45	414,819.56	725,844.00	32.1390141	-103.7372317
1,604.00	8.60	215.00	1,601.68	-34.73	-30.91	414,808.71	725,836.54	32.1389844	-103.7372560
1,698.00	10.60	217.70	1,694.36	-47.33	-40.23	414,796.11	725,827.22	32.1389499	-103.7372863
1,793.00	10.20	218.50	1,787.80	-60.82	-50.81	414,782.62	725,816.64	32.1389129	-103.7373207
1,888.00	11.00	220.10	1,881.17	-74.34	-61.89	414,769.10	725,805.57	32.1388760	-103.7373568
1,982.00	11.50	220.70	1,973.37	-88.30	-73.78	414,755.14	725,793.68	32.1388378	-103.7373954
2,077.00	11.20	220.60	2,066.51	-102.49	-85.95	414,740.95	725,781.50	32.1387990	-103.7374350
2,172.00	10.70	219.60	2,159.78	-116.29	-97.58	414,727.15	725,769.88	32.1387612	-103.7374728
2,267.00	10.00	219.20	2,253.23	-129.48	-108.42	414,713.96	725,759.04	32.1387251	-103.7375081
2,361.00	10.40	216.30	2,345.75	-142.64	-118.60	414,700.80	725,748.86	32.1386891	-103.7375412
2,456.00	11.20	213.70	2,439.07	-157.22	-128.79	414,686.21	725,738.66	32.1386491	-103.7375744
2,550.00	10.90	212.30	2,531.32	-172.33	-138.61	414,671.11	725,728.85	32.1386078	-103.7376064
2,644.00	10.20	211.90	2,623.73	-186.91	-147.75	414,656.53	725,719.70	32.1385678	-103.7376362
2,739.00	10.30	213.10	2,717.22	-201.17	-156.84	414,642.27	725,710.62	32.1385288	-103.7376658
2,833.00	10.70	215.90	2,809.64	-215.27	-166.54	414,628.16	725,700.91	32.1384901	-103.7376974
2,928.00	9.50	215.50	2,903.17	-228.80	-176.27	414,614.64	725,691.19	32.1384531	-103.7377290
3,022.00	8.70	214.40	2,995.99	-240.98	-184.79	414,602.46	725,682.67	32.1384198	-103.7377568
3,116.00	8.90	214.00	3,088.88	-252.88	-192.87	414,590.56	725,674.59	32.1383872	-103.7377831
3,210.00	9.50	214.80	3,181.67	-265.28	-201.36	414,578.16	725,666.09	32.1383532	-103.7378108
3,304.00	9.00	215.20	3,274.45	-277.65	-210.03	414,565.79	725,657.43	32.1383193	-103.7378390
3,398.00	8.70	215.00	3,367.33	-289.48	-218.35	414,553.95	725,649.11	32.1382869	-103.7378661
3,492.00	10.20	223.00	3,460.05	-301.40	-228.10	414,542.04	725,639.36	32.1382544	-103.7378978
3,586.00	10.50	228.10	3,552.53	-313.20	-240.15	414,530.24	725,627.30	32.1382221	-103.7379369
3,681.00	9.60	229.50	3,646.07	-324.13	-252.62	414,519.31	725,614.84	32.1381922	-103.7379774
3,775.00	10.00	224.20	3,738.70	-335.07	-264.27	414,508.37	725,603.19	32.1381623	-103.7380152
3,869.00	10.70	219.40	3,831.17	-347.67	-275.50	414,495.77	725,591.96	32.1381279	-103.7380517
3,963.00	10.00	217.40	3,923.64	-360.89	-285.99	414,482.55	725,581.46	32.1380917	-103.7380859
4,058.00	10.80	217.80	4,017.08	-374.48	-296.46	414,468.96	725,571.00	32.1380545	-103.7381199
4,152.00	11.30	220.90	4,109.34	-388.40	-307.89	414,455.04	725,559.57	32.1380164	-103.7381571
4,246.00	10.80	225.80	4,201.59	-401.50	-320.23	414,441.94	725,547.22	32.1379806	-103.7381972
4,340.00	9.70	225.70	4,294.09	-413.17	-332.21	414,430.27	725,535.24	32.1379487	-103.7382361
4,434.00	9.10	226.60	4,386.83	-423.81	-343.28	414,419.63	725,524.17	32.1379196	-103.7382721
4,529.00	9.70	228.50	4,480.55	-434.27	-354.73	414,409.16	725,512.72	32.1378910	-103.7383093
4,623.00	10.70	232.00	4,573.07	-444.89	-367.54	414,398.54	725,499.91	32.1378620	-103.7383508
4,717.00	10.10	232.80	4,665.52	-455.25	-380.98	414,388.19	725,486.47	32.1378338	-103.7383944
4,812.00	9.80	231.50	4,759.10	-465.32	-393.95	414,378.12	725,473.51	32.1378063	-103.7384365
4,906.00	9.70	232.60	4,851.74	-475.11	-406.50	414,368.33	725,460.96	32.1377796	-103.7384772
5,000.00	8.60	233.30	4,944.54	-484.12	-418.42	414,359.32	725,449.03	32.1377550	-103.7385159
5,095.00	7.80	234.00	5,038.57	-492.15	-429.34	414,351.29	725,438.12	32.1377331	-103.7385513
5,189.00	7.30	233.60	5,131.75	-499.45	-439.30	414,343.99	725,428.15	32.1377132	-103.7385836
5,283.00	7.00	234.00	5,225.02	-506.36	-448.74	414,337.08	725,418.71	32.1376943	-103.7386143
5,377.00	6.70	232.10	5,318.35	-513.09	-457.70	414,330.35	725,409.75	32.1376759	-103.7386433
5,471.00	6.10	231.10	5,411.76	-519.60	-465.92	414,323.84	725,401.54	32.1376582	-103.7386700
5,565.00	5.90	231.00	5,505.25	-525.77	-473.56	414,317.66	725,393.90	32.1376413	-103.7386948
5,659.00	5.60	230.50	5,598.78	-531.73	-480.85	414,311.71	725,386.60	32.1376250	-103.7387184
5,754.00	5.40	230.90	5,693.34	-537.50	-487.90	414,305.94	725,379.56	32.1376093	-103.7387413
5,848.00	4.70	228.30	5,786.97	-542.85	-494.21	414,300.59	725,373.25	32.1375947	-103.7387618
5,943.00	4.30	226.60	5,881.68	-547.89	-499.70	414,295.55	725,367.76	32.1375809	-103.7387796
6,025.95	4.04	227.39	5,964.41	-552.00	-504.11	414,291.44	725,363.35	32.1375697	-103.7387939
X SEC @ 6026' MD, 0' FNL, 410' FWL									
6,037.00	4.00	227.50	5,975.43	-552.52	-504.68	414,290.92	725,362.78	32.1375683	-103.7387958

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,132.00	3.70	225.50	6,070.22	-556.91	-509.31	414,286.53	725,358.15	32.1375563	-103.7388108
6,226.00	3.60	229.50	6,164.03	-560.95	-513.71	414,282.49	725,353.74	32.1375452	-103.7388251
6,320.00	3.50	229.50	6,257.85	-564.73	-518.14	414,278.71	725,349.32	32.1375349	-103.7388395
6,415.00	3.30	228.70	6,352.68	-568.42	-522.40	414,275.02	725,345.06	32.1375248	-103.7388533
6,509.00	3.20	231.90	6,446.53	-571.83	-526.50	414,271.61	725,340.96	32.1375155	-103.7388666
6,603.00	3.30	230.20	6,540.38	-575.18	-530.64	414,268.26	725,336.82	32.1375064	-103.7388801
6,697.00	3.10	229.50	6,634.23	-578.56	-534.65	414,264.88	725,332.80	32.1374971	-103.7388931
6,792.00	2.80	230.50	6,729.11	-581.70	-538.40	414,261.74	725,329.06	32.1374886	-103.7389052
6,887.00	2.60	230.60	6,824.00	-584.55	-541.85	414,258.89	725,325.61	32.1374808	-103.7389164
6,981.00	2.20	227.20	6,917.92	-587.13	-544.82	414,256.31	725,322.63	32.1374738	-103.7389261
7,075.00	1.80	238.90	7,011.86	-589.11	-547.41	414,254.32	725,320.05	32.1374683	-103.7389345
7,169.00	1.60	270.70	7,105.82	-589.86	-549.99	414,253.58	725,317.47	32.1374663	-103.7389428
7,263.00	1.50	294.80	7,199.79	-589.33	-552.42	414,254.11	725,315.04	32.1374678	-103.7389507
7,357.00	1.60	280.30	7,293.75	-588.58	-554.82	414,254.86	725,312.63	32.1374699	-103.7389584
7,452.00	1.60	280.70	7,388.72	-588.09	-557.43	414,255.34	725,310.02	32.1374713	-103.7389668
7,546.00	1.50	261.20	7,482.68	-588.04	-559.94	414,255.40	725,307.52	32.1374715	-103.7389749
7,641.00	1.30	235.00	7,577.66	-588.85	-562.05	414,254.59	725,305.41	32.1374693	-103.7389818
7,735.00	1.10	239.00	7,671.64	-589.92	-563.70	414,253.52	725,303.76	32.1374663	-103.7389871
7,830.00	1.00	240.80	7,766.62	-590.80	-565.20	414,252.64	725,302.26	32.1374640	-103.7389920
7,924.00	0.40	243.10	7,860.61	-591.35	-566.21	414,252.09	725,301.25	32.1374625	-103.7389953
8,018.00	0.60	343.50	7,954.61	-591.02	-566.64	414,252.42	725,300.81	32.1374634	-103.7389966
8,112.00	1.00	350.50	8,048.60	-589.74	-566.92	414,253.70	725,300.54	32.1374669	-103.7389975
Tie-On @ 8112' MD									
8,300.00	6.50	24.60	8,236.14	-578.44	-562.75	414,265.00	725,304.70	32.1374979	-103.7389839
8,392.00	6.90	19.80	8,327.51	-568.51	-558.72	414,274.93	725,308.74	32.1375251	-103.7389706
8,485.00	13.00	8.20	8,419.08	-552.88	-555.33	414,290.56	725,312.13	32.1375680	-103.7389594
8,488.90	13.32	7.69	8,422.87	-552.00	-555.20	414,291.44	725,312.25	32.1375705	-103.7389590
X SEC @ 8489' MD, 0' FSL, 359' FWL									
8,580.00	20.90	0.20	8,509.89	-525.31	-553.74	414,318.13	725,313.71	32.1376438	-103.7389538
8,675.00	27.70	359.70	8,596.42	-486.24	-553.80	414,357.20	725,313.66	32.1377512	-103.7389533
8,757.74	37.03	358.97	8,666.23	-442.00	-554.35	414,401.44	725,313.11	32.1378728	-103.7389543
X FTP @ 8758' MD, 100' FSL, 358' FWL									
8,769.00	38.30	358.90	8,675.14	-435.12	-554.47	414,408.32	725,312.98	32.1378917	-103.7389546
8,864.00	54.40	359.30	8,740.50	-366.62	-555.52	414,476.82	725,311.94	32.1380800	-103.7389567
8,917.00	64.80	1.40	8,767.29	-320.97	-555.19	414,522.47	725,312.26	32.1382055	-103.7389548
9,012.00	69.80	2.80	8,803.94	-233.42	-551.96	414,610.02	725,315.49	32.1384461	-103.7389428
9,107.00	74.50	2.50	8,833.05	-143.12	-547.79	414,700.32	725,319.67	32.1386943	-103.7389277
9,201.00	79.20	2.40	8,854.43	-51.69	-543.88	414,791.75	725,323.58	32.1389455	-103.7389135
9,295.00	81.40	1.80	8,870.27	40.90	-540.48	414,884.34	725,326.97	32.1392000	-103.7389009
9,389.00	87.00	1.50	8,879.76	134.34	-537.79	414,977.78	725,329.66	32.1394568	-103.7388905
9,484.00	89.50	2.50	8,882.66	229.23	-534.48	415,072.67	725,332.98	32.1397176	-103.7388781
9,580.00	90.70	2.40	8,882.50	325.14	-530.37	415,168.58	725,337.08	32.1399812	-103.7388631
9,675.00	91.60	1.80	8,880.59	420.05	-526.89	415,263.49	725,340.56	32.1402420	-103.7388502
9,769.00	91.80	1.90	8,877.80	513.96	-523.86	415,357.40	725,343.60	32.1405001	-103.7388387
9,863.00	92.50	2.00	8,874.27	607.84	-520.66	415,451.28	725,346.79	32.1407581	-103.7388267
9,958.00	93.50	2.00	8,869.30	702.65	-517.35	415,546.09	725,350.10	32.1410187	-103.7388143
10,052.00	93.50	2.00	8,863.56	796.42	-514.08	415,639.86	725,353.38	32.1412764	-103.7388021
10,147.00	92.40	1.60	8,858.68	891.25	-511.10	415,734.69	725,356.36	32.1415370	-103.7387908
10,241.00	92.20	2.00	8,854.90	985.12	-508.15	415,828.56	725,359.31	32.1417950	-103.7387796
10,335.00	90.50	0.60	8,852.69	1,079.07	-506.02	415,922.51	725,361.44	32.1420532	-103.7387710
10,430.00	90.80	359.70	8,851.61	1,174.06	-505.77	416,017.50	725,361.69	32.1423143	-103.7387685
10,525.00	90.60	359.50	8,850.45	1,269.05	-506.43	416,112.49	725,361.02	32.1425754	-103.7387690
10,619.00	90.70	359.80	8,849.38	1,363.04	-507.01	416,206.48	725,360.45	32.1428338	-103.7387691
10,714.00	91.30	359.80	8,847.73	1,458.03	-507.34	416,301.47	725,360.12	32.1430949	-103.7387685
10,807.00	91.90	359.60	8,845.13	1,550.99	-507.82	416,394.43	725,359.63	32.1433504	-103.7387684

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
10,901.00	92.50	359.80	8,841.52	1,644.92	-508.32	416,488.36	725,359.14	32.1436086	-103.7387683
10,997.00	91.30	359.10	8,838.34	1,740.86	-509.24	416,584.30	725,358.22	32.1438724	-103.7387696
11,091.00	89.60	358.90	8,837.60	1,834.84	-510.88	416,678.28	725,356.58	32.1441307	-103.7387732
11,184.00	90.10	358.50	8,837.84	1,927.81	-512.99	416,771.25	725,354.47	32.1443863	-103.7387784
11,278.00	90.80	358.10	8,837.10	2,021.77	-515.78	416,865.21	725,351.68	32.1446446	-103.7387857
11,373.00	90.90	357.70	8,835.69	2,116.69	-519.26	416,960.13	725,348.20	32.1449056	-103.7387953
11,464.00	91.80	359.20	8,833.55	2,207.63	-521.72	417,051.07	725,345.74	32.1451556	-103.7388016
11,555.00	92.20	358.90	8,830.38	2,298.56	-523.23	417,142.00	725,344.23	32.1454056	-103.7388048
11,645.00	92.80	359.30	8,826.45	2,388.47	-524.64	417,231.91	725,342.82	32.1456527	-103.7388078
11,736.00	91.60	0.10	8,822.96	2,479.40	-525.11	417,322.84	725,342.34	32.1459027	-103.7388077
11,827.00	92.00	359.70	8,820.10	2,570.35	-525.27	417,413.79	725,342.18	32.1461527	-103.7388066
11,917.00	93.10	359.50	8,816.09	2,660.26	-525.90	417,503.70	725,341.56	32.1463999	-103.7388070
12,010.00	93.50	359.30	8,810.74	2,753.10	-526.87	417,596.54	725,340.58	32.1466551	-103.7388085
12,102.00	91.30	0.20	8,806.89	2,845.01	-527.27	417,688.45	725,340.18	32.1469077	-103.7388082
12,193.00	89.60	0.20	8,806.17	2,936.00	-526.96	417,779.44	725,340.50	32.1471578	-103.7388055
12,284.00	88.40	359.70	8,807.76	3,026.99	-527.03	417,870.43	725,340.42	32.1474079	-103.7388042
12,375.00	88.10	359.50	8,810.54	3,117.94	-527.67	417,961.38	725,339.79	32.1476580	-103.7388046
12,466.00	88.50	359.10	8,813.24	3,208.90	-528.78	418,052.34	725,338.68	32.1479080	-103.7388066
12,557.00	89.50	358.60	8,814.83	3,299.86	-530.61	418,143.30	725,336.85	32.1481581	-103.7388108
12,649.00	89.00	358.20	8,816.03	3,391.82	-533.18	418,235.26	725,334.28	32.1484109	-103.7388175
12,741.00	89.00	357.70	8,817.64	3,483.74	-536.47	418,327.18	725,330.99	32.1486636	-103.7388265
12,835.00	91.10	359.90	8,817.56	3,577.71	-538.43	418,421.15	725,329.02	32.1489219	-103.7388312
12,930.00	91.80	0.80	8,815.15	3,672.68	-537.85	418,516.12	725,329.60	32.1491830	-103.7388276
13,047.00	92.70	0.80	8,810.56	3,789.58	-536.22	418,633.02	725,331.23	32.1495043	-103.7388202
13,142.00	91.50	0.40	8,807.08	3,884.51	-535.23	418,727.94	725,332.23	32.1497652	-103.7388153
13,237.00	90.80	0.40	8,805.17	3,979.48	-534.57	418,822.92	725,332.89	32.1500263	-103.7388115
13,331.00	91.10	0.60	8,803.61	4,073.47	-533.75	418,916.91	725,333.71	32.1502846	-103.7388072
13,425.00	91.50	0.90	8,801.48	4,167.43	-532.52	419,010.87	725,334.94	32.1505429	-103.7388015
13,520.00	89.40	0.10	8,800.73	4,262.42	-531.69	419,105.86	725,335.77	32.1508040	-103.7387971
13,614.00	89.80	359.60	8,801.39	4,356.42	-531.93	419,199.86	725,335.52	32.1510623	-103.7387963
13,708.00	90.30	0.20	8,801.31	4,450.42	-532.10	419,293.86	725,335.36	32.1513207	-103.7387951
13,803.00	90.30	0.60	8,800.81	4,545.41	-531.43	419,388.85	725,336.02	32.1515818	-103.7387913
13,897.00	90.30	1.00	8,800.32	4,639.40	-530.12	419,482.84	725,337.34	32.1518402	-103.7387854
13,992.00	90.70	0.80	8,799.49	4,734.39	-528.63	419,577.83	725,338.83	32.1521012	-103.7387788
13,994.02	90.71	0.79	8,799.46	4,736.41	-528.60	419,579.85	725,338.86	32.1521068	-103.7387787
X SEC @ 13994' MD, 0' FSL, 410' FWL									
14,086.00	91.30	0.30	8,797.85	4,828.37	-527.73	419,671.81	725,339.73	32.1523596	-103.7387743
14,180.00	89.50	1.30	8,797.19	4,922.35	-526.41	419,765.79	725,341.04	32.1526179	-103.7387683
14,275.00	89.10	0.90	8,798.35	5,017.33	-524.59	419,860.77	725,342.87	32.1528789	-103.7387608
14,370.00	89.40	1.30	8,799.60	5,112.30	-522.77	419,955.74	725,344.69	32.1531400	-103.7387532
14,465.00	89.70	0.80	8,800.34	5,207.28	-521.03	420,050.72	725,346.43	32.1534010	-103.7387458
14,559.00	89.80	0.30	8,800.75	5,301.28	-520.12	420,144.72	725,347.33	32.1536594	-103.7387413
14,652.00	90.30	359.80	8,800.67	5,394.28	-520.04	420,237.71	725,347.41	32.1539150	-103.7387393
14,748.00	90.40	359.40	8,800.09	5,490.27	-520.71	420,333.71	725,346.74	32.1541789	-103.7387398
14,842.00	90.90	358.40	8,799.02	5,584.25	-522.52	420,427.69	725,344.94	32.1544372	-103.7387439
14,937.00	89.50	359.40	8,798.69	5,679.22	-524.34	420,522.66	725,343.12	32.1546983	-103.7387481
15,032.00	89.80	359.00	8,799.27	5,774.21	-525.67	420,617.65	725,341.79	32.1549595	-103.7387507
15,126.00	90.40	358.40	8,799.10	5,868.19	-527.80	420,711.63	725,339.66	32.1552178	-103.7387559
15,220.00	88.30	359.20	8,800.17	5,962.16	-529.77	420,805.59	725,337.69	32.1554761	-103.7387606
15,315.00	88.50	359.00	8,802.82	6,057.11	-531.26	420,900.55	725,336.20	32.1557372	-103.7387637
15,409.00	88.70	359.00	8,805.12	6,151.06	-532.90	420,994.50	725,334.56	32.1559955	-103.7387674
15,503.00	89.70	358.80	8,806.43	6,245.04	-534.70	421,088.48	725,332.75	32.1562538	-103.7387715
15,597.00	90.00	359.40	8,806.68	6,339.02	-536.18	421,182.46	725,331.28	32.1565122	-103.7387746
15,691.00	90.60	358.80	8,806.19	6,433.01	-537.66	421,276.45	725,329.80	32.1567705	-103.7387777
15,785.00	91.20	358.70	8,804.71	6,526.98	-539.71	421,370.42	725,327.75	32.1570289	-103.7387827

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
15,880.00	89.30	359.90	8,804.29	6,621.96	-540.87	421,465.40	725,326.59	32.1572900	-103.7387847
15,974.00	88.90	359.90	8,805.77	6,715.95	-541.03	421,559.39	725,326.42	32.1575483	-103.7387836
16,069.00	89.00	0.10	8,807.51	6,810.93	-541.03	421,654.37	725,326.42	32.1578094	-103.7387819
16,163.00	89.60	359.70	8,808.66	6,904.93	-541.20	421,748.37	725,326.26	32.1580678	-103.7387807
16,257.00	89.80	0.30	8,809.15	6,998.92	-541.20	421,842.36	725,326.26	32.1583262	-103.7387790
16,351.00	90.20	0.10	8,809.15	7,092.92	-540.87	421,936.36	725,326.59	32.1585845	-103.7387763
16,445.00	90.80	0.20	8,808.33	7,186.92	-540.62	422,030.36	725,326.83	32.1588429	-103.7387738
16,538.00	91.20	0.60	8,806.71	7,279.90	-539.97	422,123.34	725,327.48	32.1590985	-103.7387701
16,633.00	88.90	0.50	8,806.63	7,374.89	-539.06	422,218.33	725,328.40	32.1593596	-103.7387654
16,728.00	88.80	0.50	8,808.53	7,469.87	-538.23	422,313.31	725,329.22	32.1596206	-103.7387611
16,823.00	89.60	0.30	8,809.86	7,564.86	-537.57	422,408.30	725,329.89	32.1598817	-103.7387572
16,917.00	89.80	0.00	8,810.35	7,658.85	-537.32	422,502.29	725,330.13	32.1601401	-103.7387547
17,012.00	90.00	359.90	8,810.52	7,753.85	-537.41	422,597.29	725,330.05	32.1604013	-103.7387533
17,106.00	90.10	359.80	8,810.43	7,847.85	-537.65	422,691.29	725,329.80	32.1606596	-103.7387524
17,201.00	90.50	359.60	8,809.94	7,942.85	-538.15	422,786.29	725,329.31	32.1609208	-103.7387523
17,296.00	91.20	359.70	8,808.53	8,037.84	-538.73	422,881.28	725,328.73	32.1611819	-103.7387525
17,391.00	90.20	359.60	8,807.37	8,132.83	-539.31	422,976.27	725,328.15	32.1614430	-103.7387527
17,485.00	89.30	359.40	8,807.78	8,226.82	-540.13	423,070.26	725,327.33	32.1617014	-103.7387537
17,580.00	90.00	359.90	8,808.36	8,321.82	-540.71	423,165.26	725,326.75	32.1619625	-103.7387539
17,674.00	90.90	359.20	8,807.62	8,415.81	-541.45	423,259.25	725,326.01	32.1622209	-103.7387546
17,769.00	91.60	359.90	8,805.55	8,510.78	-542.19	423,354.22	725,325.26	32.1624820	-103.7387553
17,863.00	91.30	359.90	8,803.17	8,604.75	-542.36	423,448.19	725,325.10	32.1627403	-103.7387541
17,958.00	91.10	0.40	8,801.18	8,699.73	-542.11	423,543.17	725,325.35	32.1630013	-103.7387516
18,053.00	88.80	0.80	8,801.26	8,794.72	-541.11	423,638.16	725,326.34	32.1632624	-103.7387467
18,147.00	88.40	2.30	8,803.56	8,888.66	-538.57	423,732.09	725,328.88	32.1635206	-103.7387368
18,242.00	88.70	2.50	8,805.96	8,983.54	-534.60	423,826.98	725,332.86	32.1637814	-103.7387223
18,336.00	88.00	359.50	8,808.67	9,077.48	-532.96	423,920.92	725,334.50	32.1640395	-103.7387153
18,431.00	88.40	358.70	8,811.65	9,172.42	-534.45	424,015.86	725,333.01	32.1643005	-103.7387184
18,526.00	88.60	359.10	8,814.14	9,267.37	-536.27	424,110.81	725,331.19	32.1645616	-103.7387226
18,621.00	88.40	359.60	8,816.63	9,362.33	-537.35	424,205.77	725,330.11	32.1648226	-103.7387244
18,715.00	88.80	358.80	8,818.92	9,456.29	-538.66	424,299.73	725,328.80	32.1650809	-103.7387270
18,810.00	89.20	358.80	8,820.58	9,551.25	-540.65	424,394.69	725,326.81	32.1653420	-103.7387317
18,905.00	88.90	357.80	8,822.16	9,646.20	-543.47	424,489.64	725,323.99	32.1656030	-103.7387391
18,999.00	89.60	357.00	8,823.39	9,740.09	-547.73	424,583.53	725,319.73	32.1658611	-103.7387512
19,094.00	89.70	356.60	8,823.97	9,834.94	-553.03	424,678.38	725,314.42	32.1661219	-103.7387667
19,139.00	89.50	356.00	8,824.28	9,879.85	-555.94	424,723.29	725,311.52	32.1662454	-103.7387753
19,188.00	89.50	356.00	8,824.71	9,928.73	-559.36	424,772.16	725,308.10	32.1663798	-103.7387854
X LTP @ 19188' MD, 100' FNL, 402' FWL									
19,196.00	89.50	356.00	8,824.78	9,936.71	-559.91	424,780.14	725,307.54	32.1664018	-103.7387871
PBHL; 92' FNL, 402' FWL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 540H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414' + KB 30' @ 3444.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414' + KB 30' @ 3444.00usft
Well:	Cotton Draw Unit 540H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
6,025.95	5,964.41	-552.00	-504.11	X SEC @ 6026' MD, 0' FNL, 410' FWL
8,112.00	8,048.60	-589.74	-566.92	Tie-On @ 8112' MD
8,488.90	8,422.87	-552.00	-555.20	X SEC @ 8489' MD, 0' FSL, 359' FWL
8,757.74	8,666.23	-442.00	-554.35	X FTP @ 8758' MD, 100' FSL, 358' FWL
13,994.02	8,799.46	4,736.41	-528.60	X SEC @ 13994' MD, 0' FSL, 410' FWL
19,188.00	8,824.71	9,928.73	-559.36	X LTP @ 19188' MD, 100' FNL, 402' FWL
19,196.00	8,824.78	9,936.71	-559.91	PBHL; 92' FNL, 402' FWL

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-48929
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Cotton Draw Unit
4. Well Location Unit Letter <u>M</u> : <u>552</u> feet from the <u>South</u> line and <u>914</u> feet from the <u>West</u> line Section <u>12</u> Township <u>25S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 540H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3414'		9. OGRID Number 6137
		10. Pool name or Wildcat PADUCA; BONE SPRING (O)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐	
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/28/22-8/19/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 1000'. PT csg for 30 min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 9015'-19174', total 1174 holes. Frac totals 15,180,900# proppant, 48 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 19,186' MD/8,825' TVD. CHC, FWB, ND BOP. RIH w/255 jts 2-7/8" L-80 tbg, set @ 8570'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Professional DATE 9/14/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505				State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011 1. WELL API NO. 30-015-48929 2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							5. Lease Name or Unit Agreement Name Cotton Draw Unit 6. Well Number: 540H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator Devon Energy Production Company, L.P.							9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102							11. Pool name or Wildcat PADUCA; BONE SPRING (O)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	M	12	25S	31E		552	South	914	West	Eddy	
BH:		1	25S	31E	4	92	North	402	West	Eddy	
13. Date Spudded 3/15/22	14. Date T.D. Reached 5/2/22		15. Date Rig Released 5/4/22		16. Date Completed (Ready to Produce) 8/19/22			17. Elevations (DF and RKB, RT, GR, etc.) 3414' GL			
18. Total Measured Depth of Well 19196 MD, 8825 TVD			19. Plug Back Measured Depth 19,186 MD/8,825 TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run RBT			
22. Producing Interval(s), of this completion - Top, Bottom, Name 9015-19174, BONE SPRING (O)											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13-3/8"		54.5		709		17-1/2"		600 sx CIC; circ 243 sx			
9-5/8"		40		11982		12-1/4"		945 sx CIC; circ 6 sx			
5-1/2"		20		19186		8-1/2"		2270 sx CH; circ 0 sx		TOC @ 3999	
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD				
							SIZE		DEPTH SET		PACKER SET
							2-7/8" L-80		8570		
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
9015 - 19174, total 1174 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
						9015-19174		Acidize and frac in 40 stages. See detailed summary attached.			
28. PRODUCTION											
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)					Well Status (Prod. or Shut-in)				
8/19/22		Flowing					Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio				
8/29/22	24	N/A		1140	2995	1491	2627.192982				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)					
1653 psi	132 psi										
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By				
Sold											
31. List Attachments											
Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature			Printed Name		Title			Regulatory Compliance Professional			Date
			Shayda Omoumi		Regulatory Compliance Professional					Date 9/14/2022	
E-mail Address											
shayda.omoumi@dvn.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 640			
Salt - 1020			
Base of Salt - 4176			
Lamar - 4402			
Delaware - 4434			
Cherry Canyon - 5250			
Brushy Canyon - 6662			
1st Bone Spring Lime - 8304			
1st Bone Spring Sand - 9362			
2nd Bone Spring Sand - 9930			
3rd Bone Spring Lime - 10460			
3rd Bone Spring Sand - 11236			
Wolfcamp - 11650			
Strawn - 13600			

No. 1, from N/A to N/A
 No. 2, from N/A to N/A
 No. 3, from N/A to N/A
 No. 4, from N/A to N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

[illegible]

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 143222

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 143222
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 143222

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 143222
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	10/20/2022