S. Department of the Interior UREAU OF LAND MANAGEMENT		Sundry Print Rep 08/25/2
Well Name: S LYBROOK UNIT	Well Location: T22N / R7W / SEC 2 / SESE / 36.163894 / -107.536735	County or Parish/State: SANDOVAL / NM
Well Number: 345H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G13121799	Unit or CA Name: S CHACO UT- MANCOS	Unit or CA Number: NMNM133321A
US Well Number: 3004321279	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2687730

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/16/2022

Date Operation Actually Began: 07/31/2022

Type of Action: Casing

Time Sundry Submitted: 04:25

Actual Procedure: 7/31/2022 - MIRU. PSI tested 13 3/8" csg to 1500 # for 30 min- Test Good 7/31/2022 through 8/7/2022-12-1/4" Drilling ahead. Intermediate TD @ 3,410' M/U shoe, 1 jt of 9-5/8 36.0# J55 LT&C casing, float, 1 jt of 9-5/8 36.0# J55 LT&C casing. Thead lock shoe track. Test floats - OK. Casing Summary: Float Shoe, 1 jt 9-5/8 36# J55 LTC, Float Collar, 85 jts 9-5/8 36# J55 LTC,t. Shoe Depth: 3,410.09 ft MD - Float Collar Depth: 3,366.20 ft MD. Pressure tested lines to 2500 psi. Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 266 bbls (698 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.4 bbls (136 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 260.5 bbls FW. FCP at 900 psi and Did not Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 120 bbls to surface and got 10 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,887 ft MD. Released Rig @ 19:30 8/7/2022

SR Attachments

Actual Procedure

3_intermediate_casing_S_LYBROOK_UNIT_345H_20220816162529.pdf

Received by OCD: 8/25/2022 9:59:04 AM Well Name: S LyBROOK UNIT	Well Location: T22N / R7W / SEC 2 / SESE / 36.163894 / -107.536735	County or Parish/State: SANDOVAL / NM	Page 2 o
Well Number: 345H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO	
Lease Number: N0G13121799	Unit or CA Name: S CHACO UT- MANCOS	Unit or CA Number: NMNM133321A	
US Well Number: 3004321279	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA WHITE

Name: ENDURING RESOURCES LLC

Title: Staff Engineer

Street Address: 9446 CLERMONT ST

City: THORNTON

State: CO

Phone: (720) 768-3575

Email address: KWHITE@CDHCONSULT.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Accepted Signature: Kenneth Rennick BLM POC Title: Petroleum Engineer

Zip:

Signed on: AUG 16, 2022 04:26 PM

BLM POC Email Address: krennick@blm.gov

Disposition Date: 08/25/2022

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:	
ENDURING RESOURCES, LLC	372286	
6300 S Syracuse Way, Suite 525	Action Number:	
Centennial, CO 80111	137954	
	Action Type:	
	[C-103] Sub. Drilling (C-103N)	
CONDITIONS		

 Created By
 Condition
 Condition Date

 plmartinez
 None
 10/20/2022

Page 3 of 3

.

Action 137954