

Well Name: MARTIN-WHTITAKER	Well Location: T23N / R4W / SEC 6 / NWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 24	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923364	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2700584

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 10/31/2022	Time Sundry Submitted: 12:22
Date Operation Actually Began: 10/21/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 10/21/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_Submittal_20221031122224.pdf

Well Name: MARTIN-WHITTAKER	Well Location: T23N / R4W / SEC 6 / NWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 24	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923364	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: OCT 31, 2022 12:22 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/02/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Martin Whittaker 24
API # 30-039-23364
NW/SE Unit J. Sec 6, T23N, R4W
Rio Arriba County, NM
Spud Date: 3-4-1984
Plug Date: 10-21-2022

10-14 & 18-2021:

MIRU. Hot oil, pull rods and pump. SITP = 0, SICP = 120, BH = 20. NDWH, NU BOP. TOOH with 2 3/8" production tubing. Release rig.

10-18-2022:

MIRU. SICP = 0, BH = 25. NDWH, NU BOP. TIH with workstring and string mill, to 6508'. Discussed combining first 3 plugs from procedure into 1 plug. BLM and NMOCD approved. TIH and set CR at 5293'. Establish rate. Sting out, load and roll hole. PT casings, did not test due to leak on WH flange.
P&A Plug 1: Tocito-Semilla, Lower Gallup, Upper Gallup and Gallup formation top: Mix and pump a plug of 105 sx (93 sx through CR and 12 sx above CR). TOOH. WOC.

10-19-2022:


SICP = 0, BH = 5. RIH and run CBL from 5052' to surface. TOC at 1180'. POOH. Repair WH leak. TIH with workstring, tagged Plug 1 at 5052'. PT casings, good test. Pull up to 4933'.
P&A Plug 2: 7" casing shoe, liner top and Mancos formation top: Mix and spot a balanced plug of 30 sx from 4933' to 4654'. Pull up to 4083'.
P&A Plug 3: Mesa Verde formation top: Mix and spot a balanced plug of 30 sx from 4083' to 3927'. Pull up to 2995'.
P&A Plug 4: Chacra formation top: Mix and pump a balanced plug of 30 sx from 2995' to 2839'. Pull up to 2583'.
P&A Plug 5: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump a balanced plug of 131 sx from 2583' to 1902'. TOOH.
RIH, perforate holes at 561'. POOH. TIH, set CR at 512'.
P&A Plug 6: Nacimiento formation top: Mix and pump 50 sx (20 sx outside casing, 10 sx below CR, 20 sx above CR). TOC; 390' inside, 411' outside. TOOH.
RIH, perforate holes at 341', establish circulation down casing and out BH.
P&A Plug 7: Surface casing shoe to surface. Mix and pump plug of 145 sx down casing and out BH, good cement returns out BH.

10-21-2022:

Cut off WH. TOC at surface in both casings. Install P&A marker, top off cellar 12 sx. Release rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Gail Clayton, BLM and Monica Kuehling, NMOCD via phone.
GPS Coordinates: Lat; 36.2508818 N, Long; 107.2951509 W

DJR Operating, LLC
P&A Marker
Martin Whittaker 24
API # 30-039-23364
NW/SE Unit J, Sec 6, T23N, R4W
Rio Arriba County, NM
Spud Date: 3-4-1984
Plug Date: 10-21-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

**End of Well report
DJR Operating, LLC
Martin Whittaker 24**

API # 30-039-23364
NW/SE, Unit J, Sec 6 T23N, R4W
Rio Arriba, NM

GL 6870'
KB 6883'
Spud Date 3/4/1984

SURF CSG

Hole size	12.25"	<u>FORMATION TOPS</u>	
Csg Size:	9.625"	San Jose	Surface
Wt:	32#	Nacimiento	510'
Grade:	J-55	Ojo Alamo	2011'
ID:	9.001	Kirtland	2168'
Depth	291'	Fruitland	2324'
Csg cap ft3:	0.4418	Pictured Cliffs	2521'
TOC:	Circ cmt to surface	Chacra	2945'
		Mesa Verde	4024'
		Mancos	4882'
		Gallup	5671'

PROD CSG

Hole size	8.75"
Csg Size:	7"
Wt:	23#
Grade:	J-55
ID:	6.366"
Depth	4870'
Csg cap ft3:	0.2210
Csg/Csg Ann ft3:	0.1668
Csg/OH cap ft3:	0.1503
TOC:	4830' (CBL)

Liner


Hole size	6.25"
Csg Size:	4.5"
Wt:	11.6#
Grade:	K-55
ID:	4.0000
Depth	4827-6845'
Csg cap ft3:	0.0872
Csg/OH cap ft3:	0.1026
TOC:	1200' (TS)

Upper Gallup Perfs 5342-5519'

Lower Gallup Perfs 5707-5985'

Tocito-Semilla Perfs 6366-6491'

PBTD 6637'
TD 6640'



10-21-2022: Cut off WH. TOC in both casings at surface. Install P&A marker. Top off cellar with 12 sx.

10-20-2022: Plug 7: Surface casing shoe to surface: Perforate at 341'. Mix and pump plug of 145 sx down casing and out BH. Good cement returns out BH.

10-20-2022: Plug 6: Nacimiento: Perforate at 561', set CR at 512'. Mix and pump plug of 50 sx (20 sx outside, 10 sx under CR and 20 sx above CR). TOC 411' outside, 390' inside.

10-20-2022: Plug 5: Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo: Mix and spot balanced plug of 131 sx from 2583' to 1902'.

10-19-2022: Plug 4: Chacra: Mix and spot balanced plug of 30 sx from 2995' to 2839'.

10-19-2022: Plug 3: Mesaverde: Mix and spot balanced plug of 30 sx from 4083' to 3927'.

10-19-2022: Plug 2: Mancos, 7" casing shoe, liner top: Mix and spot balanced plug of 30 sx from 4933' to 4654'.

10-19-2022: PT casings, good test.

10-19-2022: Ran CBL from 5052' to surface. TOC at 1180'.

10-18-2022: Plug 1: Tocito-Semilla, Lower Gallup, Upper Gallup perforations and Gallup formation top: Set CR at 5293'. Mix and pump plug of 105 sx (93 sx through CR and 12 sx above CR). WOC. 10-19-2022: Tagged Plug 1 at 5052'.

10-18-2022: Tagged fill at 6508'

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Gail Clayton, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.2508818 N, Long; 107.2951509 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156379

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 156379
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/21/22	11/4/2022