

Well Name: JICARILLA B	Well Location: T23N / R4W / SEC 7 / NESE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923658	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2700582

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/31/2022

Date Operation Actually Began: 10/10/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:19

Actual Procedure: The subject well was Plugged & Abandoned on 10/10/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_Submittal_20221031121920.pdf

Received by OCD: 11/4/2022 1:21:44 PM

Page 2 of 7

Well Name: JICARILLA B	Well Location: T23N / R4W / SEC 7 / NESE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923658	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: OCT 31, 2022 12:19 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/02/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Jicarilla 362 B 2
API # 30-039-23658
NE/SE Unit I. Sec 7, T23N, R4W
Rio Arriba County, NM
Spud Date: 4-15-1985
Plug Date: 10-10-2022

10-6-2022:

MIRU. SITP = N/A, SICP = 0, BH = 0.

NDWH, NU BOP. RIH with WL gauge ring tagged up at 1935'. POOH. TIH with 1 1/4" workstring and tagging sub, washed out bridges, got to 2476'.

P&A Plug 1: Pictured Cliffs, Fruitland and Kirtland formation tops: Mixed and pumped plug of 16 sx from 2450'. WOC. (approval to stay off bottom so not to pick up trash off bottom.)

10-7-2022:

TIH, tagged Plug 1 at 2191'. Establish circulation, PT casing, did not test.

P&A Plug 2: Fruitland and Kirtland formation tops: Mix and pump a balanced plug of 23 sx from 2191'. WOC.

Run CBL from 1300' to surface. TOC at 540'. CBL tool felt like soft cement at 1300', ran log from there. SDFWE.

10-10-2022:

TIH, tagged Plug 2 at 1435'. PT casing, good test.

P&A Plug 3: Ojo Alamo formation top: Mix and pump a balanced plug of 8 sx from 1435' to 1124'. Pull up to 771'.

P&A Plug 4: Nacimiento formation top: Mix and pump a balanced plug of 8 sx from 771' to 460'. TOOH.

RIH, perforate holes at 100'. POOH. ND BOP, install valve on casing.

P&A Plug 5: Surface casing shoe to surface: Mix and pump plug of 38 sx down casing and out BH, good cement returns out BH.

Cut off WH. TOC in 2 7/8" casing at 3', 9' in annulus. Install P&A marker.

Top off casing and cellar with 18 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Gail Clayton, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.2351761 N, Long; 107.2919675 W

DJR Operating, LLC
P&A Marker
Jicarilla 362 B 2
API # 30-039-23658
NE/SE Unit I. Sec 7, T23N, R4W
Rio Arriba County, NM
Spud Date: 4-15-1985
Plug Date: 10-10-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Jicarilla 362 B 2
API # 30-039-23658
NE/SE, Unit I, Sec 7, T23N, R4W
Rio Arriba County, NM

GL 6891'
 KB 6901'
 Spud Date 4/15/1985

SURF CSG

Hole size 9-7/8"
 Csg Size: 7"
 Wt: 23#
 Grade: J-55
 ID: 6.366"
 Depth 63'
 cap cf/ft: 0.2210
 TOC: surface


FORMATION TOPS

San Jose	Surf
Nacimiento	704'
Ojo Alamo	1446'
Kirtland	2090'
Fruitland	2332'
Pictured Cliffs	2473'

PROD CSG

Hole size 6-1/4"
 Csg Size: 2-7/8"
 Wt: 7.9#
 Grade: PH-6
 ID: 2.323"
 Depth 2290'
 cap cf/ft: 0.0294
 Csg/Csg 0.1760
 Ann, cf/ft:
 Csg/OH Ann, 0.1680
 cf/ft:
 TOC: Near Surface (calc.)

Pictured Cliffs perms 2476-91'
 PBTB 2541'
 TD 2620'



10-10-2022: Cut off WH, TOC, 9' in annulus and 3' in casing. Install P&A marker. Top off casing and cellar with 18 sx.

10-10-2022: Plug 5 Surface casing shoe to surface: Perforate holes at 100', Mix and pump 38 sx down casing and out BH, good cement returns out BH.

10-10-2022: Plug 4: Nacimiento: Mix and pump balanced plug of 8 sx from 771' to 460'.

10-10-2022: Plug 3: Ojo Alamo: Top off Plug 2 with plug of 8 sx from 1435' to 1124'.

10-10-2022: PT casing, good test.

10-07-2022: Ran CBL from 1300' to surface. TOC at 540'.

10-10-2022: Plug 2: Fruitland and Kirtland: Mix and pump balanced plug of 23 sx from 2191'. WOC. 10-10-2022, tagged Plug 2 at 1435'.

10-07-2022: PT casing, did not test.

10-06-2022: Plug 1: Pictured Cliffs, Fruitland and Kirtland tops: Mix and pump plug of 16 sx from 2450'. WOC. 10-07-2022, tagged Plug 1 at 2191'.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156375

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 156375
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/10/22	11/4/2022