

Well Name: JICARILLA 390 B	Well Location: T23N / R4W / SEC 26 / NWSW /	County or Parish/State: SANDOVAL / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC390	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320694	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2698589
Type of Submission: Subsequent Report
Date Sundry Submitted: 10/18/2022
Date Operation Actually Began: 09/12/2022
Type of Action: Plug and Abandonment
Time Sundry Submitted: 01:10

Actual Procedure: The subject well was Plugged & Abandoned on 09/12/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure
EOW_BLM_Submittal_20221018131037.pdf

Well Name: JICARILLA 390 B	Well Location: T23N / R4W / SEC 26 / NWSW /	County or Parish/State: SANDOVAL / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC390	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320694	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: OCT 18, 2022 01:10 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 10/19/2022

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Jicarilla 390 B 1
API # 30-043-20694
NW/SW Unit L. Sec 26, T23N, R4W
Sandoval County, NM
Spud Date: 11-5-1983
Plug Date: 9-12-2022

9-8-2022:

MIRU rig and equipment. SITP = N/A, SICP = 0, BH = 0. ND WH, NU BOP.

TIH to 2581', establish circulation.

P&A Plug 1: Pictured Cliffs perforations, Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a plug of 20 sx from 2583'. WOC.

9-9-2022:

TIH, tagged Plug 1 at 2524'. Pictured Cliffs perforations absorbed most of Plug 1.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a plug of 20 sx from 2524'. WOC. Tagged Plug 2 at 1953'. Pull up to 934'.

P&A Plug 3: Nacimiento formation top: Mix and pump a balanced plug of 8 sx from 934'. WOC.

9-12-2022:

Tagged Plug 3 at 548'. Pull up to 290'.

P&A Plug 4: Surface casing shoe to surface: Mix and pump balanced plug of 8 sx from 290'.

TOOH. Cut off WH. TOCs; 120' in annulus and 48' in casing. Install P&A marker. Top off casings and cellar with 38 sx. Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling, NMOCD via phone. GPS Coordinates: Lat; 36.1927488 N, Long; 107.2327219 W

DJR Operating, LLC
P&A Marker
Jicarilla 390 B 1
API # 30-043-20694
NW/SW Unit L. Sec 26, T23N, R4W
Sandoval County, NM
Spud Date: 11-5-1983
Plug Date: 9-12-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Jicarilla 390 B 1
API # 30-043-20694
NW/SW, Unit L, Sec 26, T23N, R4W
Sandoval County, NM

GL 7082'
 KB 7087'
 Spud Date 11/5/1983

SURF CSG

Hole size	12.25"	
Csg Size:	7"	San Jose
Wt:	23#	Nacimiento
Grade:	N/A	Ojo Alamo
ID:	8.191"	Kirtland
Depth	129'	Fruitland
cap cf/ft:	0.2210	Pictured Cliffs
TOC:	Cement to Surf.	

FORMATION TOPS


Surf	858'
	2076'
	2222'
	2345'
	2522'

PROD CSG

Hole size	6.25"
Csg Size:	2.875"
Wt:	7.9# Hydril
Grade:	PH6
ID:	2.323"
Depth	2669'
cap cf/ft:	0.0294
Csg/Csg	0.1760
Ann, cf/ft:	
Csg/OH Ann,	0.1680
cf/ft:	
TOC:	Cement to surface

Perfs 2524-83'

PBTD	2625'
TD	2685'



9-12-2022: Cut off WH, TOCs at 120' in annulus and 48' in casing. Install P&A marker. Top off with 38 sx.

9-12-2022: Plug 4: Surface shoe to surface plug: Mix and spot balanced plug of 8 sx from 290' to surface.

9-12-2022: PT casing, did not test

9-12-2022: Plug 3: Nacimiento: Mix and spot a balanced plug of 8 sx from 934'. WOC. 9-10-2022: tagged Plug 3 at 548'.

9-9-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Pictured Cliffs perforations absorbed most of Plug 1, this balanced plug of 20 sx was mixed and pumped from 2524' to cover the listed formations. WOC. Tagged Plug 2 at 1953'.

9-8-2022: Plug 1: Pictured Cliffs perfs, Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: TIH with workstring to 2583', mix and spot a balanced plug of 20 sx from 2583'. WOC. 9-9-2022: Tagged Plug 1 at 2524'.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 152086

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 152086
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Record casing string pressures daily	11/7/2022