

Well Name: BONANZA	Well Location: T22N / R3W / SEC 12 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004321140	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2700580

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/31/2022

Date Operation Actually Began: 10/11/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:17

Actual Procedure: The subject well was Plugged & Abandoned on 10/11/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_Submittal_20221031121740.pdf

Well Name: BONANZA	Well Location: T22N / R3W / SEC 12 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004321140	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: OCT 31, 2022 12:17 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: AztecState: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/02/2022

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Bonanza 11
API # 30-043-21140
NE/NW Unit C, Sec 12, T22N, R3W, SHL
NW/NE, Unit B, Sec 12, T22N, R3W, BHL
Sandoval County, NM
Spud Date: 7-18-2013
Plug Date: 10-11-2022

6-12-2020:

MIRU. SITP = 0, SICP = 0, BH = 0. Pull plunger.

6-15-2020:

NDWH, NU BOP. TOO H, LD 223 jts 2 3/8" production string. ND BOP, NUWH.
Release rig.

9-30-2022:

MIRU. SICP = 5, BH = 0.

10-3-2022:

TIH with casing scraper to 7035', TOO H. SD, muddy roads, could not get water to location.

10-4-2022:

TIH with cement retainer to 7035'. Test tbg, Load and roll hole, could not finish, ran out of water and water truck stuck on muddy roads.

10-5-2022:

SD due to bad roads and weather.

10-6-2022:

SD due to bad roads and weather.

10-7-2022:

SICP = 0, BH = 0. Finish rolling hole. PT casing, good test.

P&A Plug 1: Dakota perforations and formation top: Mix and pump plug of 10 sx through CR, sting out and place 18 sx above CR. TOO H, bottom 8 jts of tbg plugged with cement. BLM requested that Plug 1 be tagged. WOC.

10-10-2022:

TIH, tagged Plug 1 at 6853'. Pull up to 6021'.

P&A Plug 2: Gallup formation top: Mix and pump a balanced plug of 18 sx from 6021' to 5867'. Pull up to 5182'.

P&A Plug 3: Mancos formation top: Mix and pump a balanced plug of 18 sx from 5182' to 5028'. Pull up to 4382'.

P&A Plug 4: Mesa Verde formation top: Mix and pump a balanced plug of 18 sx from 4382' to 4228'. Pull up to 3193'.

P&A Plug 5: Chacra formation top: Mix and pump a balanced plug of 18 sx from 3193' to 3039'. Pull up to 2807'.

P&A Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump a balanced plug of 62 sx from 2807' to 2274'. Pull up to 1214'.

P&A Plug 7: Nacimiento formation top: Mix and pump a balanced plug of 18 sx from 1214' to 1060'. TOOH. Pull up to 666'.

P&A Plug 8: Surface casing shoe to surface: Mix and pump balanced plug of 80 sx from 666' to surface. TOOH.

10-11-2022:

Cut off WH. TOC in 5 ½" casing at 8', 10' in annulus. Install P&A marker.

Top off casing and cellar with 18 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.15670 N, Long; 107.11113 W

DJR Operating, LLC
P&A Marker
Bonanza 11
API # 30-043-21140
NE/NW Unit C, Sec 12, T22N, R3W, SHL
NW/NE, Unit B, Sec 12, T22N, R3W, BHL
Sandoval County, NM
Spud Date: 7-18-2013
Plug Date: 10-11-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

**End of Well Report
DJR Operating, LLC
Bonanza 11**

API # 30-043-21140
SHL: NE/NW, Unit C, Sec 12, T22N, R3W
BHL: NW/NE, Unit B, Sec 12, T22N, R3W
Sandoval County, NM

GL 7180'
KB N/A
Spud Date 7/18/2013

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: J-55
ID: 8.097"
Depth 603'
Csg cap ft³: 0.3576
TOC: Surf

FORMATION TOPS

San Jose	Surface
Nacimiento	1164'
Ojo Alamo	2380'
Kirtland	2495'
Fruitland	2552'
Pictured Cliffs	2757'
Chacra	3143'
Mesa Verde	4332'
Mancos	5132'
Gallup	5971'
Dakota	7055'


PROD CSG

Hole size 7.875"
Csg Size: 5.5"
Wt: 15.5#
Grade: J-55
ID: 4.950"
Depth 7488'
Csg cap ft³: 0.1336
Csa/Csa Ann ft³: 0.1926
Csg/OH cap ft³: 0.1733
TOC: Stg 1 Circ cmt to surface
TOC: Stg 2 (Calc) Circ cmt to surface

DV Tool at 5049'
TOC at DV Tool

Perfs 7056-7170'

PBTD (MD) 7443'
MD 7488'



10-11-2022: Cut off WH, TOC; 8' in 5 1/2" casing and 10' in annulus. Install P&A marker. Top off with 18 sx.

10-10-2022: Plug 8: Surface casing shoe to surface: Mix and spot balanced plug of 80 sx from 666' to surface.

10-10-2022: Plug 7: Nacimiento: Mix and spot balanced plug of 18 sx from 1214' to 1060'.

10-10-2022: Plug 6: Pictured Cliffs, Fruitland Kirtland and Ojo Alamo: Mix and spot balanced plug of 62 sx from 2807' to 2274'.

10-10-2022: Plug 5: Chacra: Mix and spot balanced plug of 18 sx from 3193' to 3039'.

10-10-2022: Plug 4: Mesa Verde: Mix and spot balanced plug of 18 sx from 4382' to 4228'.

10-10-2022: Plug 3: Mancos: Mix and spot balanced plug of 18 sx from 5182' to 5028'.

10-10-2022: Plug 2: Gallup: Mix and pump balanced plug of 18 sx from 6021' to 5867'.

10-04-2022: Plug 1: Dakota perforations and formation top: Set CR at 7035'. 10-07-2022: PT casing, good test. Mix and pump 10 sx under CR, sting out and place 18 sx above CR. 10-10-2022: Tag Plug 1 at 6853'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.15670 N, Long; 107.11113 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156370

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 156370
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Record casing string pressures daily	11/7/2022