Received by OCD: 11/8/2022 1:25:57 PM

NEW MEXICO OIL CONSERVATION DIVISION

This form is <u>not</u> to be used for reporting packer leakage tests in Southeast New Mexico

NORTHWEST NEW MEXICO PACKER LEAKAGE TEST

Page 1 of 3

Page 1 Revised June 10, 2003

> Well No: 321

Operator SIMCOE LLC Lease Name: Northeast Blanco Unit

Location Of Well: Unit Letter: O Sec: 18 Twp 31 N Rge 06 W API # 30-045-31163

	Name of Reservoir or Pool	Type of Prod. (Oil or Gas)	Method of Prod. (Flow or Art. Lift)	Prod. Medium (Tbg. Or Csg.)
Upper	Picture Cliff	Gas	Flowing	Csg.
Completion				
Lower	Commingled MV/DK	Gas	Art. Lift	Tbg.
Completion				

Pre-Flow Shut-In Pressure Data

Upper	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. Psig	Stabilized? (Yes or No)
Completion	8 AM 8/10/22	72 HRS	460	YES
Lower	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. Psig	Stabilized? (Yes or No)
Completion	8 AM 8/10/22	96 HRS	204	YES

Flow Test No. 1							
Commenced at (hour, date)*				Zone producing (Upper or Lower): PICTURE CLIFF			
Time (Hour, Date)	Lapsed Time Since*	<u>Pressure</u> Upper Compl. Lower Comp		ol.	Prod. Zone Temp.	Remarks	
8AM 8/13/22	0	460	199		87	STARTED UPPER ZONE FLOW TEST PICTURE CLIFF	
8AM 8/14/22	24HRS	80	204		77	189 Mcf made in 24 HR PC	

Production rate during test

 Oil:
 0
 BOPD based on
 Bbls. In
 Hrs.
 Grav.
 GOR

Gas: 189 _____ MCFPD; Test thru (Orifice or Meter): _ORFICE METER______

Mid-Test Shut-In Pressure Data

Upper	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. Psig	Stabilized? (Yes or No)
Completion				
Lower	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. Psig	Stabilized? (Yes or No)
Completion		-		
		$(0, \cdot)$		

(Continue on reverse side)

NORTHWEST NEW MEXICO PACKER LEAKAGE TEST

Flow Test No. 2

			Flow 1 e	est No.	2		
Commenced a	t (hour, date)**			Zone	producing (Uj	pper or Lower):	
Time	Lapsed Time	Pre	essure		Prod. Zone	Remarks	
(Hour, Date)	Since**	Upper Compl.	Lower Comp	ol.	Temp.		
Production rate	during test			-			
Oil:	BOPD based	d on	_Bbls. In		Hrs	Grav	GOR
Gas:	MCFP	D; Test thru (Ori	fice or Meter):				
Remarks:							

I hereby certify that the information herein contained is true and complete to the best of my knowledge.

Approved	_ 20	Operator: Simcoe LLC
New Mexico Oil Conservation Division		By: Mark Olquin
By		Title: Production Operator
Title		E-mail Address: mark.olquin@ikavenergy.com

Date: August 14, 2022

Northwest New Mexico Packer Leakage Test Instructions

1. A packer leakage test shall be commenced on each multiply completed well within seven days after actual completion of the well, and annually thereafter as prescribed by the order authorizing the multiple completion. Such tests shall also be commenced on all multiple completions within seven days following recompletion and/or chemical or fracture treatment, and whenever remedial work has been done on a well during which the packer or the tubing have been disturbed. Tests shall also be taken at any time that communication is suspected or when requested by the Division.

2. At least 72 hours prior to the commencement of any packer leakage test, the operator shall notify the Division in writing of the exact time the test is to be commenced. Offset operators shall also be so notified.

3. The packer leakage test shall commence when both zones of the dual completion are shut-in for pressure stabilization. Both zones shall remain shut-in until the well-head pressure in each has stabilized, provided however, that they need not remain shut-in more than seven days.

4. For Flow Test No. 1, one zone of the dual completion shall be produced at the normal rate of production while the other zone remains shut-in. Such test shall be continued for seven days in case of a gas well and 24 hours in the case of an oil well. <u>Note</u>: if, on an initial packer leakage test, a gas well is being flowed to the atmosphere due to the lack of a pipeline connection the flow period shall be three hours.

5. Following completion of Flow Test No. 1, the well shall again be shut-in, in accordance with Paragraph 3 above.

6. Flow Test No. 2 shall be conducted even though no leak was indicated during Flow Test No. 1. Procedure for Flow Test No. 2 is to be the same as for Flow Test No. 1 except that the previously produced zone shall remain shut-in while the zone which was previously shut-in is produced.

7. Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hour tests: immediately prior to the beginning of each flow-period, at fifteen-minute intervals during the first hour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the beginning of each flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously shown questionable test data.

24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual completion, the recording gauge shall be required on the oil zone only, with deadweight pressures as required above being taken on the gas zone.

8. The results of the above-described tests shall be filed in triplicate within 15 days after completion of the test. Tests shall be filed with the Aztec District Office of the New Mexico Oil Conservation Division on Northwest New Mexico Packer Leakage Test Form Revised 11-16-98, with all deadweight pressures indicated thereon as well as the flowing temperatures (gas zones only) and gravity and GOR (oil zones only).

Released to Imaging: 11/8/2022 3:19:17 PM

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 157133

CONDITIONS				
Operator:	OGRID:			
SIMCOE LLC	329736			
1199 Main Ave., Suite 101	Action Number:			
Durango, CO 81301	157133			
	Action Type:			
	[UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))			

CONDITIONS

Created By		Condition Date
kpickford	None	11/8/2022