

Well Name: DEEP ELEM 4 FED COM	Well Location: T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0438001	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547925	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	2635206		
Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	09/21/2021	Time Sundry Submitted:	9:28:01 AM
Date Operation Will Begin:	08/19/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	01/08/2021		
US Well Number	3001547925		
Field Contact Name:	M COTE	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	M1210
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	8-20-2021 20" Conductor Hole @ 119' MD		
Disposition:	Accepted		
Accepted Date:	09/21/2021		

Well Name: DEEP ELEM 4 FED COM	Well Location: T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0438001	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547925	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2637687

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 10/06/2021	Time Sundry Submitted: 01:00
Date Operation Actually Began: 09/26/2021	

**Actual Procedure:** 9-26-2021 12 1/4" hole 9-26-2021 Surface Hole @ 1,255' MD, 1,255' TVD Casing shoe @ 1,240' MD, 1,240' TVD Ran 9-5/8" 40# J55 LTC Cement w/ 440 sx Class C (1.68 yld, 13.8 ppg), followed by 90 sx Class C (1.36 yld, 14.8 ppg) Test casing to 1,500 psi, Circ (78 bbls )201 sx cement to surface Resume drilling

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: EMILY FOLLIS	Signed on: OCT 06, 2021 01:00 PM
Name: EOG RESOURCES INCORPORATED	
Title: Sr. Regulatory Administrator	
Street Address: 5509 Champions Drive	
City: Midland	State: TX
Phone: (432) 848-9163	
Email address: emily_follis@eogresources.com	

Field Representative

Representative Name:

Street Address:

City:	State:	Zip:
Phone:		
Email address:		

<b>Well Name:</b> DEEP ELEM 4 FED COM	<b>Well Location:</b> T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 723H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM0438001	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547925	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 11/10/2021
<b>Signature:</b> Jonathon Shepard	

Well Name: DEEP ELEM 4 FED COM	Well Location: T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	County or Parish/State: EDDY / NM
Well Number: 723H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0438001	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547925	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2643443

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/08/2021

Date Operation Actually Began: 11/03/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 12:39

**Actual Procedure:** BOP/DIVERTERS/ROTATING HEAD-TEST BOPS, TEST ALL RAMS (10,000/250 PSI), TEST ANNULAR, STAND PIPE, TOP DRIVE VALVES (5,000/250 PSI), ORBIT AND ROTATING HEAD (500 PSI), TEST HCR, TIW VALVE/DART (10,000/250 PSI). 11-3-2021 Intermediate Hole @ 10,930' MD, 10,872' TVD Casing shoe @ 10,911' MD, 10,901' TVD Ran 7-5/8", 29.7#, ICYP-110 MO-FXL (0'-3,758'), 7-5/8", 29.7#, P110HSCY Tech-Lock FJ (3,758'-10,782')), 7-5/8", 29.7#, ICYP-110 MO-FXL (10,782'-10,911') Stage 1: Cement w/ 330 sx Class C (1.20 yld, 15.6 ppg) Test casing to 2,600 psi for 30 min, Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.51 yld, 14.8 ppg) Stage 3: Top out w/ 60 sx Class C (1.37 yld, 14.8 ppg), Circ (3 bbls) 12 sx of cement to surface Resume drilling 6 3/4" hole

<b>Well Name:</b> DEEP ELEM 4 FED COM	<b>Well Location:</b> T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 723H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM0438001	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547925	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> EMILY FOLLIS	<b>Signed on:</b> NOV 08, 2021 12:39 PM
<b>Name:</b> EOG RESOURCES INCORPORATED	
<b>Title:</b> Sr. Regulatory Administrator	
<b>Street Address:</b> 5509 Champions Drive	
<b>City:</b> Midland	<b>State:</b> TX
<b>Phone:</b> (432) 848-9163	
<b>Email address:</b> emily_follis@eogresources.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 12/03/2021
<b>Signature:</b> Jonathon Shepard	

<b>Well Name:</b> DEEP ELEM 4 FED COM	<b>Well Location:</b> T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 723H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM0438001	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547925	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Subsequent Report

<b>Sundry ID:</b> 2644902	
<b>Type of Submission:</b> Subsequent Report	<b>Type of Action:</b> Drilling Operations
<b>Date Sundry Submitted:</b> 11/18/2021	<b>Time Sundry Submitted:</b> 08:12
<b>Date Operation Actually Began:</b> 11/15/2021	

**Actual Procedure:** 11-15-2021 6 3/4" hole 11-15-2021 Production Hole @ 22,150' MD, 11,827' TVD Casing shoe @ 22,132' MD, 11,826' TVD Ran 5-1/2", 20#, HCP-110 TXP (0'-10,372'), 5-1/2", 20#, HCP-110 Vam Sprint SF (10,372'-10,951'), Ran 5-1/2", 20#, HCP-110 TXP (10,951'-22,132') (MJ @ 502', 11,205' and 21,681') Cement w/ 1,250 sx Class H (1.26 yld, 14.5 ppg) No casing test . Did not circ cement to surface, TOC @8,942' by Cal RR 11-16-2021

<b>Well Name:</b> DEEP ELEM 4 FED COM	<b>Well Location:</b> T26S / R31E / SEC 4 / SESE / 32.065614 / -103.778477	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 723H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM0438001	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001547925	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> EMILY FOLLIS	<b>Signed on:</b> NOV 18, 2021 08:10 AM
<b>Name:</b> EOG RESOURCES INCORPORATED	
<b>Title:</b> Sr. Regulatory Administrator	
<b>Street Address:</b> 5509 Champions Drive	
<b>City:</b> Midland	<b>State:</b> TX
<b>Phone:</b> (432) 848-9163	
<b>Email address:</b> emily_follis@eogresources.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 12/08/2021
<b>Signature:</b> Jonathon Shepard	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 79789

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 79789
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
gramirez	Submit Pressure Test for the 5.5" casing on the next sundry	7/13/2022