

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. NMNM118710

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator LEGACY RESERVES OPERATING LP

3a. Address 15 SMITH ROAD SUITE 3000, MIDLAND, TX 79 3b. Phone No. (include area code)
(432) 689-52004. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 26/T16S/R29E/NMP

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. HIGH LONESOME 26 FEDERAL/1H

9. API Well No. 3001531899

10. Field and Pool or Exploratory Area
Los Medanos/WILDCAT11. Country or Parish, State
EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

10/14/22 Moved plugging Equipment to location.. Dug out cellar. 10/18/22 RU rig. ND tree, NU spool & POB. POH w/ tbg. 10/19/22 RIH w/ guage ring, tagged @ 6340'. RIH w/ drill bit, worked down to 6948'. 10/20/22 Set 4 1/2 CIBP @ 6940'. Circ'd hole w/ MLF. Spotted 25 sx class C cmt @ 6940-6578'. Perf'd @ 6130'. Pressured up on perfs to 500 PSI. Perf'd @ 6080'. Pressured up on perfs to 500 PSI. Spotted 35 sx class C cmt @ 6180-5971'. WOC. 10/21/22 Tagged plug @ 6015'. Spotted 25 sx class C cmt @ 6015-5866'. Perf'd @ 4000'. Pressured up on perfs to 500 PSI. Perf'd @ 3950'. Pressured up on perfs to 500 PSI. Spotted 35 sx class C cmt @ 4059-3841'. WOC. 10/24/22 Tagged plug @ 3858'. Perf'd @ 2750'. Pressured up on perfs to 500 PSI. Perf'd @ 2700'. Pressured up on perfs to 500 PSI. Spotted 40 sx class C cmt @ 2800-2561'. WOC. 10/25/22 Tagged plug @ 2572'. Perf'd @ 1080'. Pressured up on perfs to 500 PSI. Perf'd @ 1030'. Pressured up on perfs to 500 PSI. Spotted 50 sx class C cmt @ 1130-831'. WOC. Tagged plug @ 846'. Perf'd @ 539'. Pressured up on perfs to 500 PSI. Perf'd @ 489'. Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 589-440'. WOC. 10/26/22 Tagged plug @ 432'. Perf'd @ 432'. Pressured up on perfs to 500 PSI. Perf'd @ 382'. . Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 432-283'. WOC & Tagged @ 294'. Perf'd @ 294'. . Pressured up on perfs to 500 PSI. Perf'd @ 100'. . Pressured up on perfs to 500 PSI. Spotted 65 sx class C cmt @ 294' to surface. 10/27/22 Verified cmt @ surface. Riggged down & moved off. Moved in backhoe and welder. Cut off well head & anchors. Omar Alomar w/ BLM

Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
MELANIE REYES / Ph: (432) 221-6358

Title Compliance Coordinator

Signature

Date 10/28/2022

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Accepted for record – NMOCD gc 11/16/2022

Approved by

KEITH P IMMATTY / Ph: (575) 988-4722 / Accepted

Title ENGINEER

Date 11/08/2022

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Location of Well

0. SHL: NENE / 660 FNL / 1150 FEL / TWSP: 16S / RANGE: 29E / SECTION: 26 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

BHL: NWNW / 687 FNL / 557 FWL / TWSP: 16S / RANGE: 29E / SECTION: 26 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Legacy Reserves		PLUGGED	
Author:	Abby @ BCM	Well No.	#1H
Well Name	High Lonesome 26 Fed	API #:	30-015-31899
Field/Zone	Wildcat; Abo	Location	Sec 26, T16S, R29E
County	Eddy		660 FNL & 1150 FEL
State	NM	GL:	3694
Spud Date	9/12/2008		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		48#	400	12 1/2	UNKNOWN	Unknown
Inter Csg	8 5/8		32#	2,700		UNKNOWN	Unknown
Prod Csg	7	HCP-110	26#	6,784		700	
Liner	4 1/2	P-110	13#	6576-10,640	6 1/8	0	

Formation	Top
T/Salt	489
B/Salt	940
Yates	1030
Queen	1860
San Andres	2630
Tubb	5360
Abo	6080
Wolfcamp	7295

7. Perf'd @ 539'. Pressured up on perfs to 500 PSI. Perf'd @ 489'. Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 589-440'. WOC. Tagged plug @ 432'. Perf'd @ 432'. Pressured up on perfs to 500 PSI. Perf'd @ 382'. . Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 432-283'. WOC & Tagged @ 294'. Perf'd @ 294'. Pressured up on perfs to 500 PSI. Perf'd @ 100'. . Pressured up on perfs to 500 PSI. Spotted 65 sx class C cmt @ 294' to surface.

13 3/8 CSG @ 400

Hole Size: 12 1/2

6. Perf'd @ 1080'. Pressured up on perfs to 500 PSI. Perf'd @ 1030'. Pressured up on perfs to 500 PSI. Spotted 50 sx class C cmt @ 1130-831'. WOC. Tagged plug @ 846'.

9 5/8" CSG @ 2,700

Hole Size: NA

5. Perf'd @ 2750'. Pressured up on perfs to 500 PSI. Perf'd @ 2700'. Pressured up on perfs to 500 PSI. Spotted 40 sx class C cmt @ 2800-2561'. WOC. Tagged plug @ 2572'.

4. Perf'd @ 4000'. Pressured up on perfs to 500 PSI. Perf'd @ 3950'. Pressured up on perfs to 500 PSI. Spotted 35 sx class C cmt @ 4059-3841'. WOC & tagged @ 3858'.

3. Spotted 25 sx class C cmt @ 6015-5866'.

2. Perf'd @ 6130'. Pressured up on perfs to 500 PSI. Perf'd @ 6080'. Pressured up on perfs to 500 PSI. Spotted 35 sx class C cmt @ 6180-5971'. WOC & Tagged plug @ 6015'.

1. Set 4 1/2 CIBP @ 6940'. Circ'd hole w/ MLF. Spotted 25 sx class C cmt @ 6940-6578'.

7 CSG @ 6,784

Hole Size: NA

Perfs @ 7568-10402'

KOP @ 6990
HORIZ @ 7541

TD @ 10,742' MD

32.8981552
-104.040604

Lateral: Cased 6 1/8" hole, uncemented w/ Peak Packers/Frack ports
(3.795" drift, smallest sleeve is 1.75" ID)

4 1/2 Liner @ 6576-10,640
Hole Size: 6 1/8

TVD @ 7304'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 157706

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 157706
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2022