

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised July 18, 2013

WELL API NO. 30-025-26884
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Eunice
8. Well Number 001
9. OGRID Number 331031
10. Pool name or Wildcat Salado

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Brine	
2. Name of Operator Select Agua Libre Midstream, LLC	
3. Address of Operator 12515 Carriage Way, Oklahoma City, OK 73142	
4. Well Location Unit Letter <u>O</u> : <u>630</u> feet from the <u>South</u> line and <u>2,427</u> feet from the <u>East</u> line Section <u>34</u> Township <u>21S</u> Range <u>37E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,426' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify the NM OCD of intent to plug and abandon well.
2. MIRU. POOH w/ Prod Tbg
3. RIH E-Line. set CIPB @ 1,325'. Circ hole. Pressure test casing. Spot 25 sx cmt to 1,205'. WOC and tag plug.
4. Spot 40 sx cmt @ 700' - 300'. WOC and tag plug.
5. Spot 20 sx cmt @ 103' - 3'.
6. RDMO. Cut of WH & anchors. Install dry hole well marker.

We are still trying to secure a plugging rig and will update with proposed start date once rig is secured.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Sr Mgr - Reg Compliance

DATE

11/11/2022

Type or print name Kim Henderson

E-mail address: khenderson@selectenergy.com

PHONE: (405) 633-1840

**For State Use Only**

APPROVED BY: Carl Chavez

TITLE Environmental Engineer

DATE 11-18-2022

Conditions of Approval (if any): Refer to E-Permitting COAs.

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised July 18, 2013

WELL API NO. 30-025-26884
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Eunice
8. Well Number 001
9. OGRID Number 331031
10. Pool name or Wildcat Salado

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Brine	
2. Name of Operator Select Agua Libre Midstream, LLC	
3. Address of Operator 12515 Carriage Way, Oklahoma City, OK 73142	
4. Well Location Unit Letter O : 630 feet from the South line and 2,427 feet from the East line Section 34 Township 21S Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,426' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify the NM OCD of intent to plug and abandon well.
2. MIRU. POOH w/ Prod Tbg
3. RIH E-Line. set CIPB @ 1,325'. Circ hole. Pressure test casing. Spot 25 sx cmt to 1,205'. WOC and tag plug.
4. Spot 40 sx cmt @ 700' - 300'. WOC and tag plug.
5. Spot 20 sx cmt @ 103' - 3'.
6. RDMO. Cut of WH & anchors. Install dry hole well marker.

We are still trying to secure a plugging rig and will update with proposed start date once rig is secured.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Sr Mgr - Reg Compliance

DATE

11/11/2022

Type or print name Kim Henderson

E-mail address: khenderson@selectenergy.com

PHONE: (405) 633-1840

**For State Use Only**

APPROVED BY: Carl Chavez

TITLE Environmental Engineer

DATE 11-18-2022

Conditions of Approval (if any): Refer to E-Permitting COAs.

Basic Energy Services LP  
Eunice Brine # 001 Bw-002

630' FSL, 2427' FEL, Unit (O), Sec 34, T21S, R37E

API # 30-025-26884

CURRENT  
1/22/2014

2 7/8"

Surface Hole

Bit Size N/A

Inter. Hole

Bit Size N/A

Cement Data:

Lead -

Tail -

Note -

Bit size 8 3/4"

Tree Connection 2 7/8 J-55 PC TBG.

Production 2 7/8" J-55 PC TBG

Setting Depth 1544'

Surface Casing: NONE

Setting Depth @ N/A

Interm. Casing: NONE

Setting Depth: NONE

Liner Casing 5.5 15.5# FJ

102sx "C" 20sx excess cir surf.

Setting Depth 1375'

Production Csg.: 7" 24# / 20#

700SX CIR. SURF

Setting Depth @ 1450'

PBTD: NO PBTD

OPEN HOLE yes

DEPTH OH 1800'

TD @ 1818'

**CURRENT**  
**11/11/2022**

Select Agua Libre Midstream, LLC

Eunice Brine # 1 BW - 002

630' FSL, 2427" FEL, Unit (O), Sec 34, T21S, R37E

API # 30-025-26884**Surface Hole**Bit Size 8 3/4"**Inter. Hole**Bit Size N/A**Cement Data:**

Lead - \_\_\_\_\_

Tail - \_\_\_\_\_

Note - \_\_\_\_\_

Bit size \_\_\_\_\_

Tree Connection 2 7/8" J-55Tubing 2 7/8" J-55 PC TBG  
Setting Depth 1,544'Surface Casing: NoneSetting Depth @ N/AInterm. Casing: N/ASetting Depth: N/ALiner Casing 5.5" 15.5# FJ  
102SX Class C 20 SX excess  
circ. surfSetting Depth 1,375'PBSD: N/AProduction Csg.: 7" 24#/20#  
700 SX Circ SurfSetting Depth @ 1,450'  
Open Hole

TD @ 1800'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 158179

**COMMENTS**

Operator: SELECT AGUA LIBRE MIDSTREAM, LLC 12515 Carriage Way Oklahoma City, OK 73142	OGRID: 331031
	Action Number: 158179
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

**COMMENTS**

Created By	Comment	Comment Date
cchavez	OCD Form C-103F NOI Plug & Abandon Brine Well API# 30-025-26884	11/18/2022

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 158179

**CONDITIONS**

Operator: SELECT AGUA LIBRE MIDSTREAM, LLC 12515 Carriage Way Oklahoma City, OK 73142	OGRID: 331031
	Action Number: 158179
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

**CONDITIONS**

Created By	Condition	Condition Date
cchavez	OCD Conditions of Approval are as follows: a. Complete PA within 90-days of OCD approval date. b. Salt cavern shall be filled with brine water (not fresh water) in advance of plugging operations. c. Cement setting revised per K. Henderson phone call on 11/18/2022 from CIBP at 1,325 ft. to Surface. d. Cement must be pressure grouted from above CIBP to surface. e. Install Plug & Abandonment Marker per O&G Regs. f. Submit final Sundry within 30-days of well PA illustrating construction details. g. Comply with WQCC discharge permit "BW-2" to fulfill any final closure and permit requirements.	11/18/2022