

State of New Mexico  
Energy, Minerals and Natural Resources

Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|   |
|---|
| WELL API NO.<br>30-025-27062  |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No.  |
| 7. Lease Name or Unit Agreement<br>Watkins B Gas Com  |
| 8. Well Number<br>1   |
| 9. OGRID Number<br>6317   |
| 10. Pool name or Wildcat<br>UND. West OSUDO Morrow  |

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
Devon Energy Production Company, LP

3. Address of Operator  
333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location  
Unit Letter K: 1980 feet from the South line and 1980 feet from the West line  
Section 23 Township 20S Range 35E NMPM

11. Elevation (Show whether DR, RKB, RT, GR, etc)  
3673' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        |   | SUBSEQUENT REPORT OF:  |   |
|--|---|--|---|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>                             | ALTERING CASING <input type="checkbox"/>    |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>                   | P AND A <input checked="" type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>                         |   |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |   |  |   |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    |   |  |   |
| OTHER: <input type="checkbox"/>                |   | OTHER: Devon Company Rep Notified 12/8/21 <input type="checkbox"/> |   |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12-8-21. MIRU WSU; Spot Equipment; Fill tanks; NU BOP's. Tested Good; SIFN

12-9-21. Open well 0 psi on casing; Attempt to TOH; TGB Stuck; Informed NM OCD; Stand by on W-L. RU W-L. RIH cut tbg @ 12960'; (Approved by Kerry Fortner OCD). POOH R/D W-L; TOH; LD 207 joints of 2 3/8" EUE tubing; SIFN.

12-10-21. PJSM: 0 psi on casing & tubing. TOH LD PRO String; MIRU W-L; RIH W/GR/JB; POOH; PU 4 1/2" CIBP; RIH; Set @ 12950'; POOH; RDMO W-L; Attempt to PU 2 3/8" EUE WRK String; Shut down due to wind; SIFN.

12/13/21. Open well 0 psi on tubing and well. TIH with tubing 390 joints total Eot @ 12204' SIFN

12/14/21. Open well 0 psi on well and tubing. TIH with tubing to tag cibp at 12950' 415 joints total. Lay down 1 joint. Circulate well with 480 bbl. Test casing to 500psi held for 30 min. Spot 215 sxs class H cement on top of cibp stand back 70 stands & reverse out. SIFN

12/15/21. Open well Opsi on well and tubing. TIH to tag cement at 10326'. TOOH with tubing. EOT at 7890'-7670' spot 50 sxs class H cement. TOOH lay down 40 joints reverse out SIFN

12/16/21. Open well Opsi on well and tubing. TIH to tag cement at 7655'. TOOH lay down 54 joints. EOT at 5950'-5825' spot 25 sxs class C cement. TOOH lay down 41 joints. EOT at 4370'-3300' spot 195 sxs class C cement. TOOH lay down 42 joints & reverse out. SIFN

12/17/21. Open well Opsi on well and tubing TIH to tag top of cement at 3254' good tag. TOOH laying down tubing. EOT at 2325'-2190' spot 25 sxs class C cement TOOH standing back 20 stands & reverse out. SIFN

12/20/21. Open well Opsi on well and tubing. TIH to tag top of cement at 2178'. TOOH laying down tubing run left over stands out of derricks & laid down. MIRU Wireline RIH to perforate at 500'. POOH with Wireline & rig down. Injection rate @ 3 BPM @ Opsi. Mix and circulate 210 sxs class C cement. N/D Bop. TOC to surface rig down pulling unit pump dig out well head cut and cap well restore well head site move out

Spud Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

DocuSigned by:  
SIGNATURE Jeffery Buford TITLE Manager DATE 1/11/2022  
Type or print name Jeffery.buford@axisofs.com E-mail address: PHONE: (903)590-9717

**For State Use Only**

APPROVED BY: Accepted for record – NMOCDC gc11/18/2022 DATE                       
Conditions of Approval (if any):

## DEVON ENERGY PRODUCTION COMPANY LP

|   |                           |                    |                      |
|---|---------------------------|--------------------|----------------------|
| Well Name: WATKINS B GAS COM #1                   |                           | Field: OSUDO WEST  |                      |
| Location: 1980' FSL & 1980' FWL; SEC 23-T20S-R35E |                           | County: LEA        | State: NM            |
| Elevation: 3673' GL                               |                           | Spud Date: 7/24/81 | Compl Date: 12/17/81 |
| API#: 30-025-27062                                | Prepared by: Armon Radfar | Date: 1/13/22      | Rev:                 |

## ● Final Wellbore

20" Hole

**16", 65#, H40, @ 431'**

Cmt'd w/425 Sx to surface

TOC on 7-3/8" csg @ 2195' (Temp Survey)

14-3/4" Hole

**10-3/4", 45.5# & 40.5#, S80 & K55, STC, @ 4,319**

Cmt'd w/4000 Sx + topped out w/250 Sx to surface

DV Tool @ 7,840'

Top of 4-1/2" Liner @ 10,344'

9-1/2" Hole

**7-5/8", 39# & 33.7#, S95, LT&C, @ 11,456'**

Cmt'd 1st Stg w/625 Sx; 2nd Stg w/1100 Sx.

6-1/2" Hole

**4-1/2", 15.1#, S95, Liner Bottom @ 12,995'**

Cmt'd w/500 Sx

**MORROW**

13169'-13173'; 13177'-13192'

13207'-13210'; 13392'-13400'

Open Hole →

1. Perf @ 500'.
2. Sqz 210 sx CI C in/out from 500' to surface.
3. Cut WH off 3' BGL, set dry hole marker. (Shoe @ 431')

Spot 25 sx CI C from 2325'-2178'. WOC &amp; tag. (T. Salt @ 2240')

Spot 195 sx CI C from 4370'-3254'. WOC &amp; tag. (Shoe @ 4319'; B. Salt @ 3350')

Spot 25 sx CI C from 5950'-5825'. (T. Delaware @ 5890')

Spot 50 sx CI H from 7890'-7655'. WOC &amp; tag. (DV tool @ 7840'; T. Bone Spring @ 7720')

1. Set CIBP @ 12950'. Tag. Circ 10# salt gel.
2. Spot 215 sx CI H from 12950'-10326'. Leak test. WOC & tag. (Open hole perms @ 13169'; T. Morrow @ 12579'; T. Atoka @ 12485'; T. Strawn @ 12234'; Shoe @ 11456'; T. Wolfcamp @ 11376'; Liner top @ 10344')

3-5/8" Bit, tubing landed @ 13,320' (11/14/97)

13500' PBD

13,588' TD

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS  
  
Action 72222

COMMENTS

|   |  |
|---|--|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                 |
|   | Action Number:<br>72222                        |
|   | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

COMMENTS

| Created By | Comment       | Comment Date |
|------------|---------------|--------------|
| plmartinez | DATA ENTRY PM | 11/18/2022   |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 72222

CONDITIONS

|   |  |
|---|--|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                 |
|   | Action Number:<br>72222                        |
|   | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| gcordero   | None      | 11/18/2022     |