
Submit 1 Copy To Appropriate District Office	State of Energy, Minera	of New Mex		Form C-103 Revised July 18, 2013		
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Lifeigy, Willicia	is and ivaluit	ai ixesources	WELL A 30-025-	PI NO.	3cd July 10, 2013
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSEI				ite Type of Lease	
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410		th St. Franc		S	TATE FE	Indicalit
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa	Fe, NM 875	505	6. State	Oil & Gas Lease No	0.
87505				3304		
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLI		EEPEN OR PLUC		7. Lease	Name or Unit Agree	eement Name
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other			8. Well	Number 1	
Name of Operator Extex Operating Company				9. OGRI 3304	D Number	
3. Address of Operator					name or Wildcat	
6056 Westheimer Road #6	25, Houston, TX 770)56		Wilde	cat	
4. Well Location	660 feet from the	N N		660		
Omi Letter	660 feet from the	10	line and		_feet from the	E line
Section 25	11. Elevation (Show		0-	NMPM	County	Lea
		1' GR	inte, ni, on, ele	,		
12. Check	Appropriate Box to	Indicate Na	ture of Notice.	Report or	r Other Data	
						-
PERFORM REMEDIAL WORK	NTENTION TO: PLUG AND ABANDO	ON 🗆	REMEDIAL WOR		NT REPORT C	OF: G CASING □
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DR			
PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMEN	T JOB		
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM						
OTHER: Recomplete to Sar			OTHER:			
13. Describe proposed or comp	pleted operations. (Clea	rly state all pe	ertinent details, an	d give perti	nent dates, includin	g estimated date
of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15 completion	.7.14 NMAC.	For Multiple Co	mpletions:	Attach wellbore dia	agram of
proposed completion of re-	ompiction.					
Extex Operating will be	recompleting the Di	/ 444 to the c	A			
Extex Operating will be procedure to recomplet	recompleting the Dr	vs.	an Andres zon	e. Extex C	perating's planne	ed
- MIRU PU as soon as						
- Set CIBP (w/20' ceme	nt) @ ~6,010'.					
 Perf San Andres fr/~4 Treat zone w/acid &ar 		00000001				
- Return well to product						
Spud Date:	Ri	g Release Date	e: 🤛			
I hereby certify that the information	above is true and comm	lete to the bes	at of my knowleds	ge and helie	f	
	account is a security	iete to the bes	n of my knowledg	se una bene		
SIGNATURE BOUND	remas_TI	TLE Consul	tant/Operator's	Represen	tativeDATE 9-	-7-2022
Type or print name B. David The	omas E.	mail address	davidthomasted	ch@gmail	com PHONE: 43	32-664-3590
For State Use Only				93		
APPROVED BY:	Trife	רז כ			DATE	
Conditions of Approval (if any):	11	TLE			DATE	

Extex Operating will be recompleting the DK #1 to the San Andres zone. Extex Operating's planned procedure to recomplete the well is as follows:

- MIRU PU as soon as work is approved by OCD.
- Set CIBP (w/20' cement) @ ~6,010'.
- Perf San Andres fr/~4,400'-4,750'.
- Treat zone w/acid & amp; fracture treat if necessary.
- Return well to production in San Andres zone.

30



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Extex (OGRID:	330423	Date:	06 / 23 / 2022				
II. Type: ☒ Original	☐ Amendment o	due to □ 19.15.27.9	9.D(6)(a) NMA	C □ 19.15.27.9.D(6)(b) NMAC □ (Other.		
If Other, please describ	e:							
III. Well(s): Provide the be recompleted from a					wells proposed to	be drilled or proposed to		
Well Name	API	ULSTR	Footages	Anticipated	Anticipated	Anticipated		
DK #1	30-025-30136	A-25-20S-38E	660 FNL 660 FE	-	Gas MCF/D	Produced Water		
DK #2	30-025-30136	H-25-20S-38E				50 BBL/D		
DK #3	30-025-30520	B-25-20S-38E			50 50	50		
DK #4	30-025-33577	G-25-20S-38E		23	50 50	50 50		
V. Anticipated Schedu proposed to be recompl Well Name						s proposed to be drilled or Flow First Production		
DK #1 DK #2	30-025-30136	1	Date	Commencement 09/01/2022	Date Back I 09/15/202	Date Date 09/15/2022		
DK #3	30-025-30403 30-025-30520			- 08/01/2022	08/15/202	00/10/2022		
DK #4				07/15/2022	08/01/202			
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.								

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII.	Line Capaci	ty. The natural	gas gathering	system \square	will □ will	not have	capacity to	gather	100% of th	ne anticipated	natural ga	ıs
prod	uction volum	e from the well	prior to the da	te of first p	production.							

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well	(s).

	A 1 .	O 1	, 1 ,		1 4.	•	4 41 .	ased line pres	
I I	Affach (Inerator	's nian to	manage	nraduction	in rechange	to the incre	aced line nrec	cure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	n provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specif	ic information
for which confidentiality is asserted and the basis for such assertion.	

(h)

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

other alternative beneficial uses approved by the division.

fuel cell production; and

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	
Printed Name:	B. David Thomas
Title: (Consultant/Operator's Representative
E-mail Address:	davidthomastech@gmail.com
Date:	06/23/2022
Phone:	432-664-3590
	OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of App	oroval:

NATURAL GAS MANAGEMENT PLAN - ATTACHMENTS

DK 1234 FACILITY – LEA COUNTY, NM

VI. Separation Equipment:

The DK 1234 production facility is an established production facility. The current daily production through the facility is approximately 9 bopd + 47 mcfgpd + 47 bwpd. The facility is sized to handle 800 bopd + 1000 mcfgpd + 500 bwpd. During and upon completion of the planned recompletion work the maximum anticipated production at any given time is estimated to be 100 bopd + 200 mcfgpd + 200 bwpd. The current sizing of the facility is such that the anticipated maximum production can be handled without any adjustments. If the actual maximum production exceeds the capability of the current facility it will be modified to handle such increase.

VII. Operational Practices:

19.15.27.8 (A) Venting and Flaring of Natural Gas

Extex Operating Company understands the requirements of NMAC 19.15.27.8 which states that the venting and flaring of natural gas during drilling, completion or production that constitutes waste as defined in 19.15.2 are prohibited.

19.15.27.8 (B) Venting and Flaring During Drilling Operations

Extex Operating Company shall capture or combust natural gas if technically feasible during drilling operations using best industry practices.

During drilling operations a flare stack with a 100 percent capacity for expected volumes will be set on location of the DK 1234 facility at least 100' from the nearest surface hole location, well head, and storage tanks.

In the event of an emergency Extex Operating Company will vent natural gas in order to avoid substantial impact and shall report vented or flared gas to the NM OCD.

19.15.27.8 (C) Venting and Flaring During Completion or Recompletion

As Extex Operating Company has an adequately designed production facility in place, if during recompletion operations, the need to produce oil and gas arises it will direct such oil and gas through the completion equipment at the tank battery. Any gas vented during transition of routing the gas to the production facility will be measured or estimated regardless of the reason or authorization for venting. During the life of the well(s) producing to the DK 1234 facility an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment

is operating properly and there are no leaks or releases as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (D) Venting and Flaring During Production Operations

At any point in the life of the well(s) (production or inactive) an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC. Monitoring of manual liquid unloading for wells on site or in close proximity, taking reasonable actions to stabilize rate and pressure as soon as practical, and take reasonable actions to minimize venting to the maximum extent practicable. Extex Operating Company will measure or estimate volumes of natural gas that is vented, flared or beneficially used during drilling, completion, and production operations, regardless of the reason for such venting or flaring.

19.15.27.8 (E) Performance Standards

All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste. An AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (F) Measurement or Estimation of Vented and Flared Natural Gas

The volume of natural gas vented or flared from process piping or a flowline piped from the equipment associated with a well and the DK 1234 facility will be measured or estimated. Measurement equipment is designed to allow diversion of natural gas around the equipment for the sole purpose of inspecting and servicing the measurement equipment, as noted in NMAC 19.15.27.8 Subsection G.

VIII. Best Management Practices:

Extex Operating Company utilizes best management practices to minimize venting during active and planned maintenance. All gas is sold during normal producing operations. The only time gas will be vented or flared will be during planned maintenance or for emergence reasons. During any required instance of gas venting or flaring the volume of gas will be measured or estimated.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 141308

CONDITIONS

Operator:	OGRID:
Extex Operating Company	330423
1616 S. Voss Road	Action Number:
Houston, TX 77057	141308
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date
pkautz	None	12/6/2022