
Submit 1 Copy To Appropriate District Office	State of New Mexico				Form C-103
District I - (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Re	esources	WELL API N	NO.	ed July 18, 2013
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIV	ISION	30-025-304	.03	
District III - (505) 334-6178	1220 South St. Francis I		5. Indicate T STAT	Ype of Lease	EX
1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460	Santa Fe, NM 87505			& Gas Lease No	
1220 S. St. Francis Dr., Santa Fe, NM 87505			330456		
SUNDRY NOT	ICES AND REPORTS ON WELLS		7. Lease Nat	me or Unit Agree	ement Name
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPL! PROPOSALS.)	OSALS TO DRILL OR TO DEEPEN OR PLUG BAG CATION FOR PERMIT" (FORM C-101) FOR SUC	CK TO A CH		DK	
1. Type of Well: Oil Well	Gas Well 🗌 Other		8. Well Num	nber 2	
2. Name of Operator Extex Operating Company			9. OGRID N 330423	lumber	
3. Address of Operator				ne or Wildcat	
5065 Westheimer Road #6	25, Houston, TX 77056		Wildcat		
4. Well Location	4000 N		000		
Unit Letter H :	1980 feet from the N			t from the	E line
Section 25	Township 20S Range 11. Elevation (Show whether DR, RKB,	38E	NMPM	County	Lea
	3,564' GR	, KI, GK, etc.)			
12. Check	Appropriate Box to Indicate Nature	of Notice, H	Report or Of	ther Data	
	ITENTION TO:	QI ID C	COLIENT	REPORT O	г.
PERFORM REMEDIAL WORK		IEDIAL WORK			
TEMPORARILY ABANDON		MENCE DRIL	LING OPNS.		
PULL OR ALTER CASING	MULTIPLE COMPL	SING/CEMENT	JOB []	
DOWNHOLE COMMINGLE					
OTHER: Recomplete to Sar					
13. Describe proposed or comp	oleted operations. (Clearly state all pertine	ent details, and	give pertinent	t dates, including	g estimated date
of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMAC. For	Multiple Com	pletions: Atta	ach wellbore dia	gram of
proposed completion of re-	Jonipiction,				
Extex Operating will be	recompleting the DK #2 to the San A	Andres zone.	Extex Oper	ating's planne	d
procedure to recomplet					
- Set CIBP (w/20' ceme	work is approved by OCD.				
- Perf San Andres fr/~4					
	np; fracture treat if necessary.				
- Return well to product	ion in San Andres zone.				
	[]	
Spud Date:	Rig Release Date:	t.			
				NAME OF COMPANY	
I hereby certify that the information	above is true and complete to the best of	my knowladza	and baliaf		
Thereby certify that the information	above is due and complete to the best of	iny knowledge	and benet.		
CRAL PA	1				
SIGNATURE / MULLIU	TITLE Consultant	Operator's F	Representati	VEDATE 9-	7-2022
Type or print name B. David The					2-664-3590
For State Use Only			03		
APPROVED BY:	ייז זיזיניין			DATE	
Conditions of Approval (if any):	TITLE			_DATE	

Extex Operating will be recompleting the DK #2 to the San Andres zone. Extex Operating's planned

procedure to recomplete the well is as follows:

- MIRU PU as soon as work is approved by OCD.
- Set CIBP (w/20' cement) @ ~5,950'.
- Perf San Andres fr/~4,400'-4,750'.
- Treat zone w/acid & amp; fracture treat if necessary.
- Return well to production in San Andres zone.

Received by OCD: 9/7/2022 1:23:58 PM



Red	eived	by (OCD:	9/7/2022	1:23:58 PM
-----	-------	------	------	----------	------------

	State of New Mexico Energy, Minerals and Natural Resources Department						Submit Electronically Via E-permitting	
		1220 Sc	nservation D buth St. Fran a Fe, NM 87	cis Dr.				
	N	ATURAL GA	S MANA	GEMENT PI	LAN			
This Natural Gas Man	agement Plan mu	ist be submitted with	h each Applica	tion for Permit to E	Drill (Al	PD) for a new o	r recompleted well.	
			<u>l – Plan D</u> ective May 25.	<u>escription</u> , <u>2021</u>				
I. Operator:	Operating Cor	npany	_OGRID:	330423			23 / 2022	
II. Type: 🛛 Original	□ Amendment	due to 🗆 19.15.27.9	.D(6)(a) NMA	C □ 19.15.27.9.D(6)(b) N	MAC 🗆 Other.		
If Other, please descri	be:							
III. Well(s): Provide t be recompleted from a					vells pr	oposed to be dr	illed or proposed to	
Well Name	API	ULSTR	Footages	Anticipated		cipated	Anticipated	
DK #1 DK #2	30-025-30136	A-25-20S-38E H-25-20S-38E	660 FNL 660 FE 1980 FNL 660 F	25		50	Produced Water 50 BBL/D	
DK #2	<u>30-025-30403</u> 30-025-30520	B-25-20S-38E	660 FNL 1980 F	23		50 50	50	
DK #4	30-025-33577	G-25-20S-38E	1980 FNL 1980			50	<u> 50 </u>	
IV. Central Delivery							27.9(D)(1) NMAC]	
V. Anticipated Sched proposed to be recomp	pleted from a sing	gle well pad or conn	ected to a cent	ral delivery point.				
Well Name	API	Spud Date	TD Reached	Completion		Initial Flow	First Production	
DK #1 DK #2	30-025-30136 30-025-30403		Date	Commencement 09/01/2022	Date	Back Date 09/15/2022	Date 09/15/2022	
DK #3	30-025-30403			- 08/01/2022 07/15/2022		-08/15/2022 	08/15/2022	
DK #4	30-025-33577			09/15/2022		10/01/2022	10/01/2022	
VI. Separation Equip VII. Operational Pra Subsection A through	nctices: 🗵 Attacl	n a complete descri	1					
VIII. Best Managem during active and plan			e description of	f Operator's best m	nanagen	nent practices t	o minimize venting	

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

<u>Section 3 - Certifications</u> <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: B. David Thomas
Title: Consultant/Operator's Representative
E-mail Address: davidthomastech@gmail.com
Date:
Phone: 432-664-3590
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

NATURAL GAS MANAGEMENT PLAN - ATTACHMENTS DK 1234 FACILITY – LEA COUNTY, NM

VI. Separation Equipment:

The DK 1234 production facility is an established production facility. The current daily production through the facility is approximately 9 bopd + 47 mcfgpd + 47 bwpd. The facility is sized to handle 800 bopd + 1000 mcfgpd + 500 bwpd. During and upon completion of the planned recompletion work the maximum anticipated production at any given time is estimated to be 100 bopd + 200 mcfgpd + 200 bwpd. The current sizing of the facility is such that the anticipated maximum production can be handled without any adjustments. If the actual maximum production exceeds the capability of the current facility it will be modified to handle such increase.

VII. Operational Practices:

19.15.27.8 (A) Venting and Flaring of Natural Gas

Extex Operating Company understands the requirements of NMAC 19.15.27.8 which states that the venting and flaring of natural gas during drilling, completion or production that constitutes waste as defined in 19.15.2 are prohibited.

19.15.27.8 (B) Venting and Flaring During Drilling Operations

Extex Operating Company shall capture or combust natural gas if technically feasible during drilling operations using best industry practices.

During drilling operations a flare stack with a 100 percent capacity for expected volumes will be set on location of the DK 1234 facility at least 100' from the nearest surface hole location, well head, and storage tanks.

In the event of an emergency Extex Operating Company will vent natural gas in order to avoid substantial impact and shall report vented or flared gas to the NM OCD.

19.15.27.8 (C) Venting and Flaring During Completion or Recompletion

As Extex Operating Company has an adequately designed production facility in place, if during recompletion operations, the need to produce oil and gas arises it will direct such oil and gas through the completion equipment at the tank battery. Any gas vented during transition of routing the gas to the production facility will be measured or estimated regardless of the reason or authorization for venting. During the life of the well(s) producing to the DK 1234 facility an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment

is operating properly and there are no leaks or releases as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (D) Venting and Flaring During Production Operations

At any point in the life of the well(s) (production or inactive) an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC. Monitoring of manual liquid unloading for wells on site or in close proximity, taking reasonable actions to stabilize rate and pressure as soon as practical, and take reasonable actions to minimize venting to the maximum extent practicable. Extex Operating Company will measure or estimate volumes of natural gas that is vented, flared or beneficially used during drilling, completion, and production operations, regardless of the reason for such venting or flaring.

19.15.27.8 (E) Performance Standards

All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste. An AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (F) Measurement or Estimation of Vented and Flared Natural Gas

The volume of natural gas vented or flared from process piping or a flowline piped from the equipment associated with a well and the DK 1234 facility will be measured or estimated. Measurement equipment is designed to allow diversion of natural gas around the equipment for the sole purpose of inspecting and servicing the measurement equipment, as noted in NMAC 19.15.27.8 Subsection G.

VIII. Best Management Practices:

Extex Operating Company utilizes best management practices to minimize venting during active and planned maintenance. All gas is sold during normal producing operations. The only time gas will be vented or flared will be during planned maintenance or for emergence reasons. During any required instance of gas venting or flaring the volume of gas will be measured or estimated.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Extex Operating Company	330423
1616 S. Voss Road	Action Number:
Houston, TX 77057	141314
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date
pkautz	None	12/6/2022

Page 10 of 10

Action 141314