Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

DEI	THE THE TITLE IN THE	LICIOIC			*	
BUR	EAU OF LAND MANAG	5. Lease Serial No.	5. Lease Serial No. NMNM24489			
Do not use this t	NOTICES AND REPORT form for proposals to d Use Form 3160-3 (APD	rill or to re	e-enter an	6. If Indian, Allottee	e or Tribe Name	
	TRIPLICATE - Other instructio	ns on page 2		7. If Unit of CA/Ag	reement, Name and/or No.	
1. Type of Well				8 Well Name and N	Jo	
Oil Well Gas Well Other				0. 4 PV WY 11 2 Y	^{lo.} STETSON 13-24 2BS FED COM/10	
2. Name of Operator EARTHSTONE OPERATING LLC				9. API Well No. 300	02550265	
3a. Address 1400 WOODLOCH FOREST DRIVE SUITE 300, 3b. Phone No. (include area			clude area code		10. Field and Pool or Exploratory Area	
(281) 298-4240				GEM/BONE SPRING; EAST		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 12/T19S/R33E/NMP				11. Country or Paris	sh, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO INDIC	ATE NATURE	OF NOTICE, REPORT OR O	THER DATA	
TYPE OF SUBMISSION			TYI	PE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Hydrauli	ic Fracturing	Production (Start/Resume	e) Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans		nstruction Abandon	Recomplete Temporarily Abandon	V Other	
Final Abandonment Notice	Convert to Injection	Plug Bac		Water Disposal		
completed. Final Abandonment No is ready for final inspection.) 06/26/2022-DRIL 17.5" SURF-NOTIFY BLM OF INTENT TO 06/27/2022-RAN 41 JTS, 13.3 -CMNT 13.375" SURFACE C/SXS) CLASS C TAIL CMNT © -WOC 8 HOURS 06/28/2022-SPUDDER RIG R 07/16/2022-NOTIFIED BLM CO 07/16-07/17/2022-TEST BOPHIGH; 10 MIN EACH TEST; A-TEST ANNULAR 250 LOW/3-TEST LOWER PIPE RAMS 2 Continued on page 3 additional	ACE HOLE TO 1655'MD O RUN & CMNT 13.375" SURF O75", 54.5#, J-55 BTC CSG SE ASING W/316 BBLS (690 SXS) O 1.34 YIELD W/140 BBLS (30) ELEASED @ 12:00 AM; CEAS OF INTENT TO TEST BOP & R EQUIPMENT; TEST CHOKE, ALL GOOD TEST 500 HIGH; 10 MIN; GOOD TE 050 LOW/5000 HIGH; 10 MIN;	FACE CASING T @ 1655' M CLASS C L CO SXS) CMN SE DRILLING ESUME OPE PIPE RAMS	G EAD CMNT @ IT CIRCULAT OPERATIONS BLIND RAM	ation, have been completed an 2 2.57 YIELD FOLLOWED E ED TO SURFACE.		
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) JENNIFER ELROD / Ph: (817) 953-3728			Senior Regulatory Technician			
——————————————————————————————————————	7 07 20	Ti	tle			
Signature			ate	09/21	/2022	
	THE SPACE FO	OR FEDER	AL OR ST	ATE OFICE USE		
Approved by Jonathon W Shepard / Ph: (575) 2	34-5972 / Accepted		Petro	leum Engineer	10/15/2022 Date	
Conditions of approval, if any, are attac certify that the applicant holds legal or which would entitle the applicant to cor	hed. Approval of this notice does equitable title to those rights in th			RLSBAD	<u> </u>	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Additional Remarks

07/17/2022-PRESSURE TEST 13.375" SURFCE CASING TO 1500 PSI, 30 MIN; GOOD TEST

07/18/2022-BEGIN DRILLING 12.25" INTERMEDIATE HOLE

07/19/2022-DRILL 12.25" INT HOLE TO 5720' MD

-NOTIFIED BLM OF INTENT TO RUN & CMNT 9.625" CASING

-RUN 41 JTS OF 9.625", 40#, HCL-80 BTC CSG & 88 JTS, 9.625", 40#, J-55 BTC CSG SET @ 5701' MD

07/20/2022-NOTIFIED BLM OF INTENT TO CMNT 9.625" INT CASING

-CMNT 9.625" CSG W/454 BBLS (1175 SXS) CLASS C LEAD CMNT @ 2.17 YIELD FOLLOWED BY 48 BBLS(200 SXS) CLASS C

TAIL CMNT @ 1.32 YIELD W/70 BBLS(181 SXS) CMNT CIRCULATED TO SURFACE.

-PRESSURE TEST 9.625" INT CSG TO 1500 PSI, 30 MIN; GOOD TEST

08/08/2022-DRILL 8.75" PROD HOLE TO 20,709' TD

08/09/2022-NOTIFY BLM OF INTENT TO RUN & CMNT 5.5" PROD CSG

08/10/2022-RUN 507 JTS OF 5.5", 20#, P-110 CSG SET @ 20,698' MD

-CMNT 5.5" PROD CSG W/369 BBLS (680 SXS) CLASS H LEAD CMNT @ 3.05 YIELD FOLLOWED BY 691 BBLS (2010 SXS) CLASS

H TAIL CMNT @ 1.93 YIELD W/60 BBLS (110 SXS) CMNT CIRCULATED TO SURFACE.

08/11/2022-RIG RELEASED

Location of Well

0. SHL: SWSE / 73 FSL / 1380 FEL / TWSP: 19S / RANGE: 33E / SECTION: 12 / LAT: 32.6676415 / LONG: -103.6125185 (TVD: 0 feet, MD: 0 feet)

PPP: NWNE / 1 FNL / 1749 FEL / TWSP: 19S / RANGE: 33E / SECTION: 24 / LAT: 32.652928 / LONG: -103.613759 (TVD: 9840 feet, MD: 15210 feet)

PPP: SWSE / 1313 FSL / 1749 FEL / TWSP: 19S / RANGE: 33E / SECTION: 13 / LAT: 32.6671702 / LONG: -103.6137219 (TVD: 9800 feet, MD: 13896 feet)

PPP: NWNE / 100 FNL / 1750 FEL / TWSP: 19S / RANGE: 33E / SECTION: 13 / LAT: 32.6671702 / LONG: -103.6137219 (TVD: 9695 feet, MD: 10029 feet)

BHL: SWSE / 100 FSL / 1750 FEL / TWSP: 19S / RANGE: 33E / SECTION: 24 / LAT: 32.6386887 / LONG: -103.6137956 (TVD: 9969 feet, MD: 19835 feet)



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Region

Well Name: STETSON 13-24 2BS FED Well Location: T19S / R33E / SEC 12 /

COM

SWSE / 32.6676415 / -103.6125185

County or Parish/State: LEA /

Well Number: 10H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM24489 **Unit or CA Name: Unit or CA Number:**

US Well Number: 3002550265 Well Status: Drilling Well **Operator:** EARTHSTONE

OPERATING LLC

Notification

Sundry ID: 2678227

Type of Submission: Notification Type of Action: Well Spud

Date Sundry Submitted: 06/22/2022 **Time Sundry Submitted:** 11:29:31 AM

Time Operation Will Begin: **Date Operation Will** 06/22/2022 1:28:00 PM

APD Approved Date: 12/02/2021

US Well Number 3002550265

Field Contact Name: Field Contact Number: Von Coggins (580) 331-7939

Rig Name: Rig Number: 8 Integrity

Spud Type: Surface Hole

Procedure

Disposition: Accepted

Accepted Date: 06/22/2022

Oral Submission

Oral Notification Date: Jun 21, 2022 **Oral Notification Time:** 11:29:00 AM

Contacted By: Contact's Email: Von Coggins

Comments:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 165946

CONDITIONS

Operator:	OGRID:
Earthstone Operating, LLC	331165
1400 Woodloch Forest; Ste 300	Action Number:
The Woodlands, TX 77380	165946
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/12/2022