

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 10/22/21
⁴ API Number 30-015-46405	⁵ Pool Name CARLSBAD; BONE SPRING, EAST	⁶ Pool Code 96144
⁷ Property Code 323153	⁸ Property Name LONE TREE DRAW 14-13 STATE COM	⁹ Well Number 333H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	21S	27E		1990	South	280	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	13	21S	27E		2206	North	94	East	EDDY
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/22/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				



III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 2/2/21	²² Ready Date 10/22/21	²³ TD 19275	²⁴ PBDT 19253	²⁵ Perforations 9300 - 19221	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	324	625		
12.25	9.625	3063	665		
8.75	5.5	19256	2370		
	Tubing: 2.875	8466			

V. Well Test Data

³¹ Date New Oil 11/14/21	³² Gas Delivery Date 11/14/21	³³ Test Date 11/14/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 236 psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 966 bbl	³⁹ Water 2694 bbl	⁴⁰ Gas 2100 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Chelsey Green			Approved by: 		
Title: Regulatory Specialist			Title: Petroleum Engineer		
E-mail Address: chelsey.green@dvn.com			Approval Date: 12/16/22		
Date: 1/6/2022		Phone: 405-228-8595			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46405	² Pool Code 96144	³ Pool Name CARLSBAD; BONE SPRING, EAST
⁴ Property Code 323153	⁵ Property Name LONE TREE DRAW 14-13 STATE COM	⁶ Well Number 333H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3243.6

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	21 S	27 E		1990	SOUTH	280	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	13	21 S	27 E		2206	NORTH	94	EAST	EDDY
¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 14 LAT. = 32.4874912°N LONG. = 104.1691037°W NMSP EAST (FT) N = 541119.08 E = 591975.56 N/4 CORNER SEC. 14 LAT. = 32.4875224°N LONG. = 104.1604749°W NMSP EAST (FT) N = 541134.64 E = 594636.11 SECTION CORNER LAT. = 32.4875562°N LONG. = 104.1518459°W NMSP EAST (FT) N = 541151.36 E = 597296.73 N/4 CORNER SEC. 13 LAT. = 32.4875870°N LONG. = 104.1431449°W NMSP EAST (FT) N = 541167.23 E = 599979.56 NE CORNER SEC. 13 LAT. = 32.4876206°N LONG. = 104.1344381°W NMSP EAST (FT) N = 541184.34 E = 602664.16 N89°39'53"E 2661.24 FT N89°38'24"E 2661.31 FT N89°39'40"E 2683.52 FT N89°38'05"E 2685.30 FT AS-DRILLED W/4 CORNER SEC. 14 LAT. = 32.4801923°N LONG. = 104.1690906°W NMSP EAST (FT) N = 538463.77 E = 591983.67 SEC. 14 KICK OFF POINT 2314' FNL, 28' FWL LAT. = 32.4811334°N LONG. = 104.1690003°W QUARTER CORNER LAT. = 32.4802576°N LONG. = 104.1518272°W NMSP EAST (FT) N = 538496.17 E = 597307.02 SEC. 13 BOTTOM OF HOLE LTP 94' 280' SURFACE LOCATION 0.0661 000°02'41"W 2658.50 FT 000°10'30"W 2655.96 FT 000°10'23"E 2629.07 FT 000°11'15"E 2631.57 FT SW CORNER SEC. 14 LAT. = 32.4728864°N LONG. = 104.1690972°W NMSP EAST (FT) N = 535805.90 E = 591985.75 S/4 CORNER SEC. 14 LAT. = 32.4729258°N LONG. = 104.1604401°W NMSP EAST (FT) N = 535824.45 E = 594655.45 SECTION CORNER LAT. = 32.4729691°N LONG. = 104.1517858°W NMSP EAST (FT) N = 535844.66 E = 597324.31 S/4 CORNER SEC. 13 LAT. = 32.4730669°N LONG. = 104.1431032°W NMSP EAST (FT) N = 535884.89 E = 600001.85 SE CORNER SEC. 13 LAT. = 32.4731637°N LONG. = 104.1344163°W NMSP EAST (FT) N = 535924.99 E = 602680.71 S89°36'07"W 2670.41 FT S89°33'58"W 2669.58 FT S89°08'21"W 2678.49 FT S89°08'32"W 2679.80 FT LAST TAKE POINT 2209' FNL, 147' FEL LAT. = 32.4815487°N LONG. = 104.1349059°W NMSP EAST (FT) N = 538978.08 E = 602577.57 BOTTOM OF HOLE LAT. = 32.4815565°N LONG. = 104.1347323°W NMSP EAST (FT) N = 538978.08 E = 602577.57 E/4 CORNER SEC. 13 LAT. = 32.4803887°N LONG. = 104.1344261°W NMSP EAST (FT) N = 538553.42 E = 602672.77 LONE TREE DRAW 14-13 STATE COM 333H ELEV. = 3243.6' LAT. = 32.4783594°N (NAD83) LONG. = 104.1681845°W NMSP EAST (FT) N = 537797.41 E = 592264.12		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Chelsey Green</i> 12/06/21 Signature Date Chelsey Green Printed Name chelsey.green@dvn.com E-mail Address 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. NOVEMBER 29, 2021 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 SURVEY NO. 7254A
---	--	--

Intent ☐ As Drilled ☒

API # 30-015-46405		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: LONE TREE DRAW 14-13 STATE COM	Well Number 333H

Kick Off Point (KOP)

UL E	Section 14	Township 21S	Range 27E	Lot	Feet 2314	From N/S NORTH	Feet 28	From E/W WEST	County EDDY
Latitude 32.4811334					Longitude 104.1690003				NAD 83

First Take Point (FTP)

UL E	Section 14	Township 21S	Range 27E	Lot	Feet 2172	From N/S NORTH	Feet 639	From E/W WEST	County EDDY
Latitude 32.4815295					Longitude 104.1670198				NAD 83

Last Take Point (LTP)

UL H	Section 13	Township 21S	Range 27E	Lot	Feet 2209	From N/S NORTH	Feet 147	From E/W EAST	County EDDY
Latitude 32.4815487					Longitude 104.1349059				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ NO

Is this well an infill well?

☐ YES

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-46402		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: LONE TREE DRAW 14-13 STATE COM	Well Number 332H

KZ 06/29/2018



I **Michael Adams**, certify that I am employed by **SB Directional Services**. That I did on the day(s) of **2/2/2021** thru **2/17/2021** conduct or supervise the taking of a **MWD Survey** from a depth of **432' MD** to a depth of **19200' MD**; that the data is true, correct, complete and within the limitations of the tool as set forth by **SB Directional Services**; that I am authorized and qualified to make this report; that this survey was conducted at the request of **Devon Energy** for the **LONE TREE DRAW 14-13 STATE COM 333H** API No. **30-015-46405** in **Eddy County, New Mexico**; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by **SB Directional Services**.

SB DIRECTIONAL SERVICES

14221 S Meridian Ave

Oklahoma City, OK 73173

Main Office Phone: 405-926-7177

www.sbdirectionalservices.com



DEVON ENERGY

Eddy County, NM (NAD83)

Sec 14-T21S-R27E

Lone Tree Draw 14-13 State Com 333H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

04 March, 2021





SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 333H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3266.60usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3266.60usft
Well:	Lone Tree Draw 14-13 State Com 333H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 14-T21S-R27E			
Site Position:		Northing:	541,119.08 usft	Latitude:	32.487491
From:	Map	Easting:	591,975.56 usft	Longitude:	-104.169104
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.09 °

Well	Lone Tree Draw 14-13 State Com 333H					
Well Position	+N/-S	0.00 usft	Northing:	537,797.41 usft	Latitude:	32.478359
	+E/-W	0.00 usft	Easting:	592,264.12 usft	Longitude:	-104.168185
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,243.60 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	2021/01/07	6.89	60.06	47,628.73071996

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	90.00	

Survey Program	Date	2021/03/04			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
144.00	324.00	Gyros (Wellbore #1)	GYRO-NS-CT	OWSG XYZ Accel with XY Static and Continuous Gyro	
432.00	19,275.00	MWD (Wellbore #1)	MWD+HDGM	OWSG MWD + HDGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	537,797.41	592,264.12	32.478359	-104.168185
144.00	0.87	102.40	143.99	-0.23	1.07	537,797.18	592,265.19	32.478359	-104.168181
234.00	0.79	95.12	233.99	-0.44	2.35	537,796.98	592,266.48	32.478358	-104.168177
324.00	0.74	99.56	323.98	-0.59	3.54	537,796.82	592,267.67	32.478358	-104.168173
432.00	0.18	83.62	431.97	-0.69	4.40	537,796.73	592,268.52	32.478358	-104.168171
614.00	0.53	34.31	613.97	0.04	5.16	537,797.45	592,269.28	32.478360	-104.168168
797.00	0.62	48.16	796.96	1.40	6.37	537,798.81	592,270.50	32.478363	-104.168164
979.00	0.79	359.74	978.95	3.31	7.10	537,800.72	592,271.22	32.478369	-104.168162
1,161.00	1.58	333.98	1,160.91	6.82	6.00	537,804.23	592,270.12	32.478378	-104.168165
1,345.00	1.41	347.52	1,344.85	11.31	4.39	537,808.72	592,268.52	32.478391	-104.168170
1,529.00	1.23	359.24	1,528.80	15.50	3.88	537,812.91	592,268.00	32.478402	-104.168172



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 333H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3266.60usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3266.60usft
Well:	Lone Tree Draw 14-13 State Com 333H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,717.00	1.41	342.77	1,716.75	19.72	3.17	537,817.14	592,267.29	32.478414	-104.168174
1,904.00	0.88	341.10	1,903.71	23.28	2.02	537,820.69	592,266.14	32.478423	-104.168178
2,093.00	1.06	353.70	2,092.68	26.39	1.36	537,823.80	592,265.48	32.478432	-104.168180
2,283.00	0.79	3.02	2,282.66	29.45	1.23	537,826.86	592,265.36	32.478440	-104.168181
2,471.00	1.14	341.05	2,470.63	32.51	0.69	537,829.92	592,264.82	32.478449	-104.168182
2,660.00	0.79	344.30	2,659.61	35.54	-0.27	537,832.95	592,263.85	32.478457	-104.168185
2,849.00	1.41	336.83	2,848.57	38.93	-1.54	537,836.35	592,262.59	32.478467	-104.168190
3,007.00	5.01	349.13	3,006.30	47.50	-3.60	537,844.91	592,260.52	32.478490	-104.168196
3,110.00	4.84	347.20	3,108.92	56.15	-5.41	537,853.56	592,258.71	32.478514	-104.168202
3,204.00	7.03	340.70	3,202.41	65.45	-8.19	537,862.86	592,255.93	32.478539	-104.168211
3,298.00	10.82	340.26	3,295.25	79.19	-13.08	537,876.60	592,251.05	32.478577	-104.168227
3,392.00	13.10	346.94	3,387.21	97.87	-18.46	537,895.29	592,245.66	32.478629	-104.168244
3,487.00	13.72	345.79	3,479.62	119.28	-23.66	537,916.69	592,240.46	32.478687	-104.168261
3,581.00	14.77	345.53	3,570.73	141.69	-29.39	537,939.10	592,234.73	32.478749	-104.168279
3,675.00	14.16	348.69	3,661.75	164.57	-34.64	537,961.98	592,229.48	32.478812	-104.168296
3,770.00	12.75	348.34	3,754.14	186.23	-39.04	537,983.64	592,225.08	32.478872	-104.168310
3,864.00	12.31	348.08	3,845.90	206.19	-43.21	538,003.61	592,220.92	32.478926	-104.168324
3,959.00	11.70	345.00	3,938.83	225.41	-47.79	538,022.82	592,216.33	32.478979	-104.168339
4,053.00	11.61	343.68	4,030.89	243.69	-52.92	538,041.10	592,211.21	32.479030	-104.168355
4,147.00	11.34	342.89	4,123.01	261.60	-58.29	538,059.01	592,205.83	32.479079	-104.168372
4,240.00	11.08	342.19	4,214.23	278.85	-63.72	538,076.26	592,200.41	32.479126	-104.168390
4,335.00	11.43	340.08	4,307.41	296.39	-69.72	538,093.80	592,194.41	32.479175	-104.168409
4,429.00	11.43	340.52	4,399.54	313.93	-76.00	538,111.34	592,188.13	32.479223	-104.168430
4,524.00	12.05	339.55	4,492.56	332.09	-82.60	538,129.50	592,181.52	32.479273	-104.168451
4,619.00	11.96	340.26	4,585.48	350.65	-89.39	538,148.06	592,174.74	32.479324	-104.168473
4,714.00	11.96	339.99	4,678.42	369.16	-96.08	538,166.57	592,168.04	32.479375	-104.168495
4,808.00	11.70	340.87	4,770.42	387.32	-102.54	538,184.73	592,161.59	32.479425	-104.168515
4,902.00	11.43	339.82	4,862.51	405.07	-108.87	538,202.48	592,155.25	32.479473	-104.168536
4,996.00	11.43	340.52	4,954.65	422.59	-115.19	538,220.00	592,148.93	32.479522	-104.168556
5,091.00	11.08	338.94	5,047.82	439.98	-121.61	538,237.39	592,142.51	32.479569	-104.168577
5,186.00	11.43	339.38	5,140.99	457.31	-128.21	538,254.72	592,135.92	32.479617	-104.168598
5,280.00	10.55	337.01	5,233.27	473.95	-134.85	538,271.36	592,129.27	32.479663	-104.168620
5,375.00	9.67	335.69	5,326.79	489.23	-141.53	538,286.64	592,122.59	32.479705	-104.168641
5,469.00	10.29	332.79	5,419.37	503.89	-148.62	538,301.30	592,115.50	32.479745	-104.168664
5,564.00	11.52	340.87	5,512.66	520.40	-155.61	538,317.81	592,108.51	32.479791	-104.168687
5,658.00	11.96	342.72	5,604.69	538.57	-161.58	538,335.98	592,102.55	32.479841	-104.168706
5,752.00	10.55	339.47	5,696.88	555.93	-167.49	538,353.34	592,096.63	32.479888	-104.168725
5,846.00	8.97	338.59	5,789.52	570.81	-173.18	538,368.22	592,090.94	32.479929	-104.168744
5,940.00	8.27	340.70	5,882.46	584.01	-178.09	538,381.43	592,086.03	32.479966	-104.168759
6,035.00	8.09	341.31	5,976.49	596.79	-182.49	538,394.21	592,081.63	32.480001	-104.168774
6,130.00	7.74	340.17	6,070.59	609.14	-186.80	538,406.56	592,077.32	32.480035	-104.168788
6,225.00	9.15	346.06	6,164.55	622.49	-190.79	538,419.91	592,073.33	32.480071	-104.168800
6,319.00	10.20	351.42	6,257.22	637.98	-193.84	538,435.39	592,070.29	32.480114	-104.168810
6,413.00	11.08	356.34	6,349.60	655.22	-195.66	538,452.64	592,068.47	32.480161	-104.168816
6,508.00	10.11	356.69	6,442.98	672.66	-196.72	538,470.07	592,067.40	32.480209	-104.168819
6,602.00	11.17	359.94	6,535.37	690.00	-197.21	538,487.41	592,066.92	32.480257	-104.168821
6,697.00	12.93	1.09	6,628.27	709.83	-197.01	538,507.24	592,067.11	32.480312	-104.168820
6,790.00	11.17	355.73	6,719.22	729.22	-197.49	538,526.63	592,066.64	32.480365	-104.168822
6,885.00	8.88	349.05	6,812.77	745.60	-199.56	538,543.01	592,064.56	32.480410	-104.168828
6,980.00	10.73	344.74	6,906.37	761.33	-203.28	538,558.74	592,060.84	32.480453	-104.168840
7,074.00	10.73	341.66	6,998.73	778.08	-208.34	538,575.49	592,055.78	32.480499	-104.168857
7,169.00	9.67	340.08	7,092.23	793.97	-213.84	538,591.38	592,050.28	32.480543	-104.168874
7,264.00	8.79	332.43	7,186.00	807.91	-219.92	538,605.32	592,044.20	32.480581	-104.168894
7,358.00	10.29	333.58	7,278.70	821.80	-226.98	538,619.21	592,037.14	32.480619	-104.168917
7,453.00	11.43	342.98	7,372.00	838.40	-233.51	538,635.81	592,030.61	32.480665	-104.168938



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 333H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3266.60usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3266.60usft
Well:	Lone Tree Draw 14-13 State Com 333H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
7,547.00	9.85	343.86	7,464.39	855.03	-238.47	538,652.44	592,025.65	32.480711	-104.168954
7,642.00	9.94	344.39	7,557.97	870.73	-242.94	538,668.14	592,021.18	32.480754	-104.168968
7,736.00	10.64	354.06	7,650.47	887.18	-246.02	538,684.59	592,018.10	32.480799	-104.168978
7,830.00	10.64	355.99	7,742.85	904.46	-247.53	538,701.88	592,016.60	32.480847	-104.168983
7,924.00	10.46	356.34	7,835.26	921.64	-248.68	538,719.05	592,015.45	32.480894	-104.168987
8,018.00	9.32	343.68	7,927.87	937.46	-251.36	538,734.87	592,012.76	32.480937	-104.168995
8,113.00	9.58	354.85	8,021.59	952.72	-254.23	538,750.13	592,009.89	32.480979	-104.169004
8,207.00	10.64	358.27	8,114.13	969.18	-255.20	538,766.59	592,008.93	32.481025	-104.169008
8,301.00	11.61	359.68	8,206.37	987.31	-255.51	538,784.73	592,008.61	32.481074	-104.169008
8,336.00	11.17	358.10	8,240.68	994.22	-255.64	538,791.64	592,008.48	32.481093	-104.169009
8,350.00	10.82	356.25	8,254.42	996.89	-255.77	538,794.30	592,008.35	32.481101	-104.169009
8,445.00	13.37	24.91	8,347.39	1,015.77	-251.73	538,813.18	592,012.40	32.481153	-104.168996
8,539.00	21.37	51.18	8,437.16	1,036.43	-233.75	538,833.84	592,030.37	32.481209	-104.168938
8,634.00	34.21	66.21	8,521.12	1,058.17	-195.62	538,855.58	592,068.50	32.481269	-104.168814
8,663.00	37.64	67.25	8,544.60	1,064.88	-179.99	538,862.29	592,084.13	32.481287	-104.168763
X Perf. Line @ 8663' MD, 2580' FSL, 100' FWL									
8,729.00	45.46	69.11	8,593.96	1,081.09	-139.37	538,878.50	592,124.75	32.481332	-104.168631
8,823.00	52.58	78.78	8,655.65	1,100.35	-71.28	538,897.76	592,192.84	32.481384	-104.168410
8,917.00	57.16	84.14	8,709.75	1,111.65	4.69	538,909.07	592,268.82	32.481415	-104.168164
9,012.00	64.89	83.44	8,755.74	1,120.66	87.25	538,918.07	592,351.37	32.481440	-104.167896
9,106.00	70.70	81.77	8,791.25	1,131.88	173.51	538,929.29	592,437.63	32.481470	-104.167616
9,200.00	71.75	81.51	8,821.51	1,144.82	261.56	538,942.23	592,525.68	32.481505	-104.167331
9,295.00	77.03	87.13	8,847.08	1,153.81	352.54	538,951.22	592,616.66	32.481530	-104.167036
9,389.00	83.71	85.99	8,862.79	1,159.37	444.99	538,956.79	592,709.12	32.481544	-104.166736
9,483.00	87.14	87.66	8,870.29	1,164.56	538.53	538,961.97	592,802.66	32.481558	-104.166432
9,578.00	87.41	90.30	8,874.81	1,166.25	633.40	538,963.66	592,897.53	32.481563	-104.166125
9,673.00	85.91	92.23	8,880.34	1,164.16	728.21	538,961.57	592,992.33	32.481556	-104.165817
9,767.00	86.35	92.14	8,886.69	1,160.58	821.93	538,957.99	593,086.05	32.481546	-104.165513
9,861.00	87.14	91.97	8,892.03	1,157.22	915.72	538,954.63	593,179.84	32.481537	-104.165209
9,955.00	88.64	92.23	8,895.49	1,153.77	1,009.59	538,951.19	593,273.71	32.481527	-104.164905
10,050.00	88.90	92.23	8,897.53	1,150.08	1,104.49	538,947.49	593,368.62	32.481516	-104.164597
10,144.00	89.25	92.41	8,899.04	1,146.27	1,198.40	538,943.69	593,462.53	32.481505	-104.164293
10,239.00	87.32	91.35	8,901.89	1,143.16	1,293.30	538,940.57	593,557.43	32.481496	-104.163985
10,333.00	86.53	90.91	8,906.93	1,141.31	1,387.15	538,938.72	593,651.27	32.481491	-104.163681
10,427.00	86.61	90.82	8,912.55	1,139.89	1,480.97	538,937.30	593,745.09	32.481486	-104.163376
10,521.00	87.85	90.56	8,917.10	1,138.76	1,574.85	538,936.17	593,838.97	32.481483	-104.163072
10,615.00	87.85	90.12	8,920.62	1,138.20	1,668.78	538,935.61	593,932.91	32.481481	-104.162767
10,709.00	88.72	89.77	8,923.44	1,138.29	1,762.74	538,935.70	594,026.86	32.481481	-104.162463
10,803.00	87.85	89.51	8,926.25	1,138.88	1,856.69	538,936.29	594,120.82	32.481482	-104.162158
10,897.00	86.53	89.24	8,930.86	1,139.91	1,950.57	538,937.32	594,214.70	32.481484	-104.161853
10,991.00	87.05	89.15	8,936.12	1,141.23	2,044.42	538,938.64	594,308.54	32.481488	-104.161549
11,086.00	88.11	89.24	8,940.13	1,142.56	2,139.32	538,939.97	594,403.44	32.481491	-104.161241
11,181.00	88.55	89.07	8,942.90	1,143.96	2,234.27	538,941.37	594,498.39	32.481494	-104.160933
11,275.00	89.43	89.15	8,944.56	1,145.42	2,328.24	538,942.83	594,592.37	32.481498	-104.160629
11,371.00	90.13	89.15	8,944.93	1,146.84	2,424.23	538,944.26	594,688.35	32.481501	-104.160317
11,465.00	89.25	89.15	8,945.43	1,148.24	2,518.22	538,945.65	594,782.34	32.481505	-104.160012
11,560.00	88.11	89.59	8,947.62	1,149.28	2,613.19	538,946.69	594,877.31	32.481507	-104.159704
11,654.00	87.32	89.68	8,951.37	1,149.88	2,707.11	538,947.29	594,971.23	32.481508	-104.159400
11,749.00	89.87	90.47	8,953.70	1,149.76	2,802.07	538,947.17	595,066.19	32.481508	-104.159092
11,843.00	88.55	89.94	8,955.00	1,149.42	2,896.06	538,946.83	595,160.18	32.481506	-104.158787
11,937.00	88.29	89.15	8,957.59	1,150.17	2,990.02	538,947.58	595,254.14	32.481508	-104.158482
12,031.00	87.41	88.89	8,961.11	1,151.77	3,083.94	538,949.18	595,348.06	32.481512	-104.158178
12,126.00	86.61	87.84	8,966.07	1,154.48	3,178.77	538,951.89	595,442.89	32.481519	-104.157870
12,220.00	86.79	87.75	8,971.48	1,158.09	3,272.54	538,955.50	595,536.67	32.481528	-104.157566
12,314.00	87.32	87.57	8,976.31	1,161.92	3,366.34	538,959.33	595,630.46	32.481539	-104.157262



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 333H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3266.60usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3266.60usft
Well:	Lone Tree Draw 14-13 State Com 333H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
12,409.00	89.16	87.04	8,979.23	1,166.39	3,461.19	538,963.80	595,725.31	32.481550	-104.156954
12,503.00	88.90	88.27	8,980.82	1,170.23	3,555.09	538,967.64	595,819.22	32.481561	-104.156650
12,597.00	87.32	88.80	8,983.92	1,172.63	3,649.01	538,970.05	595,913.13	32.481567	-104.156345
12,692.00	86.79	88.80	8,988.80	1,174.62	3,743.86	538,972.03	596,007.98	32.481572	-104.156038
12,787.00	87.41	88.63	8,993.61	1,176.75	3,838.71	538,974.16	596,102.84	32.481577	-104.155730
12,881.00	88.02	88.54	8,997.35	1,179.07	3,932.61	538,976.48	596,196.73	32.481583	-104.155425
12,976.00	89.69	88.89	8,999.25	1,181.20	4,027.56	538,978.61	596,291.69	32.481589	-104.155118
13,070.00	89.08	89.94	9,000.26	1,182.16	4,121.55	538,979.57	596,385.68	32.481591	-104.154813
13,165.00	87.41	91.18	9,003.17	1,181.23	4,216.50	538,978.64	596,480.62	32.481588	-104.154505
13,260.00	88.90	91.79	9,006.23	1,178.77	4,311.41	538,976.18	596,575.54	32.481581	-104.154197
13,354.00	86.79	91.35	9,009.76	1,176.20	4,405.31	538,973.61	596,669.43	32.481573	-104.153893
13,449.00	86.00	91.09	9,015.74	1,174.18	4,500.10	538,971.59	596,764.22	32.481567	-104.153585
13,544.00	86.00	91.09	9,022.36	1,172.37	4,594.85	538,969.79	596,858.97	32.481562	-104.153278
13,639.00	87.76	90.91	9,027.53	1,170.72	4,689.69	538,968.13	596,953.81	32.481557	-104.152970
13,733.00	90.31	91.44	9,029.12	1,168.79	4,783.65	538,966.20	597,047.77	32.481551	-104.152666
13,827.00	90.75	91.09	9,028.25	1,166.72	4,877.62	538,964.13	597,141.74	32.481545	-104.152361
13,922.00	89.25	91.00	9,028.25	1,164.98	4,972.60	538,962.40	597,236.73	32.481540	-104.152053
14,009.00	88.76	90.92	9,029.76	1,163.53	5,059.58	538,960.94	597,323.70	32.481535	-104.151771
X Section @ 14009' MD, 2158' FNL, 0' FWL									
14,016.00	88.72	90.91	9,029.91	1,163.42	5,066.57	538,960.83	597,330.70	32.481535	-104.151748
14,110.00	86.70	90.03	9,033.67	1,162.65	5,160.49	538,960.06	597,424.61	32.481532	-104.151444
14,205.00	85.56	89.94	9,040.08	1,162.67	5,255.27	538,960.08	597,519.39	32.481532	-104.151136
14,299.00	85.74	89.86	9,047.21	1,162.83	5,349.00	538,960.25	597,613.12	32.481532	-104.150832
14,394.00	86.17	89.77	9,053.91	1,163.14	5,443.76	538,960.55	597,707.89	32.481532	-104.150525
14,487.00	86.00	89.51	9,060.26	1,163.72	5,536.54	538,961.14	597,800.67	32.481533	-104.150224
14,581.00	85.03	89.24	9,067.61	1,164.75	5,630.25	538,962.16	597,894.37	32.481536	-104.149920
14,676.00	86.53	88.98	9,074.60	1,166.22	5,724.98	538,963.63	597,989.10	32.481539	-104.149613
14,770.00	86.70	88.80	9,080.15	1,168.04	5,818.80	538,965.45	598,082.92	32.481544	-104.149309
14,865.00	90.48	89.59	9,082.49	1,169.37	5,913.74	538,966.78	598,177.86	32.481547	-104.149001
14,959.00	86.79	89.68	9,084.73	1,169.97	6,007.70	538,967.38	598,271.82	32.481548	-104.148696
15,053.00	86.53	89.15	9,090.21	1,170.93	6,101.53	538,968.34	598,365.65	32.481551	-104.148392
15,148.00	86.97	88.80	9,095.59	1,172.62	6,196.36	538,970.03	598,460.49	32.481555	-104.148084
15,242.00	88.29	88.63	9,099.48	1,174.73	6,290.26	538,972.14	598,554.38	32.481560	-104.147780
15,337.00	89.69	88.71	9,101.15	1,176.93	6,385.21	538,974.35	598,649.34	32.481566	-104.147472
15,432.00	88.55	89.86	9,102.61	1,178.12	6,480.19	538,975.53	598,744.31	32.481569	-104.147164
15,527.00	86.09	89.51	9,107.05	1,178.64	6,575.08	538,976.05	598,839.20	32.481570	-104.146856
15,621.00	86.97	89.86	9,112.74	1,179.16	6,668.90	538,976.57	598,933.03	32.481571	-104.146552
15,716.00	87.41	89.68	9,117.40	1,179.54	6,763.79	538,976.95	599,027.91	32.481571	-104.146244
15,811.00	88.29	89.68	9,120.96	1,180.07	6,858.72	538,977.48	599,122.84	32.481572	-104.145936
15,905.00	89.08	89.24	9,123.12	1,180.95	6,952.69	538,978.36	599,216.81	32.481574	-104.145631
16,000.00	90.40	89.33	9,123.55	1,182.14	7,047.68	538,979.55	599,311.80	32.481577	-104.145323
16,095.00	90.48	88.89	9,122.82	1,183.61	7,142.66	538,981.03	599,406.79	32.481580	-104.145015
16,189.00	89.69	88.98	9,122.68	1,185.36	7,236.65	538,982.77	599,500.77	32.481585	-104.144711
16,284.00	89.52	88.63	9,123.34	1,187.34	7,331.62	538,984.75	599,595.75	32.481590	-104.144402
16,379.00	89.52	88.89	9,124.13	1,189.40	7,426.60	538,986.81	599,690.72	32.481595	-104.144094
16,473.00	90.22	89.94	9,124.35	1,190.36	7,520.59	538,987.77	599,784.71	32.481597	-104.143790
16,567.00	89.52	93.20	9,124.62	1,187.10	7,615.53	538,984.51	599,879.65	32.481588	-104.143484
16,662.00	88.37	92.93	9,126.35	1,182.07	7,710.53	538,979.48	599,974.50	32.481573	-104.143176
16,757.00	86.97	92.49	9,130.17	1,177.63	7,805.53	538,975.04	600,069.43	32.481561	-104.142868
16,852.00	87.41	92.32	9,134.83	1,173.65	7,900.53	538,971.06	600,164.36	32.481549	-104.142560
16,947.00	87.58	92.49	9,138.98	1,169.67	8,000.53	538,967.08	600,259.29	32.481538	-104.142252
17,042.00	88.37	92.58	9,142.34	1,165.47	8,100.53	538,962.88	600,354.22	32.481526	-104.141944
17,137.00	88.99	92.49	9,144.50	1,161.31	8,200.53	538,958.72	600,449.15	32.481514	-104.141636
17,232.00	88.64	92.76	9,146.47	1,156.96	8,300.53	538,954.57	600,544.08	32.481502	-104.141328
17,327.00	87.41	92.58	9,149.74	1,152.54	8,400.53	538,949.95	600,639.01	32.481489	-104.141020



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 333H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3266.60usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3266.60usft
Well:	Lone Tree Draw 14-13 State Com 333H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
17,450.00	87.76	92.76	9,154.00	1,147.84	8,496.07	538,945.25	600,760.19	32.481475	-104.140626
17,538.00	88.37	92.76	9,156.97	1,143.60	8,583.92	538,941.02	600,848.04	32.481463	-104.140342
17,632.00	88.99	92.49	9,159.13	1,139.30	8,677.79	538,936.71	600,941.91	32.481451	-104.140037
17,727.00	88.81	92.58	9,160.96	1,135.10	8,772.68	538,932.51	601,036.80	32.481439	-104.139729
17,821.00	86.79	91.70	9,164.56	1,131.59	8,866.54	538,929.00	601,130.66	32.481429	-104.139425
17,916.00	86.35	89.94	9,170.25	1,130.23	8,961.36	538,927.65	601,225.48	32.481425	-104.139118
18,010.00	86.79	89.68	9,175.87	1,130.54	9,055.19	538,927.96	601,319.31	32.481425	-104.138813
18,104.00	89.16	89.51	9,179.19	1,131.21	9,149.12	538,928.62	601,413.24	32.481427	-104.138509
18,199.00	89.43	90.03	9,180.36	1,131.59	9,244.11	538,929.00	601,508.23	32.481427	-104.138201
18,294.00	90.04	90.47	9,180.80	1,131.18	9,339.11	538,928.59	601,603.23	32.481425	-104.137893
18,389.00	90.31	89.68	9,180.51	1,131.05	9,434.11	538,928.46	601,698.23	32.481425	-104.137585
18,483.00	90.75	88.45	9,179.64	1,132.58	9,528.09	538,930.00	601,792.21	32.481428	-104.137280
18,577.00	91.19	87.13	9,178.05	1,136.21	9,622.00	538,933.62	601,886.13	32.481438	-104.136975
18,673.00	92.51	85.73	9,174.95	1,142.18	9,717.76	538,939.59	601,981.89	32.481454	-104.136665
18,767.00	93.83	85.99	9,169.75	1,148.96	9,811.37	538,946.37	602,075.49	32.481472	-104.136361
18,861.00	94.97	86.17	9,162.54	1,155.37	9,904.87	538,952.78	602,169.00	32.481489	-104.136058
18,955.00	94.97	85.99	9,154.40	1,161.77	9,998.30	538,959.18	602,262.42	32.481506	-104.135755
19,051.00	95.58	86.43	9,145.57	1,168.09	10,093.68	538,965.50	602,357.81	32.481523	-104.135445
19,145.00	96.20	86.60	9,135.93	1,173.77	10,187.01	538,971.18	602,451.14	32.481538	-104.135143
19,200.00	96.81	86.87	9,129.70	1,176.88	10,241.57	538,974.29	602,505.70	32.481547	-104.134966
Final Survey @ 19200' MD / 9130' TVD									
19,275.00	96.81	86.87	9,120.80	1,180.95	10,315.93	538,978.36	602,580.05	32.481557	-104.134724
PBHL & LTP @ 19275' MD, 2141' FNL, 113' FEL									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
PBHL	0.00	0.00	9,120.80	1,180.95	10,315.93	538,978.36	602,580.05	32.481557	-104.134724
- actual wellpath hits target center									
- Point									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
8,663.00	8,544.60	1,064.88	-179.99	X Perf. Line @ 8663' MD, 2580' FSL, 100' FWL	
14,009.00	9,029.76	1,163.53	5,059.58	X Section @ 14009' MD, 2158' FNL, 0' FWL	
19,200.00	9,129.70	1,176.88	10,241.57	Final Survey @ 19200' MD / 9130' TVD	
19,275.00	9,120.80	1,180.95	10,315.93	PBHL & LTP @ 19275' MD, 2141' FNL, 113' FEL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-015-46405
5. Indicate Type of Lease STATE ☒ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	LONE TREE DRAW 14-13 STATE COM
8. Well Number	333H
9. OGRID Number	6137
10. Pool name or Wildcat	CARLSBAD; BONE SPRING, EAST

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator	Devon Energy Production Company, L.P.
3. Address of Operator	333 West Sheridan, Oklahoma City, OK 73102
4. Well Location Unit Letter <u>L</u> : <u>1990</u> feet from the <u>South</u> line and <u>280</u> feet from the <u>West</u> line Section <u>14</u> Township <u>21S</u> Range <u>27E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3243	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐	
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/31/21-8/9/21: MIRU WL & PT. TIH w/pump through frac plug and guns. Perf Delaware, 9300'-19221', total 1197 holes. Frac totals 70 bbls acid, 17885020# prop.
 ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 19253'. CHC, FWB, ND BOP. Tbg ran 8/27/21 w/ 2-7/8" L-80 set @ 8466' . TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chelsey Green TITLE Regulatory Specialist DATE 1/6/2022

Type or print name Chelsey Green E-mail address: chelsey.green@dmn.com PHONE: 405-228-8595
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-015-46405								
		2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name LONE TREE DRAW 14-13 STATE COM				
						6. Well Number: 333H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat CARLSBAD; BONE SPRING, EAST				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	14	21S	27E		1990	South	280	West	EDDY
BH:	H	13	21S	27E		2206	North	94	East	EDDY
13. Date Spudded 2/2/21	14. Date T.D. Reached 2/15/21	15. Date Rig Released 2/18/21		16. Date Completed (Ready to Produce) 10/22/21		17. Elevations (DF and RKB, RT, GR, etc.) 3243 GL				
18. Total Measured Depth of Well 19275 MD, 9179 TVD		19. Plug Back Measured Depth 19253		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run				
22. Producing Interval(s), of this completion - Top, Bottom, Name 9300-19221, BONE SPRING, EAST										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE	WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13.375	54.5		324		17.5		625			
9.625	40		3063		12.25		665			
5.5	20		19256		8.75		2370			
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET	PACKER SET	
						2.875 L-80		8466		
26. Perforation record (interval, size, and number) 9300 - 19221, total 1197 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9300-19221 Acidize and frac in 41 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 10/22/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 11/14/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 966	Gas - MCF 2100	Water - Bbl. 2694	Gas - Oil Ratio 2173			
Flow Tubing Press. 236 psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Chelsey Green		Title Regulatory Specialist		Date 1/6/2022			
E-mail Address chelsey.green@dvn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 70814

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 70814
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 70814

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 70814
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	12/16/2022