

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Subsequent Report

Sundry ID: 2697526

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 10/11/2022

Time Sundry Submitted: 01:27

Date Operation Actually Began: 10/05/2022

Actual Procedure: Subject well was plugged and abandoned on 10/7/22. Please see attached operational reports.

SR Attachments

Actual Procedure

Current_Schematic_20221011132648.pdf

Berger_7S_P_A_SR_20221011132647.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KANDIS ROLAND

Signed on: OCT 11, 2022 01:27 PM

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech

Street Address: 382 Road 3100

City: Farmington

State: NM

Phone: (505) 599-3400

Email address: kroland@hilcorp.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Phone: 5055647742

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 10/12/2022

CONFIDENTIAL

Kandis Roland

From: AFMSS <blm-afmss-notifications@blm.gov>
Sent: Wednesday, October 12, 2022 1:56 PM
To: Kandis Roland
Subject: [EXTERNAL] Well Name: BERGER, Well Number: 7S, Notification of Sundry Accepted

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The Bureau of Land Management

Notice of Subsequent Report Approval

- Operator Name: **HILCORP ENERGY COMPANY**
- Well Name: **BERGER**
- Well Number: **7S**
- US Well Number: **3004532946**
- Sundry ID: **2697526**

The BLM received your Subsequent Report, Plug and Abandonment on 10/11/2022. This is to notify you that we are Accepting your Subsequent Report Plug and Abandonment. Please login to your account in AFMSS II to see the final documents.

You may contact the field office if you have any questions.

This notification is automatically generated. Please do not reply to this message as this account is not monitored.

Berger 7S
30-045-32946
P&A SR

10/5/22 –MIRU. SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. POOH w/ Pump/Rod String. ND WH, NU BOP. PT BOP, Good test. POOH w/ tbg. TIH w/ mill to 1693'. TOO H w/ mill. TIH w/ CICR and set @ 1640'. PT csg to 600 psi. Bad test.

Plug 1 (1490' – 1640' Fruitland Coal Liner Top) Mix and pump: 24 sx Class 3, 14.6 PPG, 1.37 Yield. LD tbg. WOC. TIH tag TOC @ 1469'.

Plug 2 (890' – 1042' Fruitland Coal) Mix and pump: 25 sx Class 3, 14.6 PPG, 1.37 Yield. LD tbg. SIW. SDFN.

10/6/22 –MIRU. SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. TIH tag TOC @ 885'. LD tbg.

Plug 3 (365' – 655' Kirtland/Ojo) Mix and pump: 47 sx Class 3, 14.6 PPG, 1.37 Yield. LD tbg. WOC. TIH tag TOC @ 478'. **Pump an additional 16 sxs Class 3, 14.6 PPG, 1.37 Yield.** TOO H. WOC. TIH tag TOC @ 385'. LD tbg.

Plug 4 (140' – 290' Surface csg shoe) Mix and pump: 25 sx Class 3, 14.6 PPG, 1.37 Yield. LD tbg. TOO H. WOC. TIH tag TOC @ 120'.

Plug 5 (50' – Surface) Mix and pump: 12 sx Class 3, 14.6 PPG, 1.37 Yield. LD tbg. ND BOP. NU WH. SIW. SDFN.

10/7/22 - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0 PSI. ND WH. Cut off WH. Install dry hole marker. Top of cellar & csg w/ 12 sx cmt. RDMO.


The subject well was plugged and abandoned on 10/7/2022. Ken Christenson/ BLM was on location to witness cement operations.



Current Schematic

Well Name: **BERGER #7S**

API / UWI 3004532946	Surface Legal Location T26N-R11W-S22	Field Name Basin Fruitland Coal	Route 0605	State/Province New Mexico	Well Configuration Type Horizontal
Ground Elevation (ft) 6,264.00	Original KB/RT Elevation (ft) 6,279.00	KB-Ground Distance (ft) 15.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 150561

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 150561
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/7/22	12/14/2022