

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05496
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19520
7. Lease Name or Unit Agreement Name North Hobbs G/SA Unit
8. Well Number 221
9. OGRID Number 157984
10. Pool name or Wildcat HOBBS; GRAYBURG-SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3670' (GL)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Occidental Permian LTD

3. Address of Operator
P.O. Box 4294 Houston, TX 77210-4294

4. Well Location
Unit Letter **F** : **1980** feet from the **NORTH** line and **2310** feet from the **WEST** line
Section **25** Township **18S** Range **37E** NMPM County **LEA**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

We obtained C-103 approval to P&A this well. However, we want to change the procedure to deepen well & log prior to plug and abandonment.

See amended planned procedure attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 11/30/2022

Type or print name Roni Mathew E-mail address: roni_mathew@oxy.com PHONE: (713) 215-7827

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):


Well: NHS AU 221-25
API: 30-025-05496

Objective: Deepen, log ROZ, & plug and abandon well per procedure below.

Procedure:

- 1) MIRU PU x ND WH x NU BOP
- 2) PU 6-1/8" bit + Drill collars on 2-7/8" workstring x RIH to TOC @ 2606'
- 3) DO cement & CIBP to TD at 4343'
- 4) Deepen well ~307' to a new TD of 4650'
- 5) POOH w/ bit
- 6) RU WL x Log Well x RD WL
- 7) RIH w/ open ended tubing to TD at 4650' x Spot ~50 sx balanced plug of cement to new PBTD of at least 4500' x Tag TOC
- 8) RIH & set CIBP @ 3990' x Spot 100' of cmt on top of CIBP
 - a. WOC & tag @ 3890' or higher
- 9) Circulate 12# plug mud
- 10) Perf @ 2600' and sqz 75 sx of cmt.
 - a. WOC and Tag @ 2500' or higher (Yates Plug)
- 11) Perf @ 1782' and sqz 75 sx of cmt.
 - a. WOC and Tag @ 1682' or higher (Top of Salt Plug)
- 12) Perf @ 255' and sqz 200 sx of cmt. Circulate to surface.
 - a. Top-off as necessary (Surface / Csg Shoe plug)
- 13) Cut off wellhead and install dry hole marker (verify cement to surface on all strings) with labeling
- 14) RD PU
- 15) Clean up location, remove anchors

Current WBD



Lea County

Proposed Wellbore
P&A'd Producer
Surface Csg Plug 0' - 255'
4) Perf & Sqz 200 sx.
Verify TOC @ Surface

Top of Salt Plug 1,682'-1,782'
3) Perf & Sqz 75 sx @ 1782'.
WOC. Tag 1682' or higher.

Yates Plug 2,500'-2,600'
2) Perf & Sqz 75 sx @ 2600'.
WOC. Tag 2500' or higher.

1) Set CIBP @ 3990'
Spot 100' of cmt on top of CIBP.
WOC. Tag TOC @ 3890' or higher.

Plugback openhole w/ 50 sx of cmt.
WOC. Tag TOC @ 4500' or higher.

Surface Casing
12-1/2" 50# Csg @ 205'
Cemented with 175 sx
TOC @ Surface (Circulated)

Production Casing
7.0" 22# Csg @ 4039'
Cemented with 500 sx
TOC @ 2800' (CBL)

PBTD @ 2606'

Closed Openhole:
4,039' - 4,650'
TD @ 4650'

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 162343

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 162343
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	12/28/2022