

Well Name: RYLEYBART FEDERAL	Well Location: T26N / R13W / SEC 24 / SWNW / 36.477273 / -108.176187	County or Parish/State: SAN JUAN / NM
Well Number: 1S	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G96011751	Unit or CA Name: 1 RYLEYBART FEDERAL - FRC	Unit or CA Number: NMNM110433
US Well Number: 3004530539	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2708324

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/20/2022	Time Sundry Submitted: 01:55
Date Operation Actually Began: 12/14/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 12/14/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

00_EOW_BLM_Submittal_20221220135501.pdf

Well Name: RYLEYBART FEDERAL	Well Location: T26N / R13W / SEC 24 / SWNW / 36.477273 / -108.176187	County or Parish/State: SAN JUAN / NM
Well Number: 1S	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G96011751	Unit or CA Name: 1 RYLEYBART FEDERAL - FRC	Unit or CA Number: NMNM110433
US Well Number: 3004530539	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD
Signed on: DEC 20, 2022 01:55 PM
Name: DJR OPERATING LLC
Title: Regulatory Technician
Street Address: 1 ROAD 3263
City: AZTEC State: NM
Phone: (505) 634-6722
Email address: MCOLLARD@DJRLLC.COM

Field

Representative Name:
Street Address:
City: State: Zip:
Phone:
Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK
BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742
BLM POC Email Address: krennick@blm.gov
Disposition: Accepted
Disposition Date: 12/21/2022
Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Ryleybart Federal 1 S
API # 30-045-30539
SW/NW Unit E. Sec 24, T26N, R13W
San Juan County, NM
Spud Date: 2-27-2002
Plug Date: 12-14-2022

12-13-2022:

MIRU rig and equipment. SITP = 0, SICP = 22, BH = 0. Pull rods. NDWH, NU BOP. TOOH with 2 3/8" production string.

12-14-2022:

TIH with scraper to 940'. TOOH. TIH with retainer, set retainer at 930'. Load and roll hole, PT casing, good test.

P&A Plug 1: Fruitland perforations: Mix and pump plug of 12 sx through retainer into perforations. TOOH, take off retainer stinger.

TIH to 930'.

P&A Plug 2: 930' to surface, cover Fruitland, Kirtland, Ojo Alamo formation tops and surface casing shoe to surface. Mix and pump 84 sx from 930' to surface.

TOOH.

Cut off WH, TOC at surface in casing and 45' in annulus. Install P&A marker. Top off annulus and cellar with 30 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Clayton Yazzie, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.47711 N, Long; 108.17641 W

DJR Operating, LLC
P&A Marker
Ryleybart Federal 1 S
API # 30-045-30539
SW/NW Unit E. Sec 24, T26N, R13W
San Juan County, NM
Spud Date: 2-27-2002
Plug Date: 12-14-2022



DJR Operating, LLC**End of Well Report****Ryleybart Federal 1S**

API # 30-045-30539

SW/NW, Unit E, Sec 24, T26N, R13W

San Juan County, NM

GL 6089'

KB N/A

Spud Date 2/27/2002

SURF CSG

Hole size 8.75"

Csg Size: 7"

Wt: 23#

Grade: J-55

ID: 6.366"

Depth 132'

casing cap ft³/ft: 0.221TOC: Circ cmt
to surface**FORMATION TOPS**

Nacimiento	Surface
Ojo Alamo	Surface
Kirtland	98'
Fruitland Coal	1093'
Pictured Cliffs	1167'

12-14-2022: Cut off WH. TOC at surface in casing and 45' in annulus. Install P&A marker. Top off annulus and cellar with 30 sx.

12-14-2022: Plug 2: Fruitland, Kirtland, Ojo Alamo and surface casing shoe: Mix and spot plug of 84 sx from 930' to surface.

PROD CSG

Hole size 6.25"

Csg Size: 4.5"

Wt: 11.6#

Grade: N/A

ID: 4.000"

Depth 1386'

casing cap ft³/ft: 0.08727x4.5 capacity ft³/ft 0.1106TOC: Circ cmt
to surface

Fruitland Coal perms
964-1114'

PBTD 1344'
TD 1386'

12-14-2022: Plug 1: Fruitland perforations: Set CR at 930'. Mix and pump plug of 12 sx through CR.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Clayton Yazzie, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.47711 N, Long; 108.17641 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 169579

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 169579
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 12/14/22	12/28/2022