Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: E W MUDGE Well Location: T25N / R11W / SEC 16 / County or Parish/State: SAN

NWSE / 36.39909 / -108.00577 JUAN / NM

Well Number: 8 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM036253 Unit or CA Name: Unit or CA Number:

US Well Number: 3004526217 Well Status: Abandoned Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2707062

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/13/2022 Time Sundry Submitted: 10:35

Date Operation Actually Began: 12/09/2022

Actual Procedure: The subject well was Plugged & Abandoned on 12/09/2022 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

01_EOWR_BLM_Submittal_20221213103453.pdf

Page 1 of 2

eceived by OCD: 12/19/2022 9:36:19 AM Well Name: EW MUDGE

Well Location: T25N / R11W / SEC 16 /

NWSE / 36.39909 / -108.00577

County or Parish/State: SAN 200 JUAN / NM

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMNM036253

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004526217

Well Number: 8

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: DEC 13, 2022 10:35 AM **Operator Electronic Signature: MARYA COLLARD**

Name: DJR OPERATING LLC Title: Regulatory Technician Street Address: 1 ROAD 3263

City: AZTEC State: NM

Phone: (505) 634-6722

Email address: MCOLLARD@DJRLLC.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted **Disposition Date: 12/16/2022**

Signature: Kenneth Rennick

Page 2 of 2

DJR Operating, LLC
P&A End of Well Report
E.W. Mudge 8
API # 30-045-26217
NW/SE Unit J, Sec 16, T25N, R11W
San Juan County, NM
Spud Date: 3-5-1985
Plug Date: 12-9-2022

<u>Recompletion Date:</u> July 2019 plug back from Gallup to Pictured Cliffs, well was recompleted in the Pictured Cliffs.

12-7-2022:

Move in rig and equipment.

12-8-2022:

Rig up rig and equipment. NDWH, NU BOP. SITP = 0, SICP = 0, BH = 0.

TOOH with 2 3/8" production string. RIH with gauge ring to 1250'. POOH.

TIH with retainer, set retainer at 1230'. Load and roll hole, PT casing, did not test.

P&A Plug 1: Pictured Cliffs perforations, formation top and Fruitland formation top: Mix and pump 10 sx under retainer, sting out and spot a balanced plug of 36 sx above retainer. TOOH. WOC.

12-9-2022:

TIH, tagged Plug 1 at 1020'. RIH, perforate holes at 826'. POOH. TIH, set retainer at 786'. Establish rate through retainer, no flow out BH.

P&A Plug 2: Kirtland formation top: Mix and pump plug of 46 sx, (30sx outside casing, 4 sx under retainer, sting out and place 12 sx above retainer). While pumping through retainer, started to get flow out BH. WOC. TIH, tagged Plug 2 at 713'. TOOH. RIH, perforate holes at 520'. POOH. Establish rate down casing and out BH.

P&A Plug 3: Ojo Alamo formation top and surface casing shoe to surface: Mix and pump plug of 163 sx down casing and out BH, good cement returns out BH.

Cut off WH, TOC at 4' in casing and 1' in annulus. Install P&A marker. Top off cellar and casings with 16 sx. Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Monty Gomez, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.39909 N, Long; 108.00577 W

DJR Operating, LLC
P&A Marker
E.W. Mudge 8
API # 30-045-26217
NW/SE Unit J, Sec 16, T25N, R11W
San Juan County, NM


San Juan County, NM Spud Date: 3-5-1985 Plug Date: 12-9-2022



End of Well Report DJR Operating, LLC EW Mudge 8

API # 30-045-26217 NW/SE, Unit J, Sec 16, T25N, R11W San Juan County, NM

GL 6395' KB 6408' Spud Date 3/5/1985



All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx Regulatory representative: Monty Gomez, BLM and Monica Kuehling, NMOCD via phone GPS Coordinates: Lat, 36.39909 N; Long, 108.00577 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 168137

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	168137
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 12/9/22	12/28/2022