

Well Name: M DODD B DEEP FEDERAL	Well Location: T17S / R29E / SEC 14 / SENE /	County or Parish/State: EDDY / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001531041	Well Status: Water Injection Well	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc 12/8/2022

Notice of Intent

Sundry ID: 2697001

Type of Submission: Notice of Intent	Type of Action: Temporary Abandonment
Date Sundry Submitted: 10/07/2022	Time Sundry Submitted: 08:31
Date proposed operation will begin: 11/01/2022	

Procedure Description: Spur respectfully requests to put this well in TA status while we await an approved injection order. Once we have an approved injection order, we plan to work the well over and bring it back online. Please find proposed TA procedure and WBDs attached for your use.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

- M_Dodd_B_Deep_Federal__2_WBD_20221007083006.pdf
- M_Dodd_B_Deep_Fed_2_SWD____TA_Procedure_20221007083006.pdf

Received by OCD: 12/5/2022 11:32:14 AM

Page 2 of 6

Well Name: M DODD B DEEP FEDERAL	Well Location: T17S / R29E / SEC 14 / SENE /	County or Parish/State: EDDY / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001531041	Well Status: Water Injection Well	Operator: SPUR ENERGY PARTNERS LLC

Conditions of Approval

Specialist Review

TA_COA_20221202130845.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN	Signed on: OCT 07, 2022 08:30 AM
Name: SPUR ENERGY PARTNERS LLC	
Title: Regulatory Directory	
Street Address: 9655 KATY FREEWAY, SUITE 500	
City: Houston	State: TX
Phone: (832) 930-8613	
Email address: SCHAPMAN@SPUREPLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Approved	Disposition Date: 12/02/2022
Signature: Jonathon Shepard	

M Dodd B Deep #2

30-015-31041

Proposed TA Procedure

Notify OCD and BLM 24hrs prior to rigging up

Notify OCD and BLM 48hrs prior to MIT test

1. Move in, rig up well service unit.
2. Nipple down wellhead, nipple up BOP.
3. Unset packer, kill well if needed.
4. POOH with injection tubing while inspecting. If condition is good, rack back. If condition is bad, LD and order 8rd L80 work string.
5. Pick up & run in hole w/ bit & casing scraper. Pull out of hole.
6. Run in hole w/ 5.5" CIBP & set at 9,000'.
7. Pressure test CIBP to 500 psi for 15 minutes.
8. Circulate packer fluid.
9. Spot 35' (.8 bbls) Class H cmt on top of CIBP.
10. Pull out of hole laying down workstring.
11. Nipple down BOP, nipple up wellhead.
12. Rig down, move out well service unit.
13. Perform MIT test – Notify OCD and BLM 48hrs prior to test - pressure test casing to 500 psi for 30 minutes and record chart and fill out all pertinent information.

17-1/2" HOLE

13-3/8" 48# H-40 @ 425'
CMT W 400 SX
TOPPED OFF WITH 2 YARDS OF
READY MIX

12-1/4" HOLE

9-5/8" 24# @ 4532'
CMT W/ 1200 SX CLASS C AND
250 SXS OF PREM PLUS
CIRC 150 SX TO SURFACE

7-7/8" HOLE

5.5" 17# P-110 @ 11,185'
CMT W/ 1900 SX CLASS H
TOC AT 3500' FROM TEMP SURVEY

CIBP @ 9,400'
CIBP @ 9,950' w/
CEMENT ON TOP
CIBP @ 10,550'
CIBP @ 10,728'

TUBING DETAIL (06/25/2014)
18' KB
~276 JTS 2 7/8" IPC TBG
PACKER @ 8,959'

CISCO PERFS (9,071 – 9,400') 5/27/04
211 HOLES
CISCO PERFS (9,015 – 9,019') 10/20/03
10 HOLES
CISCO PERFS (9,068' – 9,275') 10/15/03
12 HOLES
STRAWN PERFS (10,141 – 9,991') 7/29/03
13 HOLES
ATOKA PERFS (10,583 – 10,681') 7/24/03
13 HOLES
MORROW PERFS (10,804 – 10,839') 12/08/2000
6 SPF, 164 SHOTS

TD @ 11,185
PBTD @ 9,400'

17-1/2" HOLE

13-3/8" 48# H-40 @ 425'
CMT W 400 SX
TOPPED OFF WITH 2 YARDS OF
READY MIX

12-1/4" HOLE

9-5/8" 24# @ 4532'
CMT W/ 1200 SX CLASS C AND
250 SXS OF PREM PLUS
CIRC 150 SX TO SURFACE

TUBING DETAIL (06/25/2014)
18' KB
~276 JTS 2 7/8" IPC TBG
PACKER @ 8,959'

7-7/8" HOLE

5.5" 17# P-110 @ 11,185'
CMT W/ 1900 SX CLASS H
TOC AT 3500' FROM TEMP SURVEY

**PROPOSED
CIBP @ 9,000' w/
25SX ON TOP**

CIBP @ 9,400'
CIBP @ 9,950' w/
CEMENT ON TOP
CIBP @ 10,550'
CIBP @ 10,728'

CISCO PERFS (9,071 – 9,400') 5/27/04
211 HOLES
CISCO PERFS (9,015 – 9,019') 10/20/03
10 HOLES
CISCO PERFS (9,068' – 9,275') 10/15/03
12 HOLES
STRAWN PERFS (10,141 – 9,991') 7/29/03
13 HOLES
ATOKA PERFS (10,583 – 10,681') 7/24/03
13 HOLES
MORROW PERFS (10,804 – 10,839') 12/08/2000
6 SPF, 164 SHOTS

TD @ 11,185
PBTD @ 9,400'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163794

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 163794
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/8/2022