

Submit a Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-33150
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Milky Way Fee
8. Well Number #2
9. OGRID Number 229137
10. Pool name or Wildcat Esperanza; Bone Spring

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator COG Operating, LLC	
3. Address of Operator 600 W. Illinois Ave, Midland, TX 79701	
4. Well Location Unit Letter D : 660 feet from the N line and 660 feet from the W line Section 9 Township 22S Range 27E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3150' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/02/22 MIRU plugging equipment. 12/05/22 Bled down well to pit. 12/06/22 Continued bleeding down to pit. 12/07/22 Pump'd 180 bbls MLF down csg. Pressured up on tbg to 500 PSI. RIH w/ polish rods, tried to work pump free. 12/08/22 POH w/ rods & pump. 12/09/22 ND well head, NU BOP. Began POH w/ tbg. 12/12/22 Finished POH w/ tbg. Bled down well to pit. 12/13/22 RU hot oiler. Pump'd 70 bbls hot water & 180 bbls 13# MLF down csg. POH w/ tbg & anchor. 12/14/22 RIH w/ 4 1/2 packer, tagged liner @ 7740'. 12/15/22 RIH w/ packer to 7598'. Spotted 45 sx class C cmt @ 7740-7475'. WOC. 12/16/22 Tagged plug @ 7566'. Set 7" CIBP @ 6281'. 12/19/22 Pump'd Brine H2O to fill up csg. Ran CBL. RIH w/ tbg to 6281'. 12/20/22 Circ hole w/ MLF. Spotted 25 sx class C cmt @ 6281-6136'. WOC & tagged @ 6173'. Spotted 25 sx class C cmt @ 5250-5105'. 12/21/22 Spotted 25 sx class C Cmt @ 2760-2615'. Perf'd @ 1762'. Pressured up on perfs to 1500 PSI. Spotted 55 sx class C cmt @ 1812-1493'. WOC & tagged @ 1488'. Spotted 35 sx class C cmt @ 457-250'. WOC. 12/22/22 Tagged plug @ 203'. Perf'd @ 200'. ND BOP, NU wellhead. Sqz'd 130 sx class C cmt @ 200' & circulated to surface. 01/03/23 Verified cmt @ surface. Rigged down & moved off. 01/04/23 Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner verified cmt @ surface via picture text message. Installed 2' concrete form w/ 6 sx cmt. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date: <input type="text"/>	Rig Release Date: <input type="text"/>	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
---------------------------------	--	---

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ruth Shockency TITLE Regulatory Coordinator DATE 1/9/2023


Type or print name Ruth Shockency E-mail address: ruth.shockency@conocophillips.com PHONE: 575-703-8321
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 1/19/2023

Conditions of Approval (if any):

Company: COP		PLUGGED	
Author:	LSG	Well No.	2
Well Name	Milky Way Fee	API #:	30-015-33150
Field	Carlsbad Atoka	Location	660'FNL & 660'FWL
County	Eddy		T22S, R27E
State	NM	GL	3105
Spud Date	1/2/2004		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.325	H40	48	407	17 1/2	475	surf
Inter Csg	9.625	J55	36	1,712	12 1/4	580	surf
Prod Csg	7	L80	23	9,000	8 3/4	1,550	surf
Liner	4.5	P110	11.6	11,818	6 1/8	340	7,175



7. Perf'd @ 200'. ND BOP, NU wellhead. Sqz'd 130 sx class C cmt @ 200' & circulated to surface.

13.325 csg set @ 407 with 475 cmt sx

6. Spotted 35 sx class C cmt @ 457-250'. WOC & Tagged plug @ 203'

9.625 csg set @ 1,712 with 580 cmt sx

5. Perf'd @ 1762'. Pressured up on perfs to 1500 PSI. Spotted 55 sx class C cmt @ 1812-1493'. WOC & tagged @ 1488'.

4. Spotted 25 sx class C Cmt @ 2760-2615'.

3. Spotted 25 sx class C cmt @ 5250-5105'.

2. Set 7" CIBP @ 6281'. Ran CBL. RIH w/ tbg to 6281'. Circ hole w/ MLF. Spotted 25 sx class C cmt @ 6281-6136'. WOC & tagged @ 6173'.

Perfs @ 6331-6388

1. Set packer @ 7740'. Spotted 45 sx class C cmt @ 7740-7475'. WOC & Tagged @ 7566'.

Cut and pull 4.5" csg from 7765' on 4/22/2009

TOC @ 7800' by TS.

Perfs @ (7831 - 7900)2nd Bone Sprg Perf'd April 2009

1.Tag CIBP @ 8900' w/ 35' cmt on top.

7 csg set @ 9,000 with 1,550 cmt sx

Perfs @ (10136 - 10247)

Perfs @ (10648 - 10951)Perfs added 11/2004

Perfs @ (11134-11141), (11213-11215), (11301-11363), (11428-11451), (11537-11656) Orig completion 3/2004

4.5 csg set @ 11,818 with 340 cmt sx

Formation Tops	
Bsalt	1565
Bell Cnyn	1798
Ch Cnyn	2716
Br Cnyn	4081
Bn Sprg	5193
Wlfcmp	9278
Mrw Clstc	11292
Lwr Mrw	11528

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174395

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 174395
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	1/19/2023