

Well Name: RODEO UNIT	Well Location: T23N / R9W / SEC 25 / SESW / 36.191178 / -107.744935	County or Parish/State: SAN JUAN / NM
Well Number: 513H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NOG13121859	Unit or CA Name:	Unit or CA Number: NMNM136328A, NMNM136328X
US Well Number: 3004535873	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2705666

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/02/2022

Date Operation Actually Began: 11/24/2022

Type of Action: Casing

Time Sundry Submitted: 11:36

Actual Procedure: 11/24/2022 - MIRU. 11/24/2022 - PSI tested 13 3/8" csg to 1500# for 30 minutes – Test good 11/25/2022 through 11/26/2022 12-1/4" Drilling ahead Intermediate TD @ 2,806'. M/U shoe, 1 jt of 9-5/8 36.0# J55 LT&C casing, float, 1 jt of 9-5/8 36.0# J55 LT&C casing. csg, Set @ 2806', Float Collar @ 2,753', PBTD @ 2,796' Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 204 bbls (535 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.4 bbls (137 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 213 bbls FW. FCP at 700 psi and Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 58 bbls to surface and got 93 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,130ft MD. Total sacks: 672 sks Rig released @ 00:30 11/27/2022

SR Attachments

Actual Procedure

3_intermediate_casing_Rodeo_513H_20221202113607.pdf

Well Number: 513H

Type of Well: OIL WELL

Allottee or Tribe Name:
EASTERN NAVAJO

Lease Number: N0G13121859

Unit or CA Name:

Unit or CA Number:
NMNM136328A, NMNM136328X

US Well Number: 3004535873

Well Status: Drilling Well

Operator: ENDURING
RESOURCES LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA WHITE

Signed on: DEC 02, 2022 11:36 AM

Name: ENDURING RESOURCES LLC

Title: Staff Engineer

Street Address: 9446 CLERMONT ST

City: THORNTON

State: CO

Phone: (720) 768-3575

Email address: KWHITE@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/06/2022

Signature: Kenneth Rennick

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No.
N0-G-1312-18596. If Indian, Allottee or Tribe Name
Eastern Navajo**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Enduring Resources IV LLC

3a. Address

200 Energy Court Farmington NM 87401

3b. Phone No. (include area code)

505-636-97437. If Unit of CA/Agreement, Name and/or No.
NMNM136328A, NMNM136328X8. Well Name and No.
Rodeo Unit 513H9. API Well No.
30-045-3587310. Field and Pool or Exploratory Area
Mancos/Basin Mancos

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SHL: 191' FSL & 1325' FWL, Sec 25 T23N, R9W**BHL: 2433' FNL & 1917' FWL, Sec 6 T22N, R8W**11. Country or Parish, State
San Juan, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Intermediate Casing
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

11/24/2022 - MIRU.**11/24/2022 - PSI tested 13 3/8" csg to 1500# for 30 minutes - Test good****11/25/2022 through 11/26/2022 12-1/4" Drilling ahead****Intermediate TD @ 2,806'.****M/U shoe, 1 jt of 9-5/8 36.0# J55 LT&C casing, float, 1 jt of 9-5/8 36.0# J55 LT&C casing. csg, Set @ 2806', Float Collar @ 2,753', PBTD @ 2,796' Pumped****10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 204 bbls (535 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.4 bbls (137 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 213 bbls FW. FCP at 700 psi and Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 58 bbls to surface and got 93 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,130ft MD. Total sacks: 672 sks****Rig released @ 00:30 11/27/2022**

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Kayla WhiteTitle: **Environmental Engineer**

Date: 12/2/2022

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 164469

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way, Suite 525 Centennial, CO 80111	OGRID: 372286
	Action Number: 164469
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/25/2023