

Well Name: BURCH KEELY UNIT	Well Location: T17S / R29E / SEC 24 / SWSW /	County or Parish/State: EDDY / NM
Well Number: 281	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028784B	Unit or CA Name: BURCH KEELY UNIT	Unit or CA Number: NMNM88525X
US Well Number: 3001529511	Well Status: Producing Oil Well	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc 2/3/2023

Subsequent Report

Sundry ID: 2713559

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 02/01/2023	Time Sundry Submitted: 09:55
Date Operation Actually Began: 10/20/2022	

Actual Procedure: Please find post job procedure and plugged WBD attached for your review.

SR Attachments

- Actual Procedure
- BKU_281___WBD_AS_PLUGGED_20230201095528.pdf
 - BKU_281___P_A_SUMMARY_20230201095528.pdf

Well Number: 281

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028784B

Unit or CA Name: BURCH KEELY UNIT

Unit or CA Number: NMNM88525X

US Well Number: 3001529511

Well Status: Producing Oil Well

Operator: SPUR ENERGY PARTNERS LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: FEB 01, 2023 09:55 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 02/02/2023

Signature: James A. Amos

DATE	OPS SUMMARY
10/20/2022	SPOT IN BASE BEAM AND WELL SERVICE RIG. RIG UP EQPT. CHANGE TBG EQPT UNHANG WELL REMOVE HEAD. PUMP STUCK. WORKED ON PUMP. UNSET PUMP. POOH LAYING DOWN RODS. SDFN.
10/21/2022	AOL PJSM. NIPPLE DOWN WELLHEAD. NU BOP. POOH WITH TBG. RIH W TBG & PACKER TAGGED AT 3,300'. CALLED BLM. REQUESTED TO RIH W TBG AND PACKER. TAGGED UP AT 3300. CALLED BLM. REQUESTED TO RIH WITH 4 3/4 BIT. POOH W 60 JTS. SDFN.
10/24/2022	AOL PJSM CONTINUE TO POOH TBG. MAKE UP AND RIH W 4 3/4 BIT AND TBG. TAG UP AT 3,300' WORKED BIT AND FELL 10'. RAN BIT TO 3900. POOH W BIT. RIH W PACKER. SET PACKER AT 3750. INJECTION RATE SLOW. CALLED BLM ABOUT PERFING AT 3900 - APPROVED -SDFN
10/25/2022	AOL PJSM POOH W PACKER RIH PERF AT 3900 POOH W TOOLS RIH WITH PACKER GET RATE, NO RATE, HAD PKR AT 3748, PUMPED 18 BBLS 500 PSI BLED DOWN TO 200 IN 10 MIN. CALLED BLM. SUGGESTED TO PERF 50' HIGHER AT 3858. POOH W PACKER AND TUBING. MAKE UP PERF TOOLS. RIH W TBG TO PERF AT 3856 SDFN.
10/26/2022	AOL PJSM POOH W PERF TOOLS RUN 5.5 PACKER SET AT 3748 NO INJ RATE CALL BLM SET CIBP POOH W PACKER MADE UP CIBP RIH SET AT 3840 CIRC 95 BBLS PLUG #1 MIX AND PUMP 25 SX CLASS C CEMENT FROM EOT 3839 TO TOC 3587. POOH W 20 JTS SDFN WOC OVERNIGHT TO TEST ADN TAG IN MORNING
10/27/2022	AOL PJSM RIG TAG TOC AT 3580 POOH W TBG & CIBP SETTING TOOL RIH W TBG OPEN ENDEDE TO EOT AT 1071 PLUG #2 MIX AND PUMP 25 SX CLASS C CEMENT FROM EOT AT 1071 TO TOC AT 819 POOH W TBG RIH W PERF TOOLS AND PACKER PERF AT 440 NO RATE BLM SAID PICK UP 50' AND PERF AT 390 NO RATE BLM SAID TO DOA BALANCE PLUG POOH W PACKER RIH TO 504 PLUG #3 MIX AND PUMP 25 SX CLASS C CEMENT FROM EOT AT 504 TO TOC AT 252. POOH W TBG. WOC. SDFN.
10/28/2022	AOL PJSM RIG W TBG TAG TOC AT 300' PULL UP TO 100' PERF, TEST PERFS NO RATE, CALL BLM SEND BALANCE FROM 250 TO SURFACE PLUG #4 MIX AND PUMP 25 SX FROM 150' TO SURFACE CLASS C CEMENT. LAY DOWN TBG. ND BOP TOP OFF RIG DOWN EQPT SDNF <END OF JOB>


API #	30-015-29511	BURCH KEELY UNIT 281	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	24-17S-29E
Field	BURCH KEELY; GLORIETA-UPPER YESO		Footage	660 FSL, 1295 FWL
Spud Date	10/23/1998		Survey	32.814621, -104.0326309

Formation (MD)	
RUSTLER	
SALT	
YATES	
QUEEN	
SAN ANDRES	
GLORIETA	
YESO	

RKB	
GL	3,582'

Hole Size	12 1/4"
TOC	Surface
Method	CIRC

Csg Depth	390'
Size	8 5/8"
Weight	24#
Grade	
Connections	
Cement	400 SX



Plug #4: Mix and pump 25 sx Class C Cmt from 250' - Surface

Plug #3: Mix and pump 25 sx Class C Cmt from 504' - 300'

Plug #2: Mix and Pump 25 sx Class C Cmt from 1,071' - 819'

Plug #1: Mix & Pump 25 sx Class C from 3,840' - 3,580'

CIBP @ 3,840'

TOF @ ~3,900'
TBG STILL IN HOLE: 18.5 JTS 2 7/8" J55 TBG, SN, 20' MULESHOE JT

RODS STILL IN HOLE: 5 SINKER BARS & PUMP

4,204' - 483': 12/3/98 - ACIDIZE W/ 2000 GAL 15% NEFE

EOT @ ~4,500'

Hole Size	7 7/8"
TOC	SURFACE
Method	CIRC

Csg Depth	4,760'
Size	5 1/2"
Weight	17#
Grade	J55
Connections	
Cement	1,310 SX

Last Update	2/1/2023
By	WSC

PBTD	4,739'
TD MD	4,770'
TD TVD	4,770'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 181907

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 181907
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/3/2023