Office	State of frew mexico	Form C-103 Revised July 18, 2013
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Energy, Minerals and Natural Reso OIL CONSERVATION DIVIS 1220 South St. Francis Dr. Santa Fe, NM 87505	WELL API NO. SION 30-045-22559 5 Indicate Type of Lease
87505 SUNDRY NOTICE (DO NOT USE THIS FORM FOR PROPOSAL	S AND REPORTS ON WELLS S TO DRILL OR TO DEEPEN OR PLUG BACK ION FOR PERMIT" (FORM C-101) FOR SUCH s Well 🛛 Other	TO A 7. Lease Name or Unit Agreement Name State Com SRC 8. Well Number
2. Name of Operator Hilcorp Energy Company		1A 9. OGRID Number 372171
3. Address of Operator 382 Road 3100, Aztec, NM 87410		10. Pool name or Wildcat Blanco Mesaverde/Basin Fruitland Coal
Section 2	feet from the <u>North</u> line and <u>9</u> Township 29N Range 8W 1. Elevation (<i>Show whether DR, RKB, R</i> 6011' GL	NMPM San Juan County
PERFORM REMEDIAL WORK	LUG AND ABANDON	DIAL WORK 🛛 ALTERING CASING 🗌
TEMPORARILY ABANDON C PULL OR ALTER CASING M DOWNHOLE COMMINGLE C CLOSED-LOOP SYSTEM C OTHER: X RE 13. Describe proposed or complete of starting any proposed work) proposed completion or recomp Hilcorp Energy Company requests permitting	HANGE PLANS COMM IULTIPLE COMPL CASIN COMPLETE OTHER d operations. (Clearly state all pertinent) SEE RULE 19.15.7.14 NMAC. For N pletion. Sission to recomplete the subject well in the subject we su	AENCE DRILLING OPNS. P AND A NG/CEMENT JOB R: t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of the Fruitland Coal and downhole commingle with the
TEMPORARILY ABANDON C PULL OR ALTER CASING M DOWNHOLE COMMINGLE C CLOSED-LOOP SYSTEM C OTHER: X RE 13. Describe proposed or complete of starting any proposed work) proposed completion or recomp Hilcorp Energy Company requests permitting	HANGE PLANS COMM IULTIPLE COMPL CASIN COMPLETE OTHER d operations. (Clearly state all pertinent) SEE RULE 19.15.7.14 NMAC. For N pletion. Sission to recomplete the subject well in the subject we su	AENCE DRILLING OPNS. P AND A NG/CEMENT JOB R: t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of
TEMPORARILY ABANDON C PULL OR ALTER CASING M DOWNHOLE COMMINGLE M CLOSED-LOOP SYSTEM M OTHER: M 13. Describe proposed or complete of starting any proposed work) proposed completion or recomp Hilcorp Energy Company requests permenteristing Mesaverde. Please see the attact closed loop system will be used. Spud Date: I hereby certify that the information about	HANGE PLANS COMM NULTIPLE COMPL CASIN COMPLETE OTHEL d operations. (Clearly state all pertinent) SEE RULE 19.15.7.14 NMAC. For Moletion. dission to recomplete the subject well in the procedure, current and proposed well Moletion Rig Release Date: Image: Complete to the best of my	AENCE DRILLING OPNS. P AND A NG/CEMENT JOB P R:
TEMPORARILY ABANDON C PULL OR ALTER CASING M DOWNHOLE COMMINGLE M CLOSED-LOOP SYSTEM OTHER: OTHER: X RE 13. Describe proposed or complete of starting any proposed work) proposed completion or recompletion or recompletion or recomplete of starting Mesaverde. Please see the attacclosed loop system will be used. Spud Date:	HANGE PLANS COMM IULTIPLE COMPL CASIN COMPLETE OTHEL d operations. (Clearly state all pertinent) . SEE RULE 19.15.7.14 NMAC. For Moletion. . ission to recomplete the subject well in the ched procedure, current and proposed well well in the ched procedure, current and proposed well we have been been been been been been been be	MENCE DRILLING OPNS. P AND A NG/CEMENT JOB

•

State Com SRC 1A

E – 2 – 29N – 08W 1670 FNL 970 FWL

API#: 3004522559

Fruitland Coal Recompletion Procedure

01/26/2023

Procedure:

- 1. MIRU PU and associated equipment. Kill well and NDWH.
- 2. NUBOP and unseat tubing, tag for fill and scan out tubing
- 3. Set 4.5" CIBP at 4650' to isolate existing MV completion
- 4. RU wellcheck and MIT wellbore to 500 PSI
- 5. Set 7" CBP at 2788'
- 6. Run CBL from CBP to surface.
- 7. PU 7" frac packer and frac string, RIH and set packer at 2490'
- 8. Pressure test frac string to 5000 PSI
- 9. MIRU frac spread.
- 10. Perforate and frac the Fruitland Coal from 2494' to 2788'.
 - a. Please note, error in OCD records showing Kirtland top below the top of the Fruitland
- 11. MI flow back and flow well to relieve pressure if needed.
- 12. MIRU service rig.
- 13. Test BOP's.
- 14. POOH with frac string and packer.
- 15. When water and sand rates are acceptable, flow test the intervals.
- 16. Make up 7" mill and clean out.
- 17. Make up 3-7/8" mill and cleanout CIBP and to PBTD
- 18. TIH and land 2-3/8" production tubing.
- 19. ND BOP's, NU production tree.
- 20. RDMO service rig & turn well over to production.

•

Hilcorp Ene		Schematic - C	Current	
Well Name: S 917 UW 9004522559	STATE COM SRC #1A Surface Legal Location 002-029N-008W-E	Field Name SLANCO MERLINER DE (PRORUTED SUS	No. State Province NEW MEXICO	Wel Configuration Type
Driginal KB/RT Elevation (ft) 5.024.00	K2-Ground Distance (ft)	riginal Spud Date Rg Release D /5/1977 00:00		Total Depth All (TVD) (1982)
Nost Recent Job	13.00 7	13/13/7 00:00	Original Hole * 3,347.0	
ob Celegory	Primary Job Type	Secondary Job Type	Actual Start Date En	d Date
D: 5,378.0	•	Original Hol	e	
MD (ftKB)		Vertical sch	amatic (actual)	
13.1 176.8 177.8 212.9			9 5/8; 8.92 Insert Float Valve, 9 5 2; 9 5/8; 8.92 Casing Joints, 9 5/8in 9 5/8; 8.92	13.04-176.92; 163.88; 1- /8in; 176.92-177.92; 1.00; : 177.92-212.88; 34.96; 1-
212.9 213.9 227.0 1,076.1			Casing Shoa, 9 5/8in; S/8: 8.92	212.88-213.88; 1.00; 1-4;
- 1,982.0KIR - 2,100.1	D ALAMO (OJO ALAMO (finali)) TLAND (KIRTLAND (finali)) —		6.46	00-2,949.00; 2,936.00; 2-1
2,788.1 2,900.9 — PICT 2,949.1 2,950.1	JITLAND (FRUITLAND (final)) TURED CLIFFS (PICTURED CLIF	FS (final)	3/8; 2.00 Liner Hanger, 4 1/2in;	-5,231.73; 5,218.76; 3-1; 2 2,788.00-2,801.00; 13.00 9.00-2,950.00; 1.00; 2-2; 1
2,952.1	FF HOUSE (CLIFF HOUSE (final			
4,972.1 POI 5,231.6 5,232.0 5,232.9 5,235.9 5,267.7	NT LOOKOUT (POINT LOOKOL	JT (final))	POINT LOOKOUT); 4/ 2 3/8in, Seating Nippi -2; 2 3/8 4 1/2in, Tubing Anch -3; 4 1/2	n 9/19/1977 00:00 (PERF 358.00-5,232.00; 1977-09 le; 5,231.73-5,232.83; 1.10 or; 5,232.83-5,235.98; 3.1 5,235.98-5,267.80; 31.82;
5,347.1 5,373.0 5,374.0			Float Collar, 4 1/2in; 9 4 1/2; 4.05	, 373.14-5, 374.14; 1.00; 3-

•

Hilcorp Ener		Schei	matic - Pro	posed]	
Well Name: S PT 7 0001 004522559 riginal K&IRT Elevation (%) .024.00		Field Name SLUNCO NEAVERDE (PRORI Shut Dale 5/1977 00:00	Rg Release Date		State Province NEW MEXICO 19 (Al) (MKB) 19 Inal Hole - 5,347.0	Weil Configuration Type Total Depth All (TVD) (ftX2)
fost Recent Job						
ob Callegory	Primery Job Type	Secondary J	isb Type	Adual Start Da	4 • •	Dalle
D: 5,378.0			Original Hole			
MD (ftKB)			Vertical schemati	ic (actual)		
13.1	ALAMO (OJO ALAMO (final))				 9 5/8; 8.92 Insert Float Valve, 9 5// 2; 9 5/8; 8.92 Casing Joints, 9 5/8in; 9 5/8; 8.92 Casing Shoe, 9 5/8in; 2 5/8; 8.92 	13.04-176.92; 163.88; 1-1; Bin; 176.92-177.92; 1.00; 1- 177.92-212.88; 34.96; 1-3; 212.88-213.88; 1.00; 1-4; 9 00-2;949.00; 2;936.00; 2-1; 7
- 2,494.1FRU - 2,788.1	ITLAND (FRUITLAND (final)) -	S (finall)			3/8; 2.00 Liner Hanger, 4 1/2in; 1; 4 1/2; 4.05	5,231.73; 5,218.76; 3-1; 2 2,788.00-2,801.00; 13.00; 3 8.00-2,950.00; 1.00; 2-2; 7;
	F HOUSE (CLIFF HOUSE (final))				
4,972.1 POIN 5,231.6 5,232.0 5,232.9 5,235.9 5,267.7 5,347.1		T (finali)			POINT LOOKOUT: 4,8 2 3/8in, Seating Nipple -2; 2 3/8 4 1/2in, Tubing Ancho -3; 4 1/2 2 3/8in, Mud Anchor; 4; 2 3/8	9/19/1977 00:00 (PERF - 58.00-5,232.00; 1977-09-19 a; 5,231.73-5,232.83; 1.10; 3 b; 5,232.83-5,235.98; 3.15; 1 5,235.98-5,267.80; 31.82; 3-
5,373.0					Float Collar, 4 1/2in; 5, 4 1/2; 4.05	373.14-5,374.14; 1.00; 3-3;

Received by QGD: 2/14/2023 1:03:20 PM

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

Phone:(505) 334-6178 Fax:(505) 334-6

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 Form C-102 August 1, 2011

Permit 334075

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-045-22559	71629	BASIN FRUITLAND COAL (GAS)
	5. Property Name	6. Well No.
319650	STATE COM SRC	001A
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6011

	10. Surface Location										
UL - Lot		Section		Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	Е		2	29N	08W		1670	N	970	W	SAN JUAN

	11. Bottom Hole Location If Different From Surface								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
			-						
12. Dedicated Acres 326.92 N/2		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
E-Signed By: Kandis Roland Title: Regulatory Tech Date: 2/9/23
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Surveyed By: Fred B. Kerr Jr.
Date of Survey: 5/3/1977
Certificate Number: 3950

Received	bv	OCD:	2/14/2023	1:03:20 PM
----------	----	------	-----------	------------

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company OGRID: 372171 Date: _2/9/2023_

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipat	Anticipated	Anticipated
				ed Oil	Gas	Produced
				BBL/D	MCF/D	Water BBL/D
State Com SRC 1A	3004522559	E-2-29N-8W	1670' FNL & 970' FWL	0	200	4

IV. Central Delivery Point Name: Chaco-Blanco Processing Plant [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud	TD Reached	Completion	Initial Flow	First Production Date
		Date	Date	Commencement	Back Date	
				Date		
State Com SRC 1A	<u>3004522559</u>	<u>N/A</u>	<u>N/A</u>	N/A	<u>N/A</u>	Not Yet Scheduled

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🛛 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

<u>Section 2 – Enhanced Plan</u> <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF	

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (**h**) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Kandis Roland			
Printed Name: Kandis Roland			
Title: Operations/Regulatory Tech Sr.			
E-mail Address: kroland@hilcorp.com			
Date: 2/9/2023			
Phone:713-757-5246			
OIL CONSERVATION DIVISION			
(Only applicable when submitted as a standalone form)			
Approved By:			
Title:			
Approval Date:			
Conditions of Approval:			

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - \circ $\;$ This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	186084
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	2/22/2023
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	2/22/2023

Page 12 of 12

Action 186084